## CERTIFICATE NO. 37920

## To Appropriate the Public Waters of the State of Oregon

I, Şalvatore John & Catheri	n E. Fulco
1721 Ilman Diman Bood	(Name of applicant)
of 4/21 Upper River Road (Mailing address)	Grants Pass
	lo hereby make application for a permit to appropriate the
following described public waters of the State	of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give dat	te and place of incorporation
	The Wayner Charle
	ion is Lake tr. Ft. Vannoy Creek
, a	tributary of Rogue
2. The amount of water which the applic	ant intends to apply to beneficial use is125
cubic feet per second. (If water is	to be used from more than one source, give quantity from each)
**3. The use to which the water is to be ap	oplied is irrigation and stock // -5-18 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	40 ft. N and 320 ft. E from the West 3
corner of Section 15	(Section or subdivision)
(If there is more than one point of diversion	n, each must be described. Use separate sheet if necessary)
	of Sec. 15, Tp. 36 S, (N. or S.)
R. $6 \text{ W}$ , W. M., in the county of Jose	
5. The pipeline (Main ditch, canal or pipe	to be 1450 feet (Miles or feet)
in length, terminating in the SW to of the	e NW dec. 15 (N. or S.)
R. 6 W , W. M., the proposed location (E. or W.)	on being shown throughout on the accompanying map.
DESCR	IPTION OF WORKS
Diversion Works—	
•	feet, length on top feet, length at bottom
feet; material to be used and	character of construction
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give gener	al description 5 HP electric pump (Size and type of pump)
(Size and type of engine or mot	or to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

dgate. At head	lgate: width on t	top (at water	line)	feet; width on botto
•		feet fall per o		
usand feet. (b) At		miles from he	adgate: width on top (at wa	iter line)
***************************************	feet; width on bo	ottom	feet; depth of	f water fe
de	feet fall	per one thous	and feet. 4" undergroun	ď
m intake	of pipe,	50ft.;	size at intake, $3\frac{1}{2}$	difference in elevation between Estimated capaci
8. Location		rigated, or pla	ace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	6 W	15.	SW 4 of the NW 4	10
		4	<u> </u>	
		,		
		· <u>·                                    </u>		
<u> </u>		· · · · · ·	· · ·	
· ·	. 4	TO THE STATE OF TH	Same and the same	And the state of t
		1.5		
		•	,	
				•
·		(If more space	required, attach separate sheet)	
(a) Ch	aracter of soil		ny, rocky in spots	
(b) Ki	nd of crops raise	d	pasture	······································
wer or Mining		e velik Todak in ini		
	• • • • • • • • • • • • • • • • • • • •			theoretical horsepor
			power	sec. ft.
(c) To	tal fall to be uti	ized	(Head)	
945) L. A. C.				be developed
(a) S	ich morks to be I	ocated in		of Coo
			• • •	of Sec.
(No. N. or	S.) , R. (No.	, W. I	M	
(f) Is	water to be retu	rned to any st	Team?(Yes or No)	
(g) If	so, name stream	and locate po	oint of return	
		~	<b>m</b>	<b>-</b>
		., Sec	, Tp	, R, W

		County bani	na a nrasa-	t population o	of	· wash	
	iame of)			-		***************************************	•••
nd an esti	nated population	n of	***************************************	in 19			
(1	) If for domest	tic use state	numbe <del>r</del> of	families to be	supplied	••••••	
lal ·		(Answ	er questions 11. 1	2, 13, and 14 in all c	aseg)	<del>_</del> .	
	stimated cost of	•					
12. C	onstruction worl	k will begin o	on or before	April	1, 1966	••••••	
13. C	onstruction worl	k will be com	pleted on o	<b>r</b> before	June	1, 1966	
	ie water will be						_
14. 1	ie water witt be	completely a	ppiied to in	e proposea us	e on or bejor	e	······································
•••••	***************************************		······································		11.		
	· -		alvator	e Jen	12. Fred	co	
		``		e Gar	rerine	or applicant)	mlc
	_		•	***************************************	***************************************		•••••••••••••••••••••••••••••••••••••••
Rem		<del></del>				***************************************	
••••		DESCRIPTION					
	of the	northwes range6-	t quart	er of Sec	tion 15,	Township	36
7	in Jos	ephine Co	unty, O	regon.	amette Me	ridian	
***************************************	Except	that por	tion ly	ing from	+he middl	of the	
************	as-con	veyed to	R.R. and	d-Dorothy	Every;	n Volume	98;
	page 1	26, descr	ibed as	follows:			
	Beginn	ing at a	point in	n Section	15, Town	nship 36	South.
			•				. ,
	·····range	o www. or	egon; 4	durodswea	st and 40	rods so	uth
	of the	quarter	egon; 4	orner o	st and 40 n the lir	ie betwee	uth n section
*************	of the	quarter	regon; 40 section said town	drodsrea corner o nshiprand	st and 40 n the lir range:	ne betwee and runni	uth n sections then
	of the	quarter	regon; 40 section said town	drodsrea corner o nshiprand	st and 40 n the lir range:	ne betwee and runni	uth n sections then
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center n 15; th	regon; 40 section said town to the region of said said said to the region of said said said said said said said said	Orrodsmea corner o nshipmand e center idmlakemt uth along	st and 46 n the lir range; a of a lake o the sec said sec	ne betwee and runni ; thence rtion lin	n sections wester wester to the term of term of term of the term of term of the term of term o
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the roof said sence sorted	orods ea corner o nship and e center id lake t uth along	st and 46 n the lir range; a of a lake o the sec said sec place of	ne betwee and runni ; thence rtion lin	n sections wester wester to the term of term of term of the term of term of the term of term o
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center n 15; th	regon, 40 section said town to the roof said sence sorted	orods ea corner o nship and e center id lake t uth along	st and 46 n the lir range; a of a lake o the sec said sec place of	ne betwee and runni ; thence rtion lin	n sections then wester the of sections the sections are sections.
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the roof said sence sorted	orods ea corner o nship and e center id lake t uth along	st and 46 n the lir range; a of a lake o the sec said sec place of	ne betwee and runni ; thence rtion lin	n sections wester wester to the term of term of term of the term of term of the term of term o
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the roof said sence sorted	orods ea corner o nship and e center id lake t uth along	st and 46 n the lir range; a of a lake o the sec said sec place of	ne betwee and runni ; thence rtion lin	n sections wester wester to the term of term of term of the term of term of the term of term o
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the concessor west the plane.	orods ea corner o nship and e center id lake t uth along	st and 46 n the lir range; a of a lake o the sec said sec place of ginning.	ne betweend runnie; thence tion line the control of	n section of the wester the of section of the secti
	range of the 15 and north along sectio	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the concessor west the plane.	orods ea corner o nship and e center id lake t uth along t of the ace of be	st and 46 n the lir range; a of a lake o the sec said sec place of ginning.	ne betweend runnie; thence tion line the control of	n section of the wester the of section of the secti
	range of the 15 and north along sectio to a p east 4	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the concessor west the plane.	orods ea corner o nship and e center id lake t uth along t of the ace of be	st and 46 n the lir range; a of a lake o the sec said sec place of ginning.	ne betweend runnie; thence tion line the control of	n section of the wester the of section of the secti
	range of the 15 and north along sectio to a p east 4	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to	regon, 40 section said town to the concessor west the plane.	orods ea corner o nship and e center id lake t uth along t of the ace of be	st and 46 n the lir range; a of a lake o the sec said sec place of ginning.	ne betweend runnie; thence tion line the control of	n section of the wester the of section of the secti
	range of the 15 and north along sectio to a p east 4	quarter 16, in s 61.12 rod the center 15; the cint 40 r	regon, 40 section said town to the concessor west the plane.	orods ea corner o nship and e center id lake t uth along t of the ace of be	st and 46 n the lir range; a of a lake o the sec said sec place of ginning.	ne betweend runnie; thence tion line the control of	n section of the wester the of section of the secti
County	range of the 15 and north along sectio to a p east 4	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to	regon, 40 section said town aid town of said ence so the plane.	corner of ship and e center id lake the along the ace of be	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ne betweend runnie; thence tion line the properties of the propert	n section section wester wester of section sec
County This	range of the 15 and north along sectio to a p east 4  F OREGON, of Marion, is to certify the	quarter 16, in s 61.12 rod the cente n 15; th cint 40 r 0 rods to  ss.  at I have exa	regon; 40 section said town ls to the roof said west of the plant of t	corner of ship and e center id lake to the along to of the ace of be	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This	range of the 15 and north along sectio to a p east 4  F OREGON, of Marion,	quarter 16, in s 61.12 rod the cente n 15; th cint 40 r 0 rods to  ss.  at I have exa	regon; 40 section said town ls to the roof said west of the plant of t	corner of ship and e center id lake to the along to of the ace of be	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This	range of the 15 and north along sectio to a p east 4  F OREGON, of Marion, is to certify the	quarter 16, in s 61.12 rod the cente n 15; th cint 40 r 0 rods to  ss.  at I have exa	regon; 40 section said town ls to the roof said west of the plant of t	corner of ship and e center id lake to the along to of the ace of be	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This	range of the 15 and north along sectio to a p east 4  F OREGON, of Marion, is to certify the	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for	mined the	corner of ship and e center id lake the along the ace of be ace of be ace of be ace of appreciation.	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This naps and	range of the 15 and north along sectio to a p east 4  F OREGON, of Marion, is to certify the data, and return	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for s priority, the	mined the	foregoing app	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This naps and	range of the 15 and north along sectio to a p east 4  FOREGON, of Marion, is to certify the lata, and return rder to retain it before	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for s priority, the	mined the	foregoing app	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This naps and	range of the 15 and north along sectio to a p east 4  FOREGON, of Marion, is to certify the lata, and return rder to retain it before	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for s priority, the	mined the	foregoing app	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This naps and In o	range of the 15 and north along sectio to a p east 4  FOREGON, of Marion, is to certify the lata, and return rder to retain it before	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for s priority, the carch 9th	mined the	foregoing app	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This maps and In o	range of the 15 and north along sectio to a p east 4  FOREGON, of Marion, is to certify the lata, and return rder to retain it before	quarter 16, in s 61.12 rod the cente n 15; th oint 40 r 0 rods to  ss.  at I have exa the same for s priority, the carch 9th	mined the	foregoing app	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	ther with the	e accompa
County This maps and In o	range of the 15 and north along sectio to a p east 4  FOREGON, of Marion, is to certify the lata, and return rder to retain it before	quarter 16, in s 61.12 rod the cente n 15; th cint 40 r 0 rods to  ss.  at I have exa the same for s priority, the arch 9th this 5th	mined the	foregoing app  ation  foregoing app  ation  January	st and 46 n the lir range; a of a lake of the sec said sec place of ginning.	thence tion lin beginning ther with the State Engine	e accompa

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us
and shall not exceedQ.13 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from a lake
The use to which this water is to be applied isirrigation
The use to which this water is to be applied is
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 42 acre feet per acre for each acre irrigated during the irrigation
season of each year,
•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isApril 4, 1966
Actual construction work shall begin on or beforeJanuary18,1968
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68
Complete application of the water to the proposed use shall be made on or before October 1, 1969
WITNESS my hand this18th day ofJanuary, 19.67
eli l-selle
STATE ENGINEER
The second secon

Application No. 7205

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the Ath... day of ...... Aperic

19.66, at 3:00 o'clock

Returned to applicant:

January 18, 1967

Approved.

Recorded in book No.

Permits on page .....

CHAIS L. HALLIR ENGINEER

Drainage Basin No. 1

State Printing 98137.