

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40201

To Appropriate the Public Waters of the State of Oregon

(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is 1rrigation Suppl. 1 fr 5-25 (trigation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 1920 ft. So. and 1320 ft. East from the N.W. (N. or S.) corner of Section 32, Twp. 40 S Range 19 E.W.M. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW.Z.NW. (Give smallest legal subdivision) R. 19 E (Give smallest legal subdivision) (Kor S.) (Main ditch, canal or pipe line) (Miles or feet)	I, George T.	Fenimore .				***************************************
State of Oregon	Box 608	D+ 6				
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is			Takeview	. 2		
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	State of Oregon.	••••••	, do hereb	y make applicatio	n for a permi	t to appropriate the
1. The source of the proposed appropriation is Unnamed slough (Name of stream) (a tributary of Cap Barnes Creek 2. The amount of water which the applicant intends to apply to beneficial use is like (a water to be used from more than one source, give quantity from each) (a water to be used from more than one source, give quantity from each) (a water to be used from more than one source, give quantity from each) (b water is no be used from more than one source, give quantity from each) (c water to be used from more than one source, give quantity from each) (c water is no be used from more than one source, give quantity from each) (c water is no be used from more than one source, give quantity from each) (c water is no be used from more than one point of diversion, and large of the water of the water along the ditch at other points. (c) (d) (d) (d) (d) (d) (d) (d)	following described pr	ıblic waters of th	e State of Orego	on, SUBJECT TO	EXISTING 1	RIGHTS:
(If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SN 2 NM 2 (Give smallest legal subdivision) R. 19 E , W. M., in the country of Iake (R. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	If the applicant	is a corporation, g	give date and pl	ace of incorporat	ion	•
2. The amount of water which the applicant intends to apply to beneficial use is 1\frac{1}{2}. cubic feet per second. three acre feet for 122.8 acres or 368.4 acre feet (If water is to be used from more than one source, give quantitis rome each) **3. The use to which the water is to be applied is \frac{127.82 \text{1712 acres}}{\text{(firigation, power, mining, mininfacturing, domestic supplies, etc.)}} 4. The point of diversion is located \frac{1920}{1920} ft. \frac{So.}{(N. or S.)} and \frac{1320.}{\text{ft. East.}} from the .N.N. ecorner of Section 32, Twp. 40 S Range 19 E.W.M. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW.\frac{2}{3}.NW.\frac{2}{3}. (Give smallest legal subdivision) R. 19 E. W. M., in the county of Lake (Chain ditch, canal or pipe line) (Main ditch, c	1. The source of	f the proposed app	propriation is	Unnamed s	lough	
cubic feet per second. three acre feet for 122.8 acres or 368.4 acre feet (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is 1rrication 5uppl. It 5-25 (Gregation, power, mining, minutacturing, domestic supplies, etc.) 4. The point of diversion is located 1920 ft. So. and 1320 ft. East from the N.*W. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. NW (Give smallest legal subdivision) R. 19 E , W. M., in the county of Lake (Give smallest legal subdivision) 5. The main ditch (Main dich, canal or pipe line) in length, terminating in the SE SW (Smallest legal subdivision) R. 19E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto			, a t r ibutar	y of Cap Ba	rnes Cree	k
**3. The use to which the water is to be applied is 1rrigation Suppl. 1 fr 5-25 ((trigation, power, mining, mining, mining, domestic supplies, etc.) 4. The point of diversion is located 1920 ft. So. and 1320 ft. East from the N.*W.* (X. or X.) Corner of Section 32, Twp. 40 S Range 19 E.W.M. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. 1 NW. 2 of Sec. 32 , Tp. 40S (Give smallest legal subdivision) R. 19 E., W. M., in the county of 1ake (Main ditch, canal or pipe line) in length, terminating in the SE SW 1 (Smallest legal subdivision) (Examplest legal subdivision) Of Sec. 29 , Tp. 40N (Smallest legal subdivision) (Examplest legal subdivision) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	2. The amount of	of water which the	e applicant inten	ds to apply to be	neficial use i s	12
4. The point of diversion is located 1920 ft. So. and 1320 ft. East from the N. W. Corner of Section 32, Twp. 40 S Range 19 E.W.M. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. N. W. Corner (Section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. N. W. Corner (Section corner) R. 19 E. W. M., in the county of Iake (E. or W.) 5. The main ditch canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) R. 19E. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	-	, (I	If water is to be used fro	om more than one source	, give quantity from	each)
Corner of Section 32, Twp. 40 S Range 19 E.W.M. (Section or subdivision) This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. NW. One SW. NW. One SW. NW. One SW. NW. One SW.	**3. The use to w	hich the water is t	to be applied is	irrigation (Irrigation, power, m	ا موں کے . ining, manufacturin	1+r 5-25-1 g, domestic supplies, etc.)
This is a ditch which begins at the point stated and picks up water along the ditch at other points. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW NW (Give smallest legal subdivision) R. 19 E (Give smallest legal subdivision) 5. The main ditch (Main ditch, canal or pipe line) (Mulles or feet) in length, terminating in the SE SW (Swallest legal subdivision) R. 19E (Smallest legal subdivision) Of Sec. 29 Tp. 40N (Killes or feet) in length, terminating in the SE SW (Swallest legal subdivision) R. 19E (Smallest legal subdivision) R. 19E (Smallest legal subdivision) Of Sec. 29 Tp. 40N (Killes or feet) Of Sec. 20 Tp. 40N (Killes or f	4. The point of	diversion is locat	ed 1920 ft.	So. and 13	20 ft. East	from the N.W.
Water along the ditch at other points. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWA NWA (Give smallest legal subdivision) R. 19 E , W. M., in the county of Lake 5. The main ditch (Main ditch, canal or pipe line) (Miles or feet)	corner of Section	n 32, Twp.40	OS Range (Section	19 E.W.M. or subdivision)	•••••••••••	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNANNA (Give smallest legal subdivision) R. 19 E , W. M., in the county of Lake (E. or W.) 5. The main ditch (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SEASWA (Smallest legal subdivision) R. 19E	This is a	ditch which	h begins at	the point	stated an	d picks up
being within the SW NW Give smallest legal subdivision) R. 19 E , W. M., in the county of Lake (E. or W.) 5. The main ditch (Main ditch, canal or pipe line) (In length, terminating in the SE SW County of Sec. 29 , Tp. 40N (N. or S.) (Smallest legal subdivision) R. 19E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto		(If prefera	able, give distance and b	pearing to section corner)		
R. 19 E , W. M., in the county of lake 5. The main ditch (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE SW (Smallest legal subdivision) of Sec. 29 , Tp. 40N (N. or S.) R. 19E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto		=				
5. The main ditch to be 1920 feet (Main ditch, canal or pipe line) (Miles or feet) (N. or S.) R. 19E (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	•					, Tp. 405 (N. or S.)
in length, terminating in the SE SW a of Sec. 29 , Tp. 40N (N. or S.) R. 19E , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	(E. or W.)			•		
R. 19E (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	5. The mair) ditch (Main ditch, cs	anal or pipe line)	to be	1920 fee	iles or feet)
R. 19E (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	in length, terminating	in the SEA SI	W a	of Sec. 2	9 ,	, Tp. 40N
Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto	300					
Diversion Works— 6. (a) Height of dam 8 feet feet, length on top 100 feet, length at botto		. 1	DESCRIPTION	OF WORKS		
	Diversion Works—	_		:		
12 feet; material to be used and character of construction Earth Fill	6. (a) Height o	f dam 8 feet	t feet, len	gth on top 100	fe	et, length at bottom
(Loose rock, concrete, mason	•			•	Earth Fi	00se rock, concrete, masonry,
already constructed and permit granted			***************************************	nted		No. 14
(b) Description of headgate	(b) Description	of headgate	N/A	mber, concrete, etc., num	ber and size of open	ings)
	· · · · · · · · · · · · · · · · · · ·			•		
(c) If water is to be pumped give general description Six inch Pacific Pump (Size and type of pump)				otion Six inc	h Pacific	Pump
will lift water six feet. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	will li			total head water is to be	lifted, etc.)	

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

anal System or	-	•		31516
7. (a) Gi	ve dimensions at	each point of c	anal where materially ch	anged in size, stating miles from
eadgate. At hed	adgate: width on	top (at water l	ine) Six	feet; width on bottom
ousand feet.				l feet fall per one
		•		
			:	of water feet,
	feet fal			,
(c) Lengt	th of pipe,	ft.; s	size at intake,	in.; size at ft
om intake	in.,	; size at place o	f use in.	; difference in elevation between
take and place	e of us e,	ft. Is	grade uniform?	Estimated capacity
•••••				
8. Location	on of area to be	irrigated, or pla	ice of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40 S	19E	29	NW & SW &	40.0
40 s	19E	29	NE 🕯 ''	40.0
40 S	19E	29	SW 🔹	6.0
40 S	19E	29	SE à	36.8
40 B	1911	2)	•	1228
	· · · · · · · · · · · · · · · · · · ·		, .	
	The state of the s			
<u> </u>				
	·	•		
· · · · · · · · · · · · · · · · · · ·	1 1 2 2	.:		
(a) C	haracter of soil .		required, attach separate sheet)	
		k 1		
o) K Power or Minir	Kind of crops rais	ea		
	-	ower to be dev	eloped	theoretical horsepowe
(b) 6	Duantity of water	to be used for 1	oower	sec. ft.
			(Head)	그 내가 가는 사람들이 가는 그들은 얼마를 하는데 되었다.
				15 de
(a) 1	rne nature of the	works by mean	is of which the power is t	to be developed
••••••			,	
(e) S	Such works to be	located in	(Legal subdivision)	of Sec
Tp(No. N. o	, R	. E. or W.)	1 .	•
(f) I	's water to be ret	urned to any st	ream?(Yes or No)	
***************************************		, Sec	, Tp	, R W.
/h) /				
		` . :		
(g) 1	If so, name streat	m and locate po , Sec power is to be o	mint of return, Tp	, R, V

10. (a) To supply the city of		•		31516
	esent popula	tion of	***************************************	
d an estimated population of	in 19			
(b) If for domestic use state number	of families	to be supplied	d	
(Answer questions	s 11, 12, 13, and 14	in all cases)		
11. Estimated cost of proposed works, \$]		· 1.		
		1		
12. Construction work will begin on or be				***************************************
13. Construction work will be completed of				
14. The water will be completely applied to	o the propos	ed use on or b	eforeMB.YI	1900.
				<i>Z</i>
	······································	(Sig	mature of applicant)	CLLLED
Remarks: Irrigation to be	e done b	y sprinkl	er system,	water to
be pumped.				

			••••••	

······································				
	•••••••			
		,		
		······································		
i de la companya de l				
	:			
STATE OF OREGON,) ss.	:			
Country of Marton,				
This is to certify that I have examined			_	
naps and data, and return the same for		······································	•••••	
		•••••	••••••	
In order to retain its priority, this application	cation must	be returned to	the State Eng	ineer, with corre
ions on or before	, 19			
•			•	•
WITNESS my hand this day o	of			, 19
				•
				STATE ENGINEER

By

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from an unnamed slough
The use to which this water is to be applied is supplemental irrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 2 acre feet per acre for each acre irrigated during the irrigation
season of each year, provided further that the right allowed herein shall be limite
to any deficiency in the available supply of any prior right existing for the same
land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is
Actual construction work shall begin on or before
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968 Extended to Oct. 1979 Extended to Oct. 1, 1982
Complete application of the water to the proposed use shall be made on or before October 1, 1962 Extended to Oct. 1979 Extended to Oct. 1, 1982
WITNESS my hand thisl8th day ofJanuary, 19_67,
· elit whole
STATE ENGINEER

Application No. 42141 Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 261h. day of April

1966, at . P. 00. o'clock

Returned to applicant:

January 18, 1967

Recorded in book No. Permits on page

ゟ

CRIS LA CHALLER STATE ENGINEER

Drainage Basin No.

State Printing 98137

Fees