

RECEIVED  
MAY 18 1966

STATE ENGINEER  
Salem, Oregon

Permit No. 31577

CERTIFICATE NO. 49920

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Eagle Point Irrigation District by C. J. Kelley, Manager  
(Name of applicant)

of Eagle Point,  
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Hog Creek  
(Name of stream)

, a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 1.27  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation.  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the  
(N. or S.) (E. or W.)  
corner of see attached... in remarks.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. 35 S.  
(Give smallest legal subdivision) (N. or S.)

R. 1 W. W. M. in the county of Jackson.  
(E. or W.) For all other ditches

Div. #4 5. The (see remarks) pipeline to be 1600 feet long  
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 NW 1/4 of Sec. 21, Tp. 35 S.  
(Smallest legal subdivision) (N. or S.)

R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 20 feet, length at bottom 20 feet; material to be used and character of construction open spill with flash boards.  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 1' x 1' concrete opening controlled by adding or removing slats.  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Diversion #4 - 2" discharge, 3" suction - 5 H.P. electric.  
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

See remarks Canal System or Pipe Line—

31577

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

Div. #4 (c) Length of pipe, ..... 1600 ..... ft.; size at intake, ..... 3" ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, ..... ± 80 ..... ft. Is grade uniform? ..... no ..... Estimated capacity, ..... 0.20 ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated			
				Primary	Supplemental		
35 S.	1 W.	20	NE¼ SE¼	6.0	8.0		
			SE¼ SE¼	--	6.2		
		21	NW¼ NE¼	5.0	--		
			NE¼ NW¼	--	5.6		
			SW¼ NW¼	18.7	--		
			SE¼ NW¼	--	6.2		
			NE¼ SW¼	3.1	--		
			NW¼ SW¼	12.5	19.4		
		22	SW¼ SW¼	--	3.0		
			SE¼ NW¼	8.0	--		
			<u>Totals</u>			53.3	48.4
						10 1.7	<u>53.3</u> 107.7

(If more space required, attach separate sheet)

(a) Character of soil ..... granite, silt, and clay .....

(b) Kind of crops raised ..... pasture, hay, and garden .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

Legal subdivision  
 Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... unknown.....
- 12. Construction work will begin on or before ..... 1 year from date of priority.....
- 13. Construction work will be completed on or before ..... October 1, 1968.....
- 14. The water will be completely applied to the proposed use on or before ..... October 1, 1969.....

EAGLE POINT IRRIGATION DISTRICT:

(Signature of applicant)

BY: C. J. Kelley  
C.J. Kelley, Manager

Remarks: We, the Eagle Point Irrigation District, have been advised of the policy of the State Water Resources Board in regard to Rogue River and its tributaries.

- Item 4. DIVERSION POINTS: All located in T. 35 S., R. 1 W., W.M.
- Diversion #1 - 1460 feet N. & 3370 feet E. from SW corner Sec. 22 being within NW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 22.
  - Diversion #2 - 200 feet S. & 1300 feet W. from NE corner Sec. 21, being within NE $\frac{1}{4}$  NE $\frac{1}{4}$ , Section 21.
  - Diversion #3 - 970 feet S. & 2630 feet W. from NE corner Sec. 21, being within NW $\frac{1}{4}$  NE $\frac{1}{4}$ , Sec. 21.
  - Diversion #4 - 90 feet N. & 1160 feet E. from W $\frac{1}{4}$  corner Sec. 21, being within SW $\frac{1}{4}$  NW $\frac{1}{4}$ , Sec. 21. (Pump)...

Item 5. DITCHES:

Ditch #1 (Diversion #1) 2600 feet long, size at headgate 3' top width, 2' bottom width...6" depth of water. Fall per 1000' = 10 ft. Ends in SE $\frac{1}{4}$  NW $\frac{1}{4}$ , Sec. 22. Ditch #2 (Diversion #2) 6000 feet long, size at headgate same as #1; ditch ends in NE $\frac{1}{4}$  SE $\frac{1}{4}$ , Sec. 20. Ditch #3, ss. (Diversion #3) 4000 feet long, size at headgate same as #1; ditch ends in NE $\frac{1}{4}$  SE $\frac{1}{4}$ , Sec. 20, T. 35 S., R. 1 W., W.M.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....1.27..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from ...Hog Creek.....

The use to which this water is to be applied is ..irrigation and supplemental irrigation.....

If for irrigation, this appropriation shall be limited to .....1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is .....May 18, 1966.....

Actual construction work shall begin on or before .....February 7, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968...

Complete application of the water to the proposed use shall be made on or before October 1, 1969...

WITNESS my hand this .....7th..... day of .....February....., 1967.....

*Chris L. Wheeler*

STATE ENGINEER

pc

Application No. 42225  
Permit No. 31577

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of May, 1966, at 8:00 o'clock A. M.

Returned to applicant: \_\_\_\_\_

Approved:

February 7, 1967

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Permits on page 31577

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 15 page 7872

Fees 25.00