

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Howard A. & Betty J. Owens (Name of applicant) of P. O. Box 66 Cloverdale (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Dawson Creek (Name of stream)

a tributary of Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is (0.04 c.f.s. for domestic use of 5 families including irrigation of not to exceed 1/2 acre of lawn and garden per family) (0.02 c.f.s. for stock water) (0.02 for industrial use of a dairy)

4. The point of diversion is located 1380 ft. S. and 1720 ft. E. from the N. W. corner of Section 26 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.E. 1/4 N.W. 1/4 of Sec. 26, Tp. 4 S. (Give smallest legal subdivision) (N. or S.)

R. 10 W., W. M., in the county of Tillamook (E. or W.)

5. The Pipe (Main ditch, canal or pipe line) to be 4100 Ft. (Miles or feet) in length, terminating in the N.W. 1/4 N.E. 1/4 of Sec. 27, Tp. 4 W. (Smallest legal subdivision) (N. or S.)

R. 10 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

31737

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ^{HAO} 4100 ft.; size at intake, ^{2 HAO} in.; size at ^{HAO} 4100 ft. from intake ^{2 HAO} in.; size at place of use ^{3/4 HAO} in.; difference in elevation between intake and place of use, ^{300 HAO} ft. Is grade uniform? ^{HAO} Fairly Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
45	10 W	26	SW 1/4 NW 1/4	1 Dom. & stock
		27	NW 1/4 NE 1/4	3 Dom, Stock & Industrial
			SE 1/4	
			SE 1/4 NW 1/4 SW 1/4 NE 1/4	1 Dom.
			HAO	

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

31737

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 5- HAO

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 500.00 HAO
- 12. Construction work will begin on or before Oct. 1966 HAO
- 13. Construction work will be completed on or before Oct. 1967 HAO
- 14. The water will be completely applied to the proposed use on or before Oct. 1968 HAO

Howard A. Owens
(Signature of applicant)
Howard A. Owens

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before March 31st 19 67..

WITNESS my hand this 31st. day of January 19 67..

RECEIVED
FEB 3 1967

STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

Chris L. Wheeler
ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Dawson Creek

The use to which this water is to be applied is domestic of five families including the irrigation of not to exceed one-half acre lawn and garden each, stock, and use in dairy being 0.02 cfs for domestic, 0.01 cfs for stock, and 0.01 cfs for dairy.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 24, 1966

Actual construction work shall begin on or before March 23, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 23rd day of March, 1967

Chris L. Wheeler

STATE ENGINEER

PC

Application No. 42393

Permit No. 31737

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of June 1966, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

March 23, 1967

Recorded in book No. 31737 of

Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 1 page 16 F

Fees \$20