CERTIFICATE NO. 35 191

*APPLICATION FOR PERMIT ASSIGNED. See Misc. Rec., Vol. 4 Fage / 037

To Appropriate the Public Waters of the State of Oregon

A The use to which the water is to be applied is frequency power, mining, assentiate touch of diversion is located at 2.7.2. ft and 2.8.2. ft from the ft. greterable, give distance and bearing to section corner) (It greterable, give	I, Howard A. & Be		of annihoust		•
tate of Action solves and the state of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is the applicant in the applicant is a corporation, a tributary of Section of the proposed appropriation is the applicant in the applica	P.O. Box 66	• •			
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	(Mailing addre	88)	•	***************************************	·····,
1. The source of the proposed appropriation is a circumstance of the proposed appropriation of the country of the circumstance	tate ofOregor,	, do here	by make applicati	on for a permit to	appropriate the
1. The source of the proposed appropriation is 9. 2. The amount of water which the applicant intends to apply to beneficial use is \$3.2.2. 2. The amount of water which the applicant intends to apply to beneficial use is \$3.2.2. 2. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used for more than one source, give quantity from each) **4. The point of diversion is located **5.7.2. (If water is to be used and character of construction (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If the is more than one point of diversion of the described. Use separate	llowing described public wate	rs of the State of Ore	gon, SUBJECT TO	O EXISTING RIG	HTS:
1. The source of the proposed appropriation is 9. 2. The amount of water which the applicant intends to apply to beneficial use is \$3.2.2. 2. The amount of water which the applicant intends to apply to beneficial use is \$3.2.2. 2. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (If water is to be used for more than one source, give quantity from each) **4. The point of diversion is located **5.7.2. (If water is to be used and character of construction (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion, each must be described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate thest if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If there is more than one point of diversion of the described. Use separate sheet if necessary) (If the is more than one point of diversion of the described. Use separate	If the applicant is a corpo	eration give date and	nlace of incorpora	tion	
a tributary of Pacific Ocean Metaccally 2. The amount of water which the applicant intends to apply to beneficial use is N. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	i, the applicant to a co. po	ration, give date and	prace of meer per a		***************************************
a tributary of Pacific Ocean Metaccally 2. The amount of water which the applicant intends to apply to beneficial use is N. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.			, Nestacca R	7,022 0.84	7. A S.
a tributary of Pacific Ocean Metaccally 2. The amount of water which the applicant intends to apply to beneficial use is N. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.	1	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Ta Spring	freem o.ol	#5.
2. The amount of water which the applicant intends to apply to beneficial use is a distance and bearing to section corner) **3. The use to which the water is to be applied is Circulation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ** * * * * * * * * * * * * * * * * *	1. The source of the propo	osea appropriation is		(Name of stream)	
with the same is not be applied is translation, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located ** * * * * * * * * * * * * * * * * *					
with the same is not be applied is transfer to be used from more than one source, eve quantity from each) **3. The use to which the water is to be applied is transfer to be used from more than one source, eve quantity from each) **3. The use to which the water is to be applied is transfer to be used from more than one source, eve quantity from each) **4. The point of diversion is located **5. **7.9 ft	2. The amount of water u	which the applicant into	ends to apply to b	eneficial use is 📆	3 0.0/
(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (trigation, power, mining, manufacturing, donestic supplies, etc.) 4. The point of diversion is located ** 77.9 ft and 38.2 ft from the 5/4. (Rection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the ** / 1. / 1. / 1. / 1. / 1. / 1. /	12 20 00 mm	not Extraore			`,
4. The point of diversion is located		(If water is to be used			
4. The point of diversion is located of the state of the	**3. The use to which the u	vater is to be applied is	#1 0.84 C+	5 for 120	igation
4. The point of diversion is located 7 ft and 320 ft from the 54 ft and 320 ft from the 54 ft from the from the 54 ft from the 54 ft from the from the 54 ft from the 54 ft from the 54 ft from the from the 54 ft from the			(Irrigation, power,	mining, manufacturing, do	mestic supplies, etc.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the # 1	E 0.02 fat stock	Water			
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the # 1	4. The point of diversion	is located # 5 7/0 f	ts. and	90 ft. <i>E</i>	rom the5/4_
(If there is more than one point of diversion, each must be described. Use separate direct if necessary) eing within the #			(44. O1 D.)	⟨E. or ₩.)	
eing within the interest legal subdivision) (Give smallest legal subdivision) (E. or W.) (S. or W.) (S. or W.) (S. or W.) (Miles or feet) (N. or S.) (N. or S.) (S. or W.) (E. or W.) (E. or W.) (E. or W.) (DESCRIPTION OF WORKS (E. or W.) (Loose rock, concrete, masonry, or feet) (Cose rock, concrete, masonry, or further, concrete, ste., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump) (Size and type of pump)	The Toj	(Secti	on or subdivision)	•••••••••••••••••••••••••••••••••••••••	
eing within the interest legal subdivision) (Give smallest legal subdivision) (E. or W.) (S. or W.) (S. or W.) (S. or W.) (Miles or feet) (N. or S.) (N. or S.) (S. or W.) (E. or W.) (E. or W.) (E. or W.) (DESCRIPTION OF WORKS (E. or W.) (Loose rock, concrete, masonry, or feet) (Cose rock, concrete, masonry, or further, concrete, ste., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump) (Size and type of pump)					
eing within the signal within the signal within the signal subdivision) (B. or W.) (B. or W.) (C. or W.) (C. or W.) (Miles or feet) (Mil					
eing within the interval (Give smallest legal subdivision) (B. or W.) (B. or W.) (C. or W.) (C. or W.) (C. or W.) (C. or W.) (Miles or feet) (Miles or		(If preferable, give distance an	d bearing to section corner	r)	
eing within the signal within the signal within the signal subdivision) (B. or W.) (B. or W.) (C. or W.) (C. or W.) (Miles or feet) (Mil	774 Ab and to more them		et he described. The series	mto shoot if management	
(E. or W.) (E. or W.) (E. or W.) (Stain ditch, canal or pipe line) (Miles or feet) (N. or S.) (N. or S.) (E. or W.) DESCRIPTION OF WORKS (E. or W.) DESCRIPTION OF WORKS (E. or W.) (E. or W.) (E. or W.) DESCRIPTION OF WORKS (E. or W.) (E. or W	WI SELA SWI	one point of diversion, each mu	st be described. One separ	22	15
Length, terminating in the	(Gi	(ive smallest legal subdivision)	ој Sec		(N. or S.)
Length, terminating in the	10 W W M in the co	untu of Tillam	00 K		
Length, terminating in the	(E. or W.) #/ 200	746/2			
Length, terminating in the	5. The #3 200	F.F.	to be		***************************************
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	OM.	ain ditch, canal or pipe line)		> 7	ir feet)
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	length, terminating in the 🛋	(Smallest legal subdivision	of Sec	, T _I	(N, or S.)
DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	, W. M., the	proposed location being	ig shown througho	out on the accomp	inying map.
iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate	(2.02)				
feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	iversion Works—	DESCRIPTION	OF WORKS		
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	. ,	-	1	_	
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	feet; material	to be used and charact	er of construction		rock concrete masonry
(b) Description of headgate #3 3 ft by 3 ft concrete, etc., number and size of openings) (c) If water is to be pumped give general description Cornell-Court. 2/2" X 2" (d) H.P. Electric				(200se	, eville eve, masoniy,
(c) If water is to be pumped give general description Cornell-Court. 2/2" X 2" (b) If water is to be pumped give general description (Size and type of pump)	ck and brush, timber crib, etc., wasteway ov	er or around dam)			
10 H.P. Electric	(b) Description of headg	ate 3 3 ft 1	Timber, concrete, etc., nur	nber and size of openings	in spri
10 H.P. Electric			#/		
10 H.P. Electric	(c) If water is to be pum	ped give general descr	iption Com	e// - Court.	2/2 / Z
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	10 H.P. El	ectain			
	(Size and		ed, total head water is to	be lifted, etc.)	•••••••••••••••••••••••••••••••••••••••

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

eadgate. At head	lgate: width on t	op (at water	line)	feet; width on bottor
	feet; depth of w	ater	feet; grade	feet fall per on
ousand feet.				
(b) At		miles from ne	aagate: wiath on top (at wat	ter line)
······	feet; width on bo	ottom	feet; depth of	water fee
rade	feet fall	per one thous	and feet.	2000
(a) I am udh	#2	2000	dina at intales	in.; size at
(c) Length	oj pipe, .	<i>20.0</i> Jt.;	size ai iniake,ze	171., Size at
				ifference in elevation betwee
take and place	of use,	ft. Is	grade uniform?	Estimated capacit
0.90		r		
8. Location	•	rigated, or pla	ace of use	
	Range			
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
45	10.W	22	SE14 SW/4	12.7 & Stock
		,	SW/4 SE/4	7.3 & 5tock
				132 & stock
		27	NW/4 NE/4	
			NE/4 NW/4	33.0 & Stock
		•		-1, 2
-				
		-		
			·	
	<u> </u>			
	<u> </u>	(If more space	required, attach separate sheet)	<u> </u>
(a) Ch	aracter of soil	River	Loom	
(h) Ki	nd of crops raise	a Past	ure & Stock	
Power or Mining	_	<i></i>	;	
_	-	wer to be den	eloned.	theoretical horsepow
			_	
(b) Qu	antity of water t	to be used for p	oower	sec. ft.
(c) To	tal fall to be util	ized	(Head)	
			•	e developed
(),				
•••••••••••••••••••••••••				
(e) Su	ch works to be l	ocated in	(Lekal subdivision)	of Sec
	, R(No. I			
1 D	.) (No. I			
		mm and to amai at	roam?	
	water to be retu	rnea to any st	(Yes or No)	
(f) Is			(Yes or No)	

(i) The nature of the mines to be served ...

County, having a present population of	65 .
an estimated population of	•••••
Answer questions 11. 18. 18. and 18 in all cases 11. Estimated cost of proposed works, \$ 3500000 12. Construction work will begin on or before Completed. 13. Construction work will be completed on or before Completed. 14. The water will be completely applied to the proposed use on or before Completed. Remarks: Construction and A Communication of the Construction of the Construct	
11. Estimated cost of proposed works, \$ 3500000 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Completely applied to the proposed use on or before 17. Construction 18. Construction 19. Construction 19. Construction work will be completely applied to the proposed use on or before 19. Construction 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 10. Construction work will be completed on or before 10. Construction work will be completed on or before 11. Construction work will be completed on or before 12. Construction work will be completed on or before 13. Construction work will be completed on or before 14. Construction work will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Construction work will be completely applied to the proposed use on or before 17. Construction work will be completely applied to the proposed use on or before 18. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use of the propo	
11. Estimated cost of proposed works, \$ 3500000 12. Construction work will begin on or before 13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Completely applied to the proposed use on or before 17. Construction 18. Construction 19. Construction 19. Construction work will be completely applied to the proposed use on or before 19. Construction 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 19. Construction work will be completed on or before 10. Construction work will be completed on or before 10. Construction work will be completed on or before 11. Construction work will be completed on or before 12. Construction work will be completed on or before 13. Construction work will be completed on or before 14. Construction work will be completely applied to the proposed use on or before 15. Construction work will be completely applied to the proposed use on or before 16. Construction work will be completely applied to the proposed use on or before 17. Construction work will be completely applied to the proposed use on or before 18. Construction work will be completely applied to the proposed use on or before 19. Construction work will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use on or before 19. Construction will be completely applied to the proposed use of the propo	
12. Construction work will be completed on or before 13. Construction work will be completely applied to the proposed use on or before 14. The water will be completely applied to the proposed use on or before 15. County A. Quantum despitation 16. County Fees for A. 2. 3.3.3 for this Lipplica Lian. 17. County of Marion, Ses. 17. This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for 18. In order to retain its priority, this application must be returned to the State Engineer, with mission or before	
13. Construction work will be completed on or before 14. The water will be completely applied to the proposed use on or before 15. Completely applied to the proposed use on or before 16. Construction 18. Construction 19. Co	
TATE OF OREGON, This is to certify that I have examined the foregoing application, together with the according and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the order on or before 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Remarks: 1005 c. 1,504/2, 21,005 S. Recording feets from 12 3.23 for this Application. PATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for	
Remarks: \(\left(\) \(<i>'</i>
Remarks: \(\left(\) \(••••••
Remarks: \(\left(\) \(
TATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accordaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with this on or before 19.	**********
PATE OF OREGON, \\ Ss. \\ County of Marion, \\ Ss. \\ This is to certify that I have examined the foregoing application, together with the accoraps and data, and return the same for \\ In order to retain its priority, this application must be returned to the State Engineer, with the son or before \\ 1. \\ 19 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	<i>M</i>
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	••••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	••••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	•••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	•••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	••••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	••••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	•••••
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	***************************************
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
County of Marion, This is to certify that I have examined the foregoing application, together with the accordance and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with the accordance and data, and return the same for the same for the state Engineer, with the accordance are same for the same	
This is to certify that I have examined the foregoing application, together with the accompandable and data, and return the same for	
In order to retain its priority, this application must be returned to the State Engineer, wit	,
In order to retain its priority, this application must be returned to the State Engineer, wit	ıpanı
In order to retain its priority, this application must be returned to the State Engineer, wit	
ons on or before, 19	
ons on or before, 19	h cor
WITNESS my hand thisday of, 19	
WITNESS my hand this day of, 19	
	·····•

Ву ..

STATE OF OREGON, County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from .Nestucca River, unnamed. The use to which this water is to be applied is irrigation and stock being 0.83 cfs from... river for irrigation and 0.01 cfs from stream and 0.01 cfs from spring for stock second or its equivalent for each acre irrigated and shall be further limited to a diversion of. not to exceed 22 acre feet per acre for each acre irrigated during the irrigation.... season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit isJuly 12, 1966..... Actual construction work shall begin on or beforeMarch 23, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68... Complete application of the water to the proposed use shall be made on or before October 1, 1969..... WITNESS my hand this23rd........ day ofMarch... STATE ENGINEER

Application No. 42

No.

Permit

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OREGON

Oregon, This instrument was first received in the office of the State Engineer

o'clock

Returned to applicant

Recorded in book No.

Permits on page

WHEELFR STATE ENGINEER CHRIS L.

Drainage Basin No.

State Printing