

To appropriate the Public Waters of the State of Oregon

I, Mark and Dorothy Kezar and Roy W. and Oralee Wright
(Name of applicant)
of Rt. 1, Box 162, Jefferson
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed spring
(Name of stream)

, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located N. 54° 22' E. 1267 feet
(N. or S.) and ft. (E. or W.) from the
corner of most westerly meander corner between Sections 27 and 34
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW1/4 of SW1/4 of Sec. 27, Tp. 13 S.
(Give smallest legal subdivision) (N. or S.)

R. 10 W., W. M., in the county of Lincoln
(E. or W.)

5. The main pipeline to be 250 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW1/4 of SW1/4 of Sec. 27, Tp. 13 S.
(Smallest legal subdivision) (N. or S.)

R. 10 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet;
material to be used and character of construction Loose rock, concrete, masonry,
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber, concrete, etc., number and size of openings

(c) If water is to be pumped give general description Two 55 gallon steel drums are submerged
(Size and type of pump)
in the spring and covered with gravel. Water supplied to houses by gravity flow.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ...2.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150.00.....
- 12. Construction work will begin on or before October 1, 1967.....
- 13. Construction work will be completed on or before October 1, 1968.....
- 14. The water will be completely applied to the proposed use on or before October 1, 1969.....

Mark and Dorothy Heger, Co. Lee and Roy W Wright
(Signature of applicant)
BY Mark Heger

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 13, 1966.....

WITNESS my hand this 13th day of October, 1966.....

RECEIVED
OCT 17 1966
STATE ENGINEER
SALEM OREGON
CHRIS L. WHEELER
STATE ENGINEER
By Tony A. Schous
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of two families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 6, 1966

Actual construction work shall begin on or before March 23, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968...

Complete application of the water to the proposed use shall be made on or before October 1, 1969..

WITNESS my hand this 23rd day of March, 1967.

Chris L. Wheeler

STATE ENGINEER

Application No. 42886
Permit No. 31784

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of October, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 23, 1967

Recorded in book No. 31784 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 18 page 120

Fees \$20.00

PC