

RECEIVED
AUG 12 1927

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43940

To appropriate the Public Waters of the State of Oregon

I, Oscar H. Lee (Name of applicant)
of R. 4, Box 243 A Hillsboro (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream),
a tributary of McKay Creek

2. The amount of water which the applicant intends to apply to beneficial use is .055 cu. ft.
cubic feet per second. (.005 Livestock) (.05 Irrigation)
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation - Livestock.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 100 ft. N. and 1700 ft. W. from the E 1/4
corner of Section 24 T2S R3W W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 NE 1/4 of Sec. 24, Tp. 25,
(Give smallest legal subdivision) (N. or S.)

R. 3W, W. M., in the county of Wash.
(E. or W.)

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal
1 H.P. Electric Water Lift 100 Ft.
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 2000-00

12. Construction work will begin on or before 10-1-67

13. Construction work will be completed on or before 10-1-68

14. The water will be completely applied to the proposed use on or before 10-1-69

Oscar Hagg

(Signature of Applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.055 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation and stock being 0.05 cfs for irrigation and 0.005 cfs for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 12, 1966

Actual construction work shall begin on or before April 11, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968..

Complete application of the water to the proposed use shall be made on or before October 1, 1969...

WITNESS my hand this 11th day of April, 1967

Chris L. Wheeler
STATE ENGINEER

PC

Application No. 42634
Permit No. 31815

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 12 day of August
1966, at 3:05 o'clock P. M.

Returned to applicant:
Approved:
April 11, 1967

Recorded in book No. 31815 of
Permits on page 31815
CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 62BR
Fees \$25