

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, LEWIS WINN (Name of applicant)
of PT. 4 Box 539 Albany (Mailing address),
State of OREGON, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River (Name of stream)

, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.57625
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
corner of North 2,194.50 ft. thence East (Section or subdivision)
2,189.27 ft., thence N 21° 44' E, 827.38 ft
from the SW corner of Section 24.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 24, Tp. 10S,
R. 4W, W. M., in the county of Benton

5. The Pipe Line to be App. 1800'
in length, terminating in the of Sec. , Tp. ,
R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Allis Chalmers, 15 HP
3" Pump (Size and type of pump)
30 Sprinklers 8 gpm.

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1800' ft.; size at intake, 3" in.; size at ft. from intake in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 21' ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
105	4W	24	SW ¹ / ₄ NW ¹ / ₄	97
"	"	"	SE ¹ / ₄ NW ¹ / ₄	21 ⁵ / ₄
"	"	"	NW ¹ / ₄ SW ¹ / ₄	15
"	"	"	NE ¹ / ₄ SW ¹ / ₄	13 ⁴ / ₄
			Total	46 ⁴ / ₄

(If more space required, attach separate sheet)

(a) Character of soil Willamette & Others

(b) Kind of crops raised CORN - PEPPER MINT & OTHER ROW CROPS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3500.00

12. Construction work will begin on or before COMMENCED

13. Construction work will be completed on or before 1 YEAR OF APPROVAL

14. The water will be completely applied to the proposed use on or before 1 YEAR

Lewis Winters

(Signature of applicant)

Beginning 131 rods North of the Southwest corner of Section 24 in Township 10, South, Range 4 West of the Willamette Meridian in Benton County, Oregon, and running thence North 2' East to the Southwest corner of a tract of land containing 76 acres, more or less deeded by M.V. Leeper to Fred A Leeper, thence South 89°43' East along the South line of said tract to a point on the West bank of the Willamette River, thence running up stream following the meanderings of said river to the Southeast corner of a certain tract of 160 acres conveyed by Cora E. Leeper to M.V. Leeper by deed recorded on the 29th day of October, 1912 on page 235 Book 56 Deed Records of Benton County, Oregon, thence running on a straight line in a Westerly direction to the place of beginning containing 76 acres, more or less in Benton County, Oregon.

Application No. 412638
Permit No.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.58 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 15, 1966

Actual construction work shall begin on or before April 11, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968...

Complete application of the water to the proposed use shall be made on or before October 1, 1969...

WITNESS my hand this 11th day of April, 1967

Chris L. Wheeler

STATE ENGINEER

PK

Application No. 42438
Permit No. 31817

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 11, 1967 of
Recorded in book No. 31817
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 644
Fees 47.55