

## AUG 2 1 1966 \*APPLICATION FOR PERMIT STATE ENGINEER STATE E

I, Chemult Rural Fire Pro	otection District N	umber 8207 of Kla	math County
of Pa O. Box 68 Chem	ult. Oregon 97731		
State of Oregon		•	
following described public waters of	of the State of Oregon,	SUBJECT TO EXIST	ING RIGHTS:
If the applicant is a corporat	•	*	
•	tion	ਜ਼ <b>ਂ</b>	
1. The source of the proposed			
Sec. 20, T. 28 S., R. 8 E., 2. The amount of water which	, W. M.		ound)in.N.W.1/4,S.W.1 use is1
cubic feet per second	source only)	ore then one reverse when suppl	Her Anna anak
**3. The use to which the wate			
		Irrigation, power, mining, manu	rfacturing, domestic supplies, etc.)
4. The point of diversion is	located .1940.6. ftS.	and 391.2ft	E. from the
corner of Sections 17, 18, 19	* .		
2016 3/15			
	•		
(u	preferable, give distance and bearing	ng to section corner)	
(If there is more than one	point of diversion, each must be de	scribed. Use separate sheet if z	ecessary)
being within the S. W. 1/4, N. V	Na. 1/14 mallest legal subdivision)	of Sec20	, Tp285 (N. or s.)
R. 8. E. W. M., in the count	y ofKlamath	***************************************	· .
5. TheNot.applicable	itch, canal or nine line)	to be	Miles or feet)
in length, terminating in the			
A Company of the Comp			and the second s
R, W. M., the pro	posea tocation being sno	wn inroughout on the	accompanying map.
	DESCRIPTION OF	WORKS	
Diversion Works—	omldashla fast loweth		fact laweth at bottom
6. (a) Height of damNatar	1		
feet; material to b	e used and character of	construction	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or	around dam)		······································
(b) Description of headgate		concrete, etc., number and size	of openings)
(c) If water is to be pumped	give general description	C(Size an	d type of pump)
(Size and type	of engine or motor to be used, total	head water is to be lifted, etc.	)
•			

	ot <del>a</del> pplicable		3185
	present population of		
(Name of)  Id an estimated population of			• .
		• •	
(b) If for domestic use state number	per of families to be	supplied	
(Answer ques	tions 11, 42, 13, and 14 in all cas	on)	
11. Estimated cost of proposed works, \$	.Not.applicable		
12. Construction work will begin on or	beforeNo	t.applicable	······································
13. Construction work will be complete	d on or beforeN	ot.applicable	••••••
14. The water will be completely applie	d to the proposed use	on or before .Wil	L.be.used
immediatelyas.needed		•	
	)G	Gran-	
	P		ent)
	' Juli	relasi	
Remarks:Legal description of	the Chemult Rural	Fire District	.is.as
follows: This is the area to be	served:		••••••
رجي کارې. The S1/2ofSection	.AllofSections.	20, 21; All of	Section
28, All of Sections 32, All Sections 32, 33	All being in T.	27 S R. 8 E	. W. M.
Also, the E. 1/2 Section 25,	Soc		
11/5001			
Also, all Sections 4,5; E. 1/2	Section7, allS	ection.8;Wl	
			A11.50c.
_			
E. 1/2 Section 18; all Section 18; all Section 18; all Sections 29 Å 30; all Sections 20 Å 30 Å			tions 19 1.20;
all Sections 29 A 30; all Sections	ons31;W1/2Se	c32,inT2	tions 19, 20; 8. S., R. B. E.
	ons31; W1/2Se 29S., R7 E.,.	c32, in T. 2	tions 19, 20; 8
	ons31; W1/2Se 29S., R7.E., WMAcreage	W. M.; also, a	tions 19/120; 8.S., R. 8 E.
W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E., I  The Chemult Rural Fire Protect	ons.31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does	W. M.; also, a 13,760 not propose t	tions 19, 20; 8.S., R. 8 E.
all Sections 29 A 30; all Section W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E., I  The Chemult Rural Fire Protect  or sump, but to pump directly	ons 31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does from the stream.	W. M.; also, a  13,760  not propose to	tions 19, 20; 8 S., R. 8 E.
all Sections 29 A 30; all Section W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E., I  The Chemult Rural Fire Protect  or sump, but to pump directly	ons 31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does from the stream.	W. M.; also, a  13,760  not propose to	tions 19, 20; 8 S., R. 8 E.
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon	ons 31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does from the stream.	W. M.; also, a large and n pump. Total	tions 19, 20;  8 S., R. 8 E.  11  build a dam  type of pump on  head of water
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu	ons 31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does from the stream.	W. M.; also, a large and n pump. Total	tions 19, 20;  8 S., R. 8 E.  11  build a dam  type of pump on  head of water
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu	ons 31; W. 1/2 Se 29 S., R. 7 E., W. M. Acreage ion District does from the stream.	W. M.; also, a large and n pump. Total	tions 19, 20;  8 S., R. 8 E.  11  build a dam  type of pump on  head of water
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  Ss.	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh	W. M.; also, a land not propose to the size and not propose to discharge lineet)	tions 19/20; 8.S., R. 8 E. 11 build a dam type of pump on head of water ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh	W. M.; also, a la,760 not propose to The size and n pump. Total eet)	tions 19/20;  8.S., R. 8 E.  11  build a dam  type of pump on  head of water  ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh	W. M.; also, a la,760 not propose to The size and n pump. Total eet)	tions 19/20;  8.S., R. 8 E.  11  build a dam  type of pump on  head of water  ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh	W. M.; also, a large and not propose to the size and not propose to discharge lineet)	tions 19/20; 8.S., R. 8 E. 11 b build a dam type of pump on head of water ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine  saps and data, and return the same for	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh	W. M.; also, a la,760 not propose to The size and n pump. Total eet)	tions 19/20; 8.S., R. 8.E.  11  build a dam  type of pump on  head of water  ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  This is to certify that I have examine  caps and data, and return the same for  In order to retain its priority, this app	29 S., R. 7 E.,  M. M. Acreage ion District does from the stream.  per minute turbi ion lift and 3 fi ed on attached sh  d the foregoing appli	W. M.; also, a la,760 not propose to The size and n pump. Total eet)  cation, together warmed to the State I	tions 19, 20;  8. S., R. 8. E.  11  build a dam  type of pump on  head of water  ft. 1 pump
Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  This is to certify that I have examine  caps and data, and return the same for  In order to retain its priority, this approns on or before	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh  d the foregoing appli  blication must be retu  , 19	W. M.; also, a la,760 not propose to the size and n pump. Total eet) cation, together w	tions 19/20; 8. S., R. 8. E. 11 0 build a dam type of pump on head of water ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine  aps and data, and return the same for  In order to retain its priority, this app  ons on or before	29 S., R. 7 E.,  M. M. Acreage  ion District does  from the stream.  per minute turbi  ion lift and 3 ft ed on attached sh  d the foregoing appli  colication must be returned.	W. M.; also, a la, 760 not propose to The size and n pump. Total eet) cation, together w	tions 19/ 20; 8. S., R. 8. E. 11 0. build a dam type of pump on head of water ft. 1 pump
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine  aps and data, and return the same for  In order to retain its priority, this appons on or before  WITNESS my hand this	29 S., R. 7 E.,  M. M. Acreage ion District does from the stream.  per minute turbi ion lift and 3 fi ed on attached sh  d the foregoing appli  plication must be retu  19	W. M.; also, a l3,760 not propose to The size and n pump. Total eet) cation, together w	tions 19/20; 8. S., R. 8. E. 11 b build a dam type of pump on head of water ft. 1 pump  ith the accompany  Engineer, with corr
all Sections 29 A 30; all Section  W. M.; Also, all Section 1, T.  Section 6, T. 29 S., R. 8 E.,  The Chemult Rural Fire Protect  or sump, but to pump directly  our fire truck is a 350 gallon  to be lifted about 5 feet suct  (continu  TATE OF OREGON,  County of Marion,  This is to certify that I have examine  aps and data, and return the same for  In order to retain its priority, this app  ons on or before	29 S., R. 7 E.,  M. M. Acreage ion District does from the stream.  per minute turbi ion lift and 3 fi ed on attached sh  d the foregoing appli  plication must be retu  19	W. M.; also, a l3,760 not propose to The size and n pump. Total eet) cation, together w	tions 19/20; 8. S., R. 8. E. 11 0 build a dam type of pump on head of water ft. 1 pump  ith the accompany

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed					
The use to which this water i	s to be applied is fire protec	tion			
•	······				
		***************************************	••••••		
If for irrigation, this appropri	ation shall be limited to	of one	cubic foot per		
second or its equivalent for each acr		.1			
	• •				
· ·					
•	;	· ·			
And the second s	e danger of the second of the	the state of the s	- community		
•	· · · · · · · · · · · · · · · · · · ·				
***************************************		•	······································		
		• •			
and shall be subject to such reasona	ble rotation system as may be ord	ered by the proper sta	te officer.		
The priority date of this perm	nit is August	31, 1966			
Actual construction work sho	all begin on or beforeAp	ril 11, 1968	and shall		
thereafter be prosecuted with reasc	onable diligence and be completed	on or before October	1, 1 <u>9.68</u>		
Complete application of the u	vater to the proposed use shall be	made on or before Oct	ober 1, 19.69		
WITNESS my hand this		, 19.67			
•	ol.	- made	,		
•		8	TATE ENGINEER		

2 (

This instrument was first received in the office of the State Engineer at Salem, Oregon, CHRIS L. MHEELER TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON Application No. 4274 31856 on the Ist day of Hygus PERMIT 1966, at 4.00 o'clock Recorded in book No. Returned to applicant: Permit No. .... Permits on page ....

Approved:

Drainage Basin No. ..../4

Fees