To Appropriate the Public Waters of the State of Oregon

I, Lugeno Scoff (Name of applicant)
01 1
of Rt. 1 Box 88 Core
(Mailing address)
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is
1. The source of the proposed appropriation is
, a tributary of Gande Ronde
2. The amount of water which the applicant intends to apply to beneficial use is 2.30
whic feet ner second
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
(Irrigation/power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 10 ft. 5 and 250 ft. E from the NW
(N. or 8.) (Z. or W.)
corner of Sec 25 (Section or subdivision)
(Section of Subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW/4 NW/4 of Sec. 25, Tp. 35
R. 40 E, W. M., in the county of UN. 1222
R, W. M., in the county of
5. Theto beto Miles or feet)
(Main ditch, canalor pipe line) (Miles or feet)
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
DESCRIPTION OF WORKS Diversion Works—
DESCRIPTION OF WORKS
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton
DESCRIPTION OF WORKS Diversion Works—
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masons rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)

A different form of application is provided where storage works are contemplated.

Canal	System	or Pipe	Line
-------	--------	---------	------

:

. . .

efeet fall per one thousand feet. (c) Length of pipe,ft.; size at intake,	(at water line) epth of water feet; in.; size at ft in.; difference in elevation between Estimated capacity Number Acres To Be Irrigated 23 Suppl 10 " 19 " 19 " 19 " 19 " 19 " 19 " 19 " 19 " 19 " 10 " 1
feet; width on bottom	in.; size atft in.; difference in elevation between Estimated capacity Number Acres To Be Irrigated 23 Suppl 10 " 15 " 19 " 19 " 19 " 15 " 19 " 10 " 15 " 10 " 15 " 10 " 15 " 10 " 15 " 10 "
de	in.; size atft in.; difference in elevation between Estimated capacity Number Acres To Be Irrigated 23 Suppl 10 " 15 " 19 " 35 Suppl 35 Suppl 35 Suppl 35 Suppl 35 Suppl 12 " 12 " 12 " 13 Suppl 14 Suppl 15 Suppl 16 Suppl 17 Suppl 17 Suppl 17 Suppl 17 Suppl 17 Suppl 17 Suppl 18 Suppl
m intake in.; size at place of use	Number Acres To Be Irrigated 23 Suppl 10 " 15" " 19" " 35" Suppl 35" Suppl 35" Suppl 12" " 12" " 12" " 12" " 12" " 12" " 13" " 14" " 15" "
m intake in.; size at place of use	Number Acres To Be Irrigated 23 Suppl 10 " 15" " 19" " 35" Suppl 35" Suppl 35" Suppl 12" " 12" " 12" " 12" " 12" " 12" " 13" " 14" " 15" "
ake and place of use,	Number Acres To Be Irrigated 23 Suppl 10 " 15" " 19" " 35" " 35" Suppl 5" 12" "
Sec. ft. 8. Location of area to be irrigated, or place of use Township Range Row Section Forty-acre Trace North or South Prilimette Meridian Section Forty-acre Trace 1. SE SW 1. SE SW 1. SW NE 1. SE NW 1. SE SW 1. SE NW 1. SE N	Number Acres To Be Irrigated 23 Suppl 10 " 15 " 19 " 35 " 35 Suppl 5 - 9 35 " 12 " 12 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 18 " 19 " 10 "
8. Location of area to be irrigated, or place of use	Number Acres To Be Irrigated 23 Suppl 10 " 15 " 19 " 35 Suppl 5 - 2 35 " 12 " 12 " 11 " 12 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 18 " 19 " 10 "
8. Location of area to be irrigated, or place of use	Number Acres To Be Irrigated 23 Suppl 10 " 15 " 19 " 35 Suppl 5 - 2 35 " 12 " 12 " 11 " 12 " 12 " 13 " 14 " 15 " 16 " 17 " 18 " 18 " 19 " 10 "
North or South North or South	23 Suppl 10 " 15" " 19 " (1 35" Suppl 5" (1 35" ' (1 2 ' (
23 NW NE SW NE NW NW NW NW SE NW SE (If more space required, attach separate shee (a) Character of soil	15" 19" 19" 15" 19" 15" 15" 15"
SW NF NW NW SF NW SE (If more space required, attach separate shee (a) Character of soil (b) Kind of crops raised	15" 19" 19" 135" 135" 12" 12"
SW NF NW NW SF NW SE (If more space required, attach separate shee (a) Character of soil (b) Kind of crops raised	15" 19 " 19 " 1 35" " 2 35" 5upp/ 50 2 12 " 1
NE NU NW NU SE NO NE SC NW SE (16 more space required, attach separate shee (a) Character of soil) 35 · · · · · · · · · · · · · · · · · ·
(If more space required, attach separate shee (a) Character of soil	1 35 Suppl 50 pl
(If more space required, uttach separate shee (a) Character of soil	1 35 11
(If more space required, attach separate shee (a) Character of soil (b) Kind of crops raised	1 35 11
(If more space required, attach separate shee (a) Character of soil	12 ', 184° 50
(If more space required, attach separate shee (a) Character of soil	184° 50
(If more space required, attach separate shee (a) Character of soil	184° 50
(a) Character of soil(b) Kind of crops raised	
(a) Character of soil(b) Kind of crops raised	•
(a) Character of soil(b) Kind of crops raised	189 Total
(b) Kind of crops raised	

wer or Mining Purposes	
ower or Mining Purposes—	
9. (a) Total amount of power to be developed	theoretical horsepower
(b) Quantity of water to be used for power	sec. ft.
(c) Total fall to be utilized(Head)	feet.
(d) The nature of the works by means of which the powe	
	•
(e) Such works to be located in	of Sec.
(I-egal middlying)
p, R, W. M. (No. E. or W.)	•
(f) Is water to be returned to any stream?(Yes or No)	
(g) If so, name stream and locate point of return	

10. (4) 10 31	upply the city of	***************			
(Name of)	County,	having a present	population of		·
(oopulation of	*******************************	in 19		
•	or domestic use st			lied	
(0) 1) 10	or domestic use st		inities to be supp		······································
• *** *** *** *** *** *** *** *** *** *		(Answer questions 11, 42,	13, and 14 in all cases)		
1	d cost of proposed		1	40	
12. Construc	tion work will be	gin on or before.	complex		
13. Construc	tion work will be	completed on or	before Com	gleted	
14. The water	er will be complete	ely applied to the	proposed use on	or before When Re	emities
	***************************************		9.9	l -44	
			fl lug	(Signature of applicant)	
		, '			
Remarks:	Mill Cr.	Decret	· limits	issig from Lor add this to me Is issignted	May 12
ti Sent	Ist. Ti	is and	is only	for add	Lim
1.	2.4	11		His Home	u Ha
VIGATION	1		- We	inin in mi	n next
cllowed	by decr	ee. Sa	ene lang	Is irrigaret	aud
same	system	used .			
,		·			
••••••					

, ,	: : : ·				
	· · · · · · · · · · · · · · · · · · ·				
· ,·,				***************************************	
		· · · · · · · · · · · · · · · · · · ·		••••••••••••••••••••••••••••••••••••••	
m4mm 0m 00m	IGON)		:		
TATE OF ORE	} ss.		;	•	
County of Mar	, a, -				,
This is to	certify that I have	e examined the fo	regoing application	on, together with the o	iccompanyir
naps and data, a	nd return the sam	e forCO	MPLETION		
				e files of the second second	,
In order to	retain its priorits	y, this application	n must be returne	d to the State Engineer	r, with corre
ions on or dejore	November 1		66	the agree between the project	s et .
· · · · · · · · · · · · · · · · · · ·	December .		The state of the s	og er appreciation g	
and the second s	my hand this	- 18 (19) 1 (19) M (19)	1		., 1 <u>0.66</u>

DEC 1080 STILL ENGINEER

ECEIVE CHRIS L. WHEELER
OCT 20 1966
STATE ENGINEER CAMULU

RIS L. WHEELER

STATE ENGINEER

MULLIPHICALE

STATE ENGINEER

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	e right herein granted is limited to the amount of water which can be applied to beneficial use
and shall	not exceed2.30 cubic feet per second measured at the point of diversion from the
stream, c	or its equivalent in case of rotation with other water users, from Mill Creek

	and the second of the second o
	e use to which this water is to be applied isirrigation and supplemental irrigation
•	
. If	for irrigation, this appropriation shall be limited to1/80th of one cubic foot per
econd or	rits equivalent for each acre irrigated and shall be further limited to a diversion of
not to	exceed 3 acre feet per acre for each acre irrigated during the irrigation
season	of each year, provided further that the right allowed herein shall be
limite	d.to.any.deficiency.in_the_available_supply.of_any_prior_right_existing_for
the sar	me land and shall not exceed the limitation allowed herein and the appropriati
of wat	er for the lands described as supplemental shall be limited to the period
of wat	ne land and shall not exceed the limitation allowed herein and the appropriation for the lands described as supplemental shall be limited to the period
of wat	er for the lands described as supplemental shall be limited to the period. September 1 and April 30 of each year,
of wat	er for the lands described as supplemental shall be limited to the period
of wat	er for the lands described as supplemental shall be limited to the period. September 1 and April 30 of each year, be subject to such reasonable rotation system as may be ordered by the proper state officer. e priority date of this permit isAugust 31, 1966
of wat between and shall	er for the lands described as supplemental shall be limited to the period. September 1 and April 30 of each year, be subject to such reasonable rotation system as may be ordered by the proper state officer.
of wat between and shall Th	September 1 and April 30 of each year, be subject to such reasonable rotation system as may be ordered by the proper state officer. e priority date of this permit is August 31, 1966
of wat between and shall Th Ac	September 1 and April 30 of each year, be subject to such reasonable rotation system as may be ordered by the proper state officer. e priority date of this permit is
of wat between and shall Th Ac	September 1 and April 30 of each year, be subject to such reasonable rotation system as may be ordered by the proper state officer. e priority date of this permit is

 \mathcal{G}_{i}

Application No. 42743

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the 3

19/6, at 1040 o'clock

Returned to applicant:

Recorded in book No. Permits on page CHRIS L. MHEELER. Drainage Basin No.

Permit No.

State Printing 98137