

RECEIVED
JUN 21 1966
STATE ENGINEER

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39398

To appropriate the Public Waters of the State of Oregon

I, Jimmie A. King
(Name of applicant)
of Sitkum Route, Box 180, Myrtle Point,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is W/Kessler Creek and Spring No 2
(Name of stream)
a tributary of North Fork of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is Diversion No. 1 -
0.205 cubic feet per second. Diversion No. 2 - 0.02
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation 0.195,
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Domestic use for families 0.02, and Pond for Livestock 0.01

4. The point of diversion is located 960 ft. S and 1480 ft. E from the center $\frac{1}{4}$
(N. or S.) (E. or W.)
corner of Sec. 11; Twp. 29S; Rge. 12 WWM for Irrigation and stock water - Diversion No 1 -
(Section or subdivision)
For domestic water, the point of diversion is located 870 ft. S and 1390 ft. E from
the center $\frac{1}{4}$ corner of Sec. 11, Twp. 29S; Rge. 12 WWM. - Diversion No 2.

Both points of diversion
(If preferable, give distance and bearing to section corner)

being within the NE $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, Twp. 29S
(Give smallest legal subdivision) (N. or S.)
R. 12 W, W. M., in the county of Coos
(E. or W.)

5. The main pipeline for irrigation to be 1250 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 11, Twp. 29S
(Smallest legal subdivision) (N. or S.)
R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)
For Domestic and Livestock -- See Remarks.

DESCRIPTION OF WORKS

Diversion Works—
6. (a) Height of dam 8 feet, length on top 50 feet, length at bottom
30 feet; material to be used and character of construction Earth fill
(Loose rock, concrete, masonry)
constructed by city of Myrtle Point -- Now abandoned
(rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

31939

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

Div. No. 1 - Mainline pipe:

(c) Length of pipe, 1250 ft.; size at intake, 6 in.; size at all points from intake 6 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 130 ft. Is grade uniform? No Estimated capacity, one sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Irrigation:				
29 S	12 W., WM	11	NW $\frac{1}{4}$ of the SE $\frac{1}{4}$	15.2
29 S	12 W., WM	11	NE $\frac{1}{4}$ of the SE $\frac{1}{4}$	0.4
Domestic:				
1 - Residences				
29 S	12 W., WM	11	NW $\frac{1}{4}$ of the SE $\frac{1}{4}$	Two families
2 - Stock Pond				
29 S	12 W., WM	11	NE $\frac{1}{4}$ of the SE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil Clay loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Two families

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1500
- 12. Construction work will begin on or before July, 1964
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before Now in use.

X Jimmie A. King
(Signature of applicant)

Remarks: Description - Domestic use. Items 5, 6 and 7. Diversion No. 1
The main pipeline for livestock use - a 1 inch pipe carries water by gravity
from Diversion to pond, a distance of 400 feet, terminating in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$
pf Sec. 11, Twp. 29S; Rge. 12W., WM. There is approximately 130 feet of fall from
diversion to the 50'x60'x10' deep storage pond.
Diversion No. 2. Water is delivered by gravity through a 3/4 inch pipe from a
spring 1350 feet, terminating at two residences located in the NW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of
Sec. 11; Twp. 29S; Rge. 12W., WM. There is approximately 130 feet of fall from
source to place of use.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 29th, 1966.

WITNESS my hand this 29th day of June, 1966.

RECEIVED
JUL 5 1966

STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER

Jimmie A. King
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.22 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kessler Creek and a spring

The use to which this water is to be applied is irrigation, domestic use of two families and stock, being 0.20 cfs for irrigation and 0.01 cfs for stock from Kessler Creek and 0.01 cfs for domestic from spring

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 24, 1966

Actual construction work shall begin on or before May 17, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 17th day of May, 1967

Chris L. Wheeler

STATE ENGINEER

PC

Application No. 42389
Permit No. 31939

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of June, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1967

Recorded in book No. 31939 of
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 227

Fees \$25