* Permit No. 3199

3877

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

4	J F Hanson				
,	Lakeview	(Name of A	pplicant)	Lake	
f	(Postoffice)	••••••••••••••••••••••••••••••••••••••	., County of		
	Omomom	· · · · · · · · · · · · · · · · · · ·		. for a mormait to	annuanniata tha
tate of					appropriate the
ollowing describ	bed public waters of the	e State of Orego	n, subject to exi	sting rights:	
If the applie	cant is a corporation,	give date and pl	lace of incorpor	ation	
1. The sour	rce of the proposed app	propriation is	Traverse C	reek and all	its tributarie
See	Inset 1	, tributary	ofDry	Creek	
2 The am	ount of water which				is
See Inset	cubic feet p		11 0	, ve	
0 777					
3. The use	to which the water is		•	(Irrigation, power, m	ining, manufacturing,
	I)	rrigation and			
domestic supplies, etc		On a	Inset 4		
4. The poin	nt of diversion is locate	Eu		earing to section cor	ner)
				•••••	
					47 7
eing within the	(Olive greatlest local	L out division	of Sec.	, Tp	41 S
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	(Give smallest legal				
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, W. M., in the cou				
. 18 E (No. E. or W.	, W. M., in the cou	unty ofLake			
18 E (No. E. or W.	W. M., in the cou	al or pipe line)	to be		miles in
. 18 E (No. E. or W. 5. The	, W. M., in the cou	al or pipe line)	to be		miles in
No. E. or W. 5. The Sangth, terminate	Main ditch, can ing in the (Smallest le	al or pipe line)	to be	, <i>Tp</i> (No. N. or S.	miles in
No. E. or W. The Sength, terminate V. M., the proposition	Main ditch, can (Smallest le	al or pipe line) egal subdivision) on throughout on	of Secto be the accompanyi	, Tp(No. N. or S.	
No. E. or W. The Sength, terminate V. M., the propose The nar	Main ditch, canding in the country i	al or pipe line) al or pipe line) gal subdivision) on throughout on or other works	the accompanyi	, Tp	
No. E. or W. 5. The Sength, terminate W. M., the propose 6. The nar	Main ditch, can (Smallest le	al or pipe line) al or pipe line) gal subdivision) on throughout on or other works	the accompanyi	, Tp	
No. E. or W. The Standard W. M., the proposed. The name of the standard W. M., the proposed.	Main ditch, canding in the country ing in the Seed location being show the of the ditch, canal at the Traverse Canal at	al or pipe line) egal subdivision) on throughout on or other works and South Tray	to beto be the accompanying is	, Tp	
2. 18 E (No. E. or W. 5. The Sength, terminate V. M., the propose 6. The nar	Main ditch, canding in the country of the ditch, canding the Traverse Canal a	al or pipe line) al or pipe line) gal subdivision) on throughout on or other works	to beto be the accompanying is	, Tp	
2. 18 E (No. E. or W. 5. The Sength, terminate V. M., the propose 6. The nan Nort	Main ditch, canding in the ditch, canding in the Seed location being show the Traverse Canal at DI	al or pipe line) egal subdivision) on throughout on or other works and South Trav	to beto be the accompanying iserse Canal	, Tp	
2. 18 E (No. E. or W. 5. The Sength, terminate V. M., the propose 6. The nan Nort	Main ditch, canding in the ditch, canding in the (Smallest lessed location being shown me of the ditch, canal at the Traverse Canal at DIKS—	al or pipe line) Seal subdivision) on throughout on or other works and South Trav ESCRIPTION O	to beto be the accompanying iserse Canal F WORKS	, Tp	
2. 18 E (No. E. or W. 5. The Sength, terminate V. M., the propose 6. The nan Nort	Main ditch, canding in the ditch, canding in the Seed location being show the Traverse Canal at DIKS— ight of dam three feet; material to be in the condition of the condition	al or pipe line) Seal subdivision) In throughout on or other works and South Trav ESCRIPTION O e feet, lenguesed and charact	to beto be the accompanying iserse Canal F WORKS	, Tp	
No. E. or W. 5. The Sength, terminated V. M., the proposed for the nare North North Y. (a) Heirty	Main ditch, canding in the ditch, canding in the Seed location being show the Traverse Canal at DIKS— ight of dam three feet; material to be a Earth and time	al or pipe line) egal subdivision) on throughout on or other works end South Trav ESCRIPTION O e feet, lenguated and charact aber	to beto bethe accompanying iserse Canal F WORKS th on topthis ter of construction	, Tp	miles in , R) (No. E. or W.) length at bottom (Loose rock, concrete,
2. 18 E (No. E. or W. 5. The Sength, terminate V. M., the propose 6. The nan Nort Diversion Work 7. (a) Hei	Main ditch, canding in the ditch, canding in the Seed location being show the Traverse Canal at DIKS— ight of dam three feet; material to be in the condition of the condition	al or pipe line) egal subdivision) on throughout on or other works end South Trav ESCRIPTION O e feet, lenguated and charact aber vay over or around desired.	to beto bethe accompanying is	, Tp	miles in , R) (No. E. or W.) length at bottom (Loose rock, concrete,
2. 18 E (No. E. or W. 5. The Sength, terminated V. M., the proposed of the name of the nam	Main ditch, canding in the ditch, canding in the Seed location being show the Traverse Canal at DIKS— ight of dam three feet; material to be a Earth and time	al or pipe line) Degal subdivision) In throughout on or other works and South Trav ESCRIPTION O e feet, lenguated and charact aber vay over or around d Timber gat (Timber,	to be	, Tp	length at bottom (Loose rock, concrete,
No. E. or W. 5. The Sength, terminated V. M., the propose 6. The nan North North V. M. (a) Heirty	Main ditch, canding in the country ing in the Seed location being show the of the ditch, canal at the Traverse Canal at the Traverse Canal at the Earth and times the country in the count	al or pipe line) Degal subdivision) In throughout on or other works and South Trav ESCRIPTION O e feet, lenguated and charact aber vay over or around d Timber gat (Timber,	to be the accompany is is the accompany is is the canal for the construction in the construction is the construction in the construction in the construction is the construction in the construction in the construction is the construction in the construction in the construction is the construction in the construction in the construction is the construction in the construction in the construction in the construction is the construction in the construction in the construction in the construction in the construction is the construction in the construction in the construction in the construction in the construction is the construction in the co	my map. Ty feet feet, on	length at bottom (Loose rock, concrete,

three feet; depth of water one feet; grade three feet fall per on housand feet. (b) At any miles from headgate. Width on top (at water line) source as above, six feet; width on bottom three feet; depth of water one feet fall per one thousand feet. FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: BERIGATION— 9. The land to be irrigated has a total area of 567 acres, located in easilist legal subdivision, as follows: Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E ME ME 32 NEW SECTION 20 T 41 S R 18 E ME ME ME 32 NEW SECTION 20 T 41 S R 18 E ME ME ME 32 NEW SECTION 20 T 41 S R 18 E ME ME ME ME ME ME AS A SECTION 20 T 41 S R 18 E ME M	rom headgate. At headgate: Width	on top (at water	line)	six	feet; widt	th on botton
(b) At any miles from headgate. Width on top (at water line) Suno as specified. Six feet; width on bottom three feet; depth of water one feet fall per one thousand feet. FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: IRRIGATION— 9. The land to be irrigated has a total area of 567 acres, located in easimaliest legal subdivision, as follows: (Give area of land to each smallest legal subdivision which you intend to irrigate the land to be irrigated has a total area of 567 acres, located in each smallest legal subdivision which you intend to irrigate the land to be irrigated to land to each smallest legal subdivision which you intend to irrigate the land to land to each smallest legal subdivision which you intend to irrigate the land to land to each smallest legal subdivision which you intend to irrigate the land to land to each smallest legal subdivision which you intend to irrigate the land to land to each smallest legal subdivision which you intend to irrigate the land to	three feet; depth of water	one ,	feet; grade	thre	9 e feet	fall per on
Shove, six feet; width on bottom. three feet; depth of water one feet three feet fall per one thousand feet. FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: IRRIGATION— 9. The land to be irrigated has a total area of 567 acres, located in easurablest legal subdivision, as follows: (Give area of hand to each smallest legal subdivision which you intend to tripate Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E With 180 32 "		-				
Shove, Six feet; width on bottom. three feet; depth of water one feet fall per one thousand feet. FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: IRRIGATION— 9. The land to be irrigated has a total area of	(b) At any miles	from headgate.	Width on	top (at we	ater line)	same as
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: [RRIGATION— 9. The land to be irrigated has a total area of					•	
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: IRRIGATION— 9. The land to be irrigated has a total area of						Aug Comment
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: IRRICATION— 9. The land to be irrigated has a total area of 567 acres, located in easy and less legal subdivision, as follows: Give area of land in each smallest legal subdivision which you intend to irrigate section 20 T 41 S R 18 E Section 20 T 41 S R 18 E Soction 20 T 41 S R 18 E Soc						en e
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR: [ERRICATION— 9. The land to be irrigated has a total area of						
Section 19 T 41 S R 16 E Section 20 T 41 S R						
Section 19 T 41 S R 16 E Section 20 T 41 S R						
9. The land to be irrigated has a total area of 567 acres, located in easymallest legal subdivision, as follows: Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E Section 20	FILL IN THE FOLLOWING I	NFORMATION	WHERE T	HE WAT	ER IS USED	FOR:
9. The land to be irrigated has a total area of 567 acres, located in easymallest legal subdivision, as follows: Section 19 T 41 S R 18 E Section 20 T 41 S R 18 E SECTION	RRIGATION—					
Section 19 T 41 S R 18 E Section 20 T 41 S R					acres loc	cated in ea
Section 19 T 41 S R 18 E Section 20 T 41 S R						
NP NP NP NP NP NP NP NP		(Give area of land in	each smallest	legal subdivis	ion which you inte	
NE_1 NE_2						<u></u>
SE_1 NE_2 40	NE4 NE4 32 acres	NW4 NW4	29 ac	res		
SV NV 40 10 10 10 10 10 10 10	WA NEZ 32 "	NEA NWA	<i>33</i>	17		
No.		anti anti				
SN NP 12	244 444	NVA NEL	19	11		
NE_1 SV_2	$NE_4^1 NW_4^1 12 "$	SW4 NE4	11	11		
NE1 SW 10 1 10 1 10 1 10 1 1	SE4 NV4 39 "				- ^	
NNI SE 29 " NNI SE 30 SI 29 " (If more space is required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed	SW4 NW4 8 ".	NE4 SW4	40	19		
NET SET 29 " (If more space is required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed	NE 4 5W4 32	NW4 SE4	10		· · · · · · · · · · · · · · · · · · ·	
(If more space is required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed						
POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed	NE ₄ SE ₄ 29 "					
POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed	NV 4 SE4 37 "		the state of the s			
POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES— 10. (a) Total amount of power to be developed	(If more sp	ace is required, attach	separate she	et)	· · · · · · · · · · · · · · · · · · ·	
10. (a) Total amount of power to be developed					<i>*</i>	
(b) Total fall to be utilized					41	7:
(c) The nature of the works by means of which the power is to be developed		and the second second			tneoretical	norsepow
(c) The nature of the works by means of which the power is to be developed	(b) Total fall to be utilized	(Head)	feet.			
(d) Such works to be located in	ent commence a debug contrator and a company of a company of the c	ere i er far er afar i ere i i i		is to be de	veloped	
(d) Such works to be located in						
Tp, R, W. M. (No. N. or S.) (No. E. or W.) (e) Is water to be returned to any stream? (Yes or No) (f) If so, name stream and locate point of return, R, W. (No. N. or S.) (No. E. or W.)						to a to the
Tp, R, W. M. (No. N. or S.) (No. E. or W.) (e) Is water to be returned to any stream? (Yes or No) (f) If so, name stream and locate point of return, R, W. (No. N. or S.) (No. E. or W.)	(d) Such works to be located in	in	l gubdivigion)		of Sec	
(f) If so, name stream and locate point of return, Sec, Tp, R, W. (No. N. or S.)	$T_{m{lpha}}$. The state of	W. M.	, supurvision,			
(f) If so, name stream and locate point of return, Sec, Tp, R, W. (No. N. or S.)	(No. N. or S.) (No. E. or W.)		1.35			
, Sec., Tp., R., W. (No. E. or W.)						
, Sec., Tp., R., W. (No. E. or W.)	(f) If so, name stream and lo	cate point of ret	urn			
(g) The use to which power is to be applied is	Sec.	$T_{\mathcal{D}}$,

- Inset #1 Traverse Creek and all the tributaries thereof; Monte Creek, Koons Creek,

 Barrington Creek, Gillum Creek and Spring Creek are tributaries of Traverse Creek.
- The amount of water which applicant intends to apply to beneficial use is:

 The entire flow of Traverse Creek up to ten second feet with an average continuous

 flow of three second feet. In addition to the above the applicant intends to pick

 up in the South Traverse Creek the flow of Monte Creek up to three second feet with

 an average flow of two second feet; the flow of Barrington Creek up to two second

 feet with an average flow of one-half second foot; the flow of Gillum Creek up to two

 second feet with an average flow of one-half second foot; the flow of Koons Creek up

 to two second feet with an average flow of one-half second foot; the flow of Spring

 Creek up to two second feet with an average flow of one-half second foot.
- Inset # 3 Irrigation and Domestic supply.
- Inset #4 The point of diversion of the North Traverse Canal and the South Traverse Canal is in the NW of the SW of Section 19 T 41 S R 18 E. The points of diversion from Monte Creek, Koons Creek, Barrington Creek, Gillum Creek and Spring Creek will be where these creeks are crossed by the South Traverse Canal in Oregon. Where crossings are in California the points of diversions will be at the heads of the laterals on the Oregon-California Line.
- Inset #5 The North Traverse Canal is 90 stations of 100 feet each in length. It terminates in the NE4 of the NV4 of Section 20 T 41 S R 18 E. The South Traverse Canal is 92 stations of 100 feet each in length. It terminates in the NV4 of the SE4 Section 20 T 41 S R 18 E.
- Inset #6 The names of the canals are North Traverse Canal and the South Traverse Canal.

County, having a present popul	lation of, and an
(Name of)	
	and if in all cases)
(Answer questions 12, 13, 14,	
12. Estimated cost of proposed works, \$1,0	
13. Construction work will begin on or before	June 1, 1917
14. Construction work will be completed on or be	efore
15. The water will be completely applied to the	proposed use on or before
	June 1st, 1920
Duplicate maps of the proposed ditch or other wo	rks, prepared in accordance with the rules of th
tate Water Board, accompany this application.	J F Hanson
·	(Name of applicant)
, ,,,,,,,,,	Lakeview, Oregon
<u></u>	
Signed in the presence of us as witnesses:	
1) Kenneth A Heron , (Name)	
2) A J Swift	(Address of witness)
(Name) Remarks:	(Address of witness)
· · · · · · · · · · · · · · · · · · ·	
STATE OF OREGON, Ss.	
County of Marion	
This is to certify that I have examined the forego	oing application, together with the accompanying
naps and data, and return the same for correction	or completion, as follows:
	Cong.
In order to retain its priority, this application	
corrections, on or before	, 191
01100000100, 010 01 00,010	
WITNESS my hand this	day of

13. ...

Application	No. 5248
Permit No	3 1 9 9

PERMIT

TO APPROPRIATE
THE PUBLIC WATERS OF
THE STATE OF OREGON

Division No	District No.
This instr	rument was first received
in the office	e of the State Engineer at
Salem, Ores	gon, on the 13
day of	November , 191
at 8:30	o'clockam.
Returned to	applicant for correction
Correcte	d application received
***************************************	Approved:
Dec 29	9 1916
Recorded	in Book No. 12
	Page3199
Permits, on	2199 1 H Lewis
Permits, on	

STATE OF OREGON.

unty of Marion

County of Marion This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject to such reasonable rotation system as may be ordered by the proper State officer..... The use of the water under this permit shall be limited to irrigation and domestic purposes. The amount of water appropriated shall be limited to the amount which can be applied to beneficial use and not to exceed 7.09 cubic feet per second, or its equivalent in case of November 13, 1916 rotation. The priority date of this permit is..... December 29, 1917 Actual construction work shall begin on or before and shall thereafter be prosecuted with reasonable diligence and be completed on or before..... June 1, 1919 EXTENDED TO 1/2/ Complete application of the water to the proposed use shall be made on or before..... October 1, 1920 EXTENDED TO 19/1/21 December, 1916 WITNESS my hand this day of day John H Lewis

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.