

RECEIVED
OCT 11 1966

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 46684

To appropriate the Public Waters of the State of Oregon

I, PEARL E. ZURCHER
(Name of applicant)
of Rt. 2, Box 260, Foster
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream & The Cove Reservoir
(Name of stream)
Middle Fork of Santiam River
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.035
cubic feet per second. 0.0329 from unnamed stream and 0.0021 from reservoir.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

S. 40 1/2° E. 1010 feet
4. The point of diversion is located ft. and ft. from the NW
(N. or S.) (E. or W.)
corner of Section 19
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of NW 1/4 of Sec. 19, Tp. 13 S
(Give smallest legal subdivision) (N. or S.)

R. 2 E, W. M., in the county of Linn
(E. or W.)

5. The main pipe line to be 50 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 of NW 1/4 of Sec. 19, Tp. 13 S
(Smallest legal subdivision) (N. or S.)

R. 2 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 9 feet, length on top 60 feet, length at bottom 25 feet; material to be used and character of construction packed earth
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete spillway - 2 1/2' X 8'; Also, two 10 inch steel pipes under dam.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 inch centrifugal pump powered by 5 H. P. electric motor. Will plan to use 20 five gallon sprinklers.
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before October 10, 1967

13. Construction work will be completed on or before October 1, 1968

14. The water will be completely applied to the proposed use on or before October 1, 1969

Earl E. Zurek
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 26, 1966

WITNESS my hand this 25th day of October, 1966

RECEIVED
OCT 27 1966

STATE ENGINEER
OF OREGON

CHRIS L. WHEELER

STATE ENGINEER

By

Tony Debusch
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under application No. R-42901, permit No. R-4877

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-4877

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 11, 1966

Actual construction work shall begin on or before June 9, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969...

Complete application of the water to the proposed use shall be made on or before October 1, 1970...

WITNESS my hand this 9th day of June, 1967.

Chris L. Wheeler
STATE ENGINEER

PC

Application No. 42902
Permit No. 32060

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of October, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved: June 9, 1967 of
Recorded in book No. 32060
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 127
Fees \$15.00