

RECEIVED
DEC 11 1966
STATE ENGINEER
OREGON

Permit No. 32074

*APPLICATION FOR PERMIT

CERTIFICATE NO. 4137A

To Appropriate the Public Waters of the State of Oregon

I, Gifford Botts (Name of applicant)
of Rt. Enterprise (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Wallowa River (Name of stream)
a tributary of Grande Ronde River

2. The amount of water which the applicant intends to apply to beneficial use is 1/40
Per acre, but not to exceed 3 1/2 acre feet of water during
cubic feet per second. the irrigation season of each year.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. 77°S and 624' ft. 20' E from the NW
(N. or S.) (E. or W.)
corner of Section 5 T. 3 S., R 45 E. W. M. For Farmers Canal
(Section or subdivision)
Point of diversion for pipe line from Farmers Canal is Tie N 3 1/2 W. 1850 feet
from the NW. corner of section 34, T 1 S., R 45 E.W.M.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 5, Tp. 3 S.
(Give smallest legal subdivision) (N. or S.)
R. 45 E., W. M., in the county of Wallowa
(E. or W.)

5. The Water to be carried in the Farmers Canal to be Burried pipe line 2315 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 34, Tp. 1 S.
(Smallest legal subdivision) (N. or S.)
R. 45 E.W.M., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate No headgate required, water to be pumped directly
(Timber, concrete, etc., number and size of openings)
from Farmers Canal

(c) If water is to be pumped give general description 40 hp. electric pump with
(Size and type of pump)
approximate head of 350 gallons per minute
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

32074

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2315' ft.; size at intake, 8" in.; size at 1700' ft. from intake 6" in.; size at place of use 6" in.; difference in elevation between intake and place of use, 130' ft. Is grade uniform? Yes Estimated capacity, 0.80 sec. ft.

8. Location of area to be irrigated, or place of use SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 27 NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 34, & SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 27

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 1 S	R 45 E.	27	SW $\frac{1}{4}$ SW $\frac{1}{4}$	4.0 acres
T 1 S	R 45 E.	34	NW $\frac{1}{4}$ NW $\frac{1}{4}$	21.7 acres
T 1 S	R 45 E.	34	SW $\frac{1}{4}$ NW $\frac{1}{4}$	19.2 acres
				44.9

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised hay, grain and pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head):

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$3982.00
- 12. Construction work will begin on or before November 1, 1966
- 13. Construction work will be completed on or before June 1, 1967
- 14. The water will be completely applied to the proposed use on or before July 1, 1967

Jeffrey Batts
(Signature of applicant)

Remarks: This right is for surplus water from Wallowa River
when there is a surplus,

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.12 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Wallowa River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of ~~not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,~~

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 14, 1966

Actual construction work shall begin on or before June 9, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

Complete application of the water to the proposed use shall be made on or before October 1, 1970.

WITNESS my hand this 9th day of June, 1967

Chris L. Wheeler
STATE ENGINEER

Application No. 42928
32074
Permit No.

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of October, 1966, at 1:00 o'clock P. M.

Returned to applicant:

Approved:, June 9, 1967

Recorded in book No. of 32074 Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 30A
Fees 1725

PC