To Appropriate the Public Waters of the State of Oregon

P. O. BOX 724, 3 Ecksonville, (Millian science) State of Oregon			(Name	by Bruce Fleming of applicant)		••••••
collowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation March 22, 1951 at Madford, Oregona. 1. The source of the proposed appropriation is Rogue River. 1. The source of the proposed appropriation is Rogue River. 2. The amount of water which the applicant intends to apply to beneficial use is O.84 C.f.s. 2. The amount of water which the applicant intends to apply to beneficial use is O.84 C.f.s. 2. The use to which the water is to be applied is ITARETION. (It water is to be used from more than one source, give quantity from each) 1. The point of diversion is located 580. ft. Ss. and 540. ft. Es. from the NW Order at Section 4 Color at Section we subdivision) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. We separate thest if accounty) (It has a new than appeared diversion, each must be described. The separate thest if accounty) (It has a new than appeared diversion, each must be described. The separate thest if accounty) (It has a new than appeared diversion and beauting to nection of section for the county of the section of section of section each of section of section and type of pumps. (Fairbanks Morse) powered by a 50 H.P. electric motor.	of	P. U. BOX	/54, JECKSONVIII	θ,		·····,
If the applicant is a corporation, give date and place of incorporation March 22, 1951 at. Madford, Oragona. 1. The source of the proposed appropriation is	State of	Oregon	, do here	by make application for	a permit to appro	priate the
1. The source of the proposed appropriation is Rogue Rivers (a tributary of Pacific Ocean. 2. The amount of water which the applicant intends to apply to beneficial use is 0.84 0.f.s. 2. The amount of water which the applicant intends to apply to beneficial use is 0.84 0.f.s. 2. The use to which the water is to be applied is Irrigation. 4. The point of diversion is located 580 ft. S.s. and 540 ft. E. from the NW Ct.s. 4. The point of diversion is located 580 ft. S.s. and 540 ft. E. from the NW Ct.s. (If preferable, give distance and basing to metical corner) (If there is more than one point of diversion, each most be described. Use separate sheet if necessary) being within the NW. NW. (Over smallest legal subdivision) 5. The main ditch and pipeline to be 2 miles (approximate) Glean of the country of Jacksons. 6. (a) Height of dam feet water and character of construction for the accompanying map. Cover water and words. The proposed location being shown throughout on the accompanying map. (Cover water and words. the number of construction feet, length at bottom feet; material to be used and character of construction for the country of paces, waters, manuscry. (Cover real, conserve, manuscry.) (Fairbanks Morse) powered by a 50 H.P. electric motor.	following	described public w	aters of the State of Ore	gon, SUBJECT TO EXIS	TING RIGHTS:	
1. The source of the proposed appropriation is Rogue Rivers (a tributary of Pacific Ocean. 2. The amount of water which the applicant intends to apply to beneficial use is 0.84 0.f.s. 2. The amount of water which the applicant intends to apply to beneficial use is 0.84 0.f.s. 2. The use to which the water is to be applied is Irrigation. 4. The point of diversion is located 580 ft. S.s. and 540 ft. E. from the NW Ct.s. 4. The point of diversion is located 580 ft. S.s. and 540 ft. E. from the NW Ct.s. (If preferable, give distance and basing to metical corner) (If there is more than one point of diversion, each most be described. Use separate sheet if necessary) being within the NW. NW. (Over smallest legal subdivision) 5. The main ditch and pipeline to be 2 miles (approximate) Glean of the country of Jacksons. 6. (a) Height of dam feet water and character of construction for the accompanying map. Cover water and words. The proposed location being shown throughout on the accompanying map. (Cover water and words. the number of construction feet, length at bottom feet; material to be used and character of construction for the country of paces, waters, manuscry. (Cover real, conserve, manuscry.) (Fairbanks Morse) powered by a 50 H.P. electric motor.	If ti	he applicant is a co	rporation, give date and	place of incorporation	March 22.	1951
1. The source of the proposed appropriation is Rogue River. (Clame of stevens) , a tributary of Pacific Ocean. 2. The amount of water which the applicant intends to apply to beneficial use is O.84 C.f.S. cubic feet per second. (at water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is 1TIGETION. (Christian, power, mining, manufacturing, domestic supplies, etc.) 4. The point of diversion is located 580 ft. S. and 540 ft. E. from the NW corner of Section 4 (Beddien or ministriation) (If there is more than one point of diversion, each most be described. Use separate sheet if necessary) being within the NWA NNA (Christian) (If there is more than one point of diversion, each most be described. Use separate sheet if necessary) being within the NWA NNA (Corner malies) legal abdivision) 5. The main ditch and pipeline to be 2 miles (approximate) (all there is more than one point of diversion, each most be described. Use separate sheet if necessary) being within the NWA NNA (Corner malies) legal abdivision) (at the secondary of Sec. 4 T. T						
	atned	Iora, Oregon	7		***************************************	
	1. 2	The source of the pr	oposed appropriation is .	Rogue R	iver.	••••••
2. The amount of water which the applicant intends to apply to beneficial use is 0.84 C.f.S. cubic feet per second. (If water is to be used from more than one source, give quantity from each) 1. The use to which the water is to be applied is 1. Trigation. 2. The use to which the water is to be applied is 1. Trigation. 4. The point of diversion is located 580 ft.S. and 540 ft.E. from the NW corner of Section 4 (Rection or middivision) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new than one point of diversion, such must be described. The separate sheet if necessary) (If there is new to be necessary) (If there is necessary) (If the nece						
### 3. The use to which the water is to be applied is ### 17	2. 3	The amount of wate	er which the applicant int	ends to apply to beneficio	il use is 0.84	
### 3. The use to which the water is to be applied is ### 17	cu bic feet	per second	(If water is to be used	from more than one source, give que	entity from each)	
4. The point of diversion is located						
(If preferable, sive distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NWA NWK of Circ mallest legal subdivision) of Sec. 4 , Tp. 35 S., (R			× .	(Irrigation, power, mining, ma	mufacturing, domestic su	pplies, etc.)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NWK NWK (Give smallest legal subdivision) of Sec. 4 , Tp. 35 S. (N. or S.) R. 1 W. 2 , W. M., in the county of Jacksons. (E. or W.) (Blue or feet) (Calles or feet) (C						
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NWK NWK of Sec. 4, Tp. 35 S (Give smallest legal subdivision) R. 1 W.s, W. M., in the county of Jacksons (E. or W.) 5. The main ditch and pipeling to be 2 miles (approximate) (Sain ditch, canal or pipe line) (Sain ditch, canal or pipe line) (Raine or feet) (Rainellest legal subdivision) (R. or S.) (R.	corner of		(Sect	ion or subdivision)		•••••••••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NWA NWA of Sec. 4 , Tp. 35 S. (N. or 8.) R. 1 W.s. , W. M., in the county of Jacksons 5. The main ditch and pipeline to be 2 miles (approximate) (and the county of Sec. 4 , Tp. 35 S. (M. or 8.) 5. The main ditch and pipeline to be 2 miles (approximate) (and length, terminating in the NWA (SWA) of Sec. 4 , Tp. 35 S. (N. or 8.) (and length, terminating in the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction DONG. (C. or W.) (C.						
5. The main ditch and pipeline to be 2 miles (approximate) (Malles or feet) (Mor or 8.) (M	being with	_	than one point of diversion, each mu	st be described. Use separate sheet i	, Tp	35 S.,
(Main ditch, canal or pipe line) (Road Sec. 4	R. 1 W	, W. M., in the ₩.)	county ofJackson	.	·	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction DORS. (Loose rock, concrete, masonry. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 10" x 10" centrifugal pumps. (Size and type of pump) (Fairbanks Morse) powered by a 50 H.P. electric motor.			(Main ditch, canal or pipe line)	•	(Miles or feet)	
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction DORS. (Loose rock, concrete, masonry. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 10" x 10" centrifugal pumps. (Size and type of pump) (Fairbanks Morse) powered by a 50 H.P. electric motor.	in length,	terminating in the	NWX SWX	of Sec. 4	, Tp35	S.
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction		_				
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction			DESCRIPTION	A OF MODES		•
feet; material to be used and character of construction (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (D) Description of headgate (C) If water is to be pumped give general description 10" x 10" centrifugal pumps. (Size and type of pump) (Fairbanks Morse) powered by a 50 H.P. electric motor.	Diversion	Works-	DESCRIPTION	OF WORKS		
feet; material to be used and character of construction (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (Loose rock, concrete, masoury, (D) Description of headgate (C) If water is to be pumped give general description 10" x 10" centrifugal pumps. (Size and type of pump) (Fairbanks Morse) powered by a 50 H.P. electric motor.	6 .	(a) Height of dam	feet, u	ength on top	feet, length	at bottom
(b) Description of headgate						
(b) Description of headgate		jeet; mater	al to be used and charact	er of construction	(Loose rock, con	crete, masonry,
(b) Description of headgate	mok and housi	h. timber crib. etc., wastewa	v over or around dam)		***************************************	
(c) If water is to be pumped give general description 10" x 10" centrifugal pump. (Size and type of pump) (Fairbanks Morse) powered by a 50 H.P. electric motor.						
(Fairbanks Morse) powered by a 50 H.P. electric motor.	(0)	_ 000. p. 00 0 0 0 000	,	Timber, concrete, etc., number and s	ize of openings)	
				· · ·		
	(Fairl					••••••••
		. ,,,,,,	,			

	* * * * * * * * * * * * * * * * * * * *	, .		
anal System or	Pipe Line-			32092
7. (a) Gir	ve dimensions at	each point of	canal where materially cha	nged in s ize, stating miles fron
eadgate. At hea	dgate: width on	top (at water	line) 4.0	feet; width on botton
rousand feet.				O feet fall per on
			,	f water feet
	feet fal	-	•	
				in.; size at f
				difference in elevation between
take and place	of use,t	40 ft. I	s grade uniform? Yes.	Estimated capacity
	sec. ft. on of area to be i	rrigated, or pl	ace of use	
Township North or South	Range R. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35 S.	ı W.	4 .	NW¼ NW¼	4.9 acres
		• · · · · · · · · · · · · · · · · · · ·	SW% NW%	18.9 acres
· ·		4.	SE¼ NW¼	3.4 acres
			NE¼ SW¼	5.5 acres
			NW¼ SW¼	34.2 acres
				al 66.9 acres
			1	
			· .	
·				
· · · · · · · · · · · · · · · · · · ·				
		(If more space	required, attach separate sheet)	<u> </u>
(a) Ch	haracter of soi l	gra	vel and sandy loan	<u>n</u> .
(b) K	ind of crops raise	dha	y and pasture.	
Power or Minin				•
•	•			theoretical horsepowe
% J			power	. sec. ft.
(c) To	otal fall to be uti	lized	(Read)	• • •
(d) T	he nature of the	works by mea	ns of which the power is to	be developed
/a) G	wah anamba 4a 1a 1	, , , , , , , , , , , , , , , , , , ,		of 5
			1	of Sec
(No. N. or	, R	E. or W.)	M.	• • • • • • • • • • • • • • • • • • •
(f) Is	water to be reti	irned to any s	(Yes or No)	

(g) If so, name stream and locate point of return

Sec. _____, Tp. ____, R. ____, W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served ______

	(a) To supply th							***********	•••••
4	(Name of)	County, havin	g a presen	t populat	ion of				
	imated population	4							
	(b) If for domes	stic use state n	umber of	families :	to be sun	mlied			
6 9	_					,	_ (.		•••••••
			questions 11, 4				()		
11.	Estimated cost of	proposed works	s, \$ 25	00.00	••••••	•	:		
12.	Construction wo	rk will begin on	or before	, <u>l</u>	year	from d	ate of	priorit	y •
	Construction wo							•••••	
	The water will b							er.l. 1	969
		o compressing up		o p. opos		co,		,	,,,,,
		······································			•••••••				•••••
	,				_	(Signature o	f applicant)	t1.on,	
-			,	By:			Flen	ung	·····
Res	marks:			-	Pres	ident			
*****************						*.		***************************************	
••••••						•••••		•••••••••	•••••
************								***************************************	•••••
				••					
								· 	
	•••••••••••								
	••••••••	***************************************			*****************	***************			
			***************************************					••••••	•••••
······	•••••••••••••••••••••••••••••••••••••••	•••••••••••••	******************						•••••
••••••							••••••		•••••
									•••••
***************************************			·,	•••••••			***************************************	***************************************	
***************************************			•••••	4000					•••••
				:	*				
STATE	OF OREGON,	\ .s.		!				:	
Coun	ty of Marion,	\ ss. \ \ .				,			
Th	is is to certify t	hat I have exan	nined the	foregoing	applicat	tion, toget	her with th	ie accompai	nyir
				• • • • • • • • • • • • • • • • • • • •		_			
maps and	d data, and retur	n the same for .				•••••••••••••••••••••••••••••••••••••••	······································	••••••	•••••
			***************************************		•••••				•••••
In	order to retain	its priority this	annlicati	on must l	ne return	ed to the S	tate Engin	eer. with co	orre
		· •							
tions on	or before		••••••••••	, 19			in the		
			,						
	,	•							
W	ITNESS my han								
			:				. ,		
• .									
			. 1		••••••			STATE ENGI	NEED

By

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial						
and shall not exceed						
The use to which this water is to be applied is	irrigation					
If for irrigation, this appropriation shall be limite	ed to					
second or its equivalent for each acre irrigatedand	hall be further limited to a diversion of					
notto.exceed.42 acre feet per acre for eac	h acre irrigated during the irrigation					
season of each year,						
***************************************	***************************************					

and shall be subject to such reasonable rotation system	as may be ordered by the proper state officer.					
The priority date of this permit is	October 24, 1966					
Actual construction work shall begin on or before	reJune 9, 1968 and shall					
thereafter be prosecuted with reasonable diligence and	be completed on or before October 1, 1969					
Complete application of the water to the propose	d use shall be made on or before October 1, 19.70					
WITNESS my hand this9th day of	June , 1967					
	elie Labeler					
The state of the s	STATE ENGINEER					

20

page 60 J

June 9, 1967

ď

CHRIS L. VHEELER

STATE ENGINEER

State Printing 96137.

Application No. 42556

Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

19 66, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No.

Permits on page

Fees #20