

*APPLICATION FOR PERMIT

CERTIFICATE NO. 40941

To Appropriate the Public Waters of the State of Oregon

I, B. L. DAVIS RANCH, INC. (Name of applicant)
of Route I Adams
(Mailing address)
State ofOREGON , do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation $\frac{1-3}{-5}$
1. The source of the proposed appropriation is WILD HORSE CREEK
(Matue of secent)
, a tributary of UMATILLA
2. The amount of water which the applicant intends to apply to beneficial use is $\frac{5.94}{1}$
cubic feet per second
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
1
4. The point of diversion is located $\frac{2230}{100}$ ft. $\frac{N}{100}$ and $\frac{75}{100}$ ft. $\frac{E}{100}$ from the $\frac{S}{100}$
corner of SEC 34, BEING WITHIN NW, SE, SEC. 34. (Section or subdivision)
#2 25' S. & 1510' W of E + Cor. of Sec. 34 Being Within N.W., SEL, Sec. 34
#3 10' S & 1750' E. OF COM. COR. OF 26, 27, 34, 35, BEING WITHIN NET N. W. SEC 35
#84 13001 S & 2001 E OF CENTER OF SECTION 26. (If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL SEL (Give smallest legal subdivision) of Sec. 26. , Tp. 4.N., (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL of SEC. 26. Tp. 4.N. (Give smallest legal subdivision) R. 34 E , W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL of SEC. 26. Tp. 4.N. (Give smallest legal subdivision) R. 34 E , W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNU SEU Of Sec. 26. , Tp. 4. N. , (Give smallest legal subdivision) (N. or S.) R. 34 E , W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNU SEU Of Sec. 26. , Tp. 4. N. (Give smallest legal subdivision) R. 34 E , W. M., in the county of UMATILLA (E. or W.) 5. The PORTABLE PIPE LINE to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) (Smallest legal subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNU SEU Of Sec. 26. , Tp. 4. N. , (Give smallest legal subdivision) (N. or S.) R. 34 E , W. M., in the county of
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL (Give smallest legal subdivision) of Sec. 26. , Tp. 4. N. (N. or S.) R. 34 E , W. M., in the county of UMATILLA (E. or W.) 5. The PORTABLE PIPE LINE (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. (E. or W.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNU SEU Of Sec. 26. , Tp. 4. N. (Give smallest legal subdivision) R. 34 E , W. M., in the county of UMATILLA (E. or W.) 5. The PORTABLE PIPE LINE to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) (Smallest legal subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL OF SEC. 26 TP. 4 N OF SEC. 27 TP. 4
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL SEL OF SEL OF SEC. 26 TP. 4.N. (N. or S.) R. 34 E N. (Give smallest legal subdivision) 5. The PORTABLE PIPE LINE OF SEC. (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Smallest legal subdivision) OF Sec. TP. (N. or S.) (N. or S.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL SEL Of Sec. 26. Tp. 4. N. Of Sec. 26. N. Tp. 4. N. Of Sec. 26. N. Tp. 4. N. Of Sec. 26. N.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL SEL OF SEL OF SEC. 26 TP. 4.N. (N. or S.) R. 34 E N. (Give smallest legal subdivision) 5. The PORTABLE PIPE LINE OF SEC. (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Smallest legal subdivision) OF Sec. TP. (N. or S.) (N. or S.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL, SEL (Give smallest legal subdivision) of Sec. 26. , Tp. 4.N. (N. or S.) R. 34 E , W. M., in the county of SMATILLA (S. or W.) 5. The PORTABLE PIPE LINE (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (N. or S.) R. (Smallest legal subdivision) OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SWL SEL (Give smallest legal subdivision) of Sec. 26 , Tp. 4. N , or S.) R. 34 E , W. M., in the county of
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL (Give smallest legal subdivision) of Sec. 26. , Tp. 4. N. (X. or S.) R. 34 E (B. or W.) 5. The PORTABLE PIPE LINE (Main ditch, cana) or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (X. or S.) R. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SML SFL (Give smallest legal subdivision) of Sec. 26 , Tp. 4 N (N. or S.) R. 34 E (E. or W.) (M. or the county of MATILLA (E. or W.) (M. or S.) 5. The PORTABLE PIPE LINE (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (X. or S.) R. (Smallest legal subdivision) of Sec. , Tp. (X. or S.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masoner, concrete, etc., number and size of openings) (b) Description of headgate (C.) If water is to be pumped give general description (Size and type of pump)
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SNL SEL (Give smallest legal subdivision) of Sec. 26. , Tp. 4. N. (X. or S.) R. 34 E (B. or W.) 5. The PORTABLE PIPE LINE (Main ditch, cana) or pipe line) (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. , Tp. (X. or S.) R. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)

[•]A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

Canal System or I	Pipe Line—			32133
•	-	each point of c	canal where materially chan	ged in size, stating miles from
eadgate. At head	lgate: width on	top (at water	line)	feet; width on bottom
feet; depth of waterfeet; grade				feet fall per one
nousand feet.				
		·		ter line)
j	feet; width on be	ottom	feet; depth of	water feet,
rade	feet fall	per one thous	and feet.	
· (c) Length	of pipe,	ft.;	size at intake,6	in.; size at ft
rom intake	in.;	size at place o	f use in.; d	lifference in elevation between
ntake and place	of use,50	ft. Is	grade uniform?FAIRLY	Estimated capacity
6.0	sec. ft.			·,
8. Location	n of area to be in	rrigated, or pla	ace of useT.4N. R.34.	E. Sec. 26,29,34,35
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 _N	34 E	26	NET SET	9.2
. 11	11	, i	NW t SEt	18.2
	11	11		
			SW SEL	9.7
11	n n		SE SW	38.6
- 11	11		รพนุรพนุ	38.7
: 1				
: 11	11	34	NW 1 NW1	40.0
	11		NET NWT	40.0
· n	11	, 11	SM 1 NM 1	29.4
. п	11	. 11	SEL NWL	40.0
	11		NMT NET	[6.1]
(a) Ch	aracter of soil	Maria Mari	required, attach separate sheet) _A SILT LOAM	
,			······································	
(b) Kin Power or Mining		dROW CROS	PS, PASTURE, HAY, PEAS	DIVERSIFIED CROPS
_	- ,	wer to be dev	eloped	theoretical horsepower
•	• • •		oower	
			The state of the second control of the secon	
			(Head)	•
(d) Th	e nature of the t	vorks by mean	s of which the power is to b	oe developed
•••••••				
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec.
Tp(No. N. or S	, R(No.)	, W. A	1 .	
(f) Is	water to be retu	rned to any st	ream?(Yes or No)	
(a) If	so. name stream	and locate po	oint of return	

WITNESS my hand this 18th day of November 66

1966 B

CHRIS L. WHEFILEN STATE ENGINEE

ASSISTAN

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed3.53 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, fromWildhorse Creek
The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 3 acre feet per acre for each acre irrigated during the irrigation
season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is November 7, 1966
Actual construction work shall begin on or beforeJune 9, 1968 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69
Complete application of the water to the proposed use shall be made on or before October 1, 1970.
WITNESS my hand this 9th day of June , 19.67
STATE ENGINEER

Application No. 430/0

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the It 11... day of Marein her. 196. E., at . E. C. o'clock ... A.

Returned to applicant:

Approved:

June 9, 1967

Recorded in book No.

Permits on page

CHRIS L. WHEKLER

STATE ENGINEER

page 16 5 Drainage Basin No.

State Printing 98137