Permit No. 32153

CERTIFICATE NO. 37290

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1, Milliam 1	Been		
" 396 A	(Name of ag	rplicant)	d
Of Mailing address			
State of Negan	, do hereby	make application for	a permit to appropriate th
following described public water	rs of the State of Oregon	, SUBJECT TO EXIS	TING RIGHTS:
If the applicant is a corpor	ration, give date and plac	ce of incorporation	
			ν,
		el agua	Park
1. The source of the propo		(Name	of stream)
nd Ken Neser	voci, a tributary	of Opp	legate
2. The amount of water w	hich the applicant intend	s to apply to benefici	il use is
	incir the approach the	o to apply to complete	
cubic feet per second	(If water is to be used from	more than one source, give qu	antity from each)
1 . The use to which the w	ater is to be applied is	Mones	tie Hyon
1 Kmon To I	continue la	Authorition, power, mining, m	- 7 - 2 7 - /
	01.7	Control of the second	A 1
4. The point of diversion	is located	and ft	. Ass. from the
corner of the	To of S	ectión	20 tshe 37
Do -	(Section or	r subdivision)	
V) ange 3			
<u> </u>	·		·
			
	(If preferable, give distance and be	aring to section corner)	
	one point of diversion, each must be		
being within the NE VI	re smallest legal subdivision)	of Sec), Tp. 3/5
R. 5 W. W. M. in the con	inty of Or sep	hime	
(E. OF W.)	// //		
5. The	in ditch, canal or pipe line)	to be	(Miles or feet)
in length, terminating in the	1		
R, W. M., the 1	proposed location being s	hown throughout on t	he accompanying map.
	DESCRIPTION C	F WORKS	
Diversion Works—	1		
6. (a) Height of dam	,65 feet, length	th on top25	feet, length at botto
.0	:		D
Jeet; material t	~ haad	A AAM STMALATIAN / / / / /	
	o be used and character of	of construction	(Loose rock, concrete, mason
with reinforce	ed steel	of construction	(Loose rock, concrete, mason
rock and brush, timber crib, etc. wasteway ove	of steel		(Loose Fock, concrete, mason
rock and brush, timber crib, etc. wasteway over (b) Description of headge	of steel		(Loose Fock, concrete, mason
rock and brush, timber crib, etc. wasteway over (b) Description of headgo	of steel		(Loose Fock, concrete, mason
(b) Description of headgo	r or around dam) ite	ver, concrete, etc., number and	(Loose Fock, concrete, mason
rock and brush timber crib, etc. wasteway over (b) Description of headge (c) If water is to be pump	or around dam) ite	ion shall	(Loose Fock, concrete, mason
(b) Description of headgo (c) If water is to be pump make the presence (Cline and to	or around dam) tte	ion Shall	(Loose Fock, concrete, mason
(b) Description of headgo (c) If water is to be pump make the presence (Cline and to	r or around dam) ite	ion Shall	(Loose Fock, concrete, mason
(b) Description of headgo (c) If water is to be pump (C) Prescription of headgo	or around dam) tte	ion Shall	(Loose Fock, concrete, mass

adgate. At hea	dgate: width on	top (at water	line)	feet; width on botton
ousand feet.	feet; depth of u	vater	feet; grade	feet fall per on
ousana jeet. (b) At		miles from he	adgate: width on top (at wate	r line)
	•		feet; depth of w	60
				• • • • • • • • • • • • • • • • • • •
	feet fal	-		, "
			size at intake,	
		,	f use in.; dif	
take and place	of use,	, / ft. Is	grade uniform?	Estimated capacity
***************************************	sec. ft.	•	ρ	
8. Location	n of area to be i	rrigated, or pla	ice of use Nouse 4	yard
Township North or South	Range E. or W. of	Section	Forty-scre Tract	Number Acres To Be Irrigated
275	ر در رسر	91	NEV ATOUR	
5/0	3 00	\sim	NEX4 of SW/4	dom, Tyan
:				ļ
	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1			
	ra est over a re-	4 4 7 8 9		
		in the state of the		,
			and the second s	A
			· · · ·	
s en en				·
		e store		, ,
		(If more apace :	required, attach separate sheet)	
(a) Ch	naracter of soil	rocky	sed clay	
(b) K	ind of crops raise	d S	rone d	
Power or Minin		7		
9. (a) To	otal amount of p	ower to be dev	eloped	theoretical horsepowe
(b) Q	uantity of w ater	to be used for p	oower se	c. ft.
	,			•
			(Bend)	
(d) T	he nature of the	works by mean	s of which the power is to be	developed
				
(e) St	uch works to be l	ocated in	(Legal subdivision)	of Sec
Гр(No. N. or	, R(No.	, W. M	ſ.	
(f) Is	water to be retu	irned to any sti	ream?	•
			(Yes or No) int of return	
(8/ -)				
		Sec	T	, R, W. 1

- 1 / ž

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amoun								
The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed								
								221,3 Potato 100 21-17-17
								domestic use of one family including the
irrigation of not to exceed one-half acre la	wm and garden							
If for irrigation, this appropriation shall be limited	d to							
second or its equivalent for each acre irrigated								
•								

	The state of the s							

and shall be subject to such reasonable rotation system (as may be ordered by the proper state officer.							
The priority date of this permit is	December 12, 1966							
Actual construction work shall begin on or befor	e July 21, 1968 and shall							
thereafter be prosecuted with reasonable diligence and								
•	l use shall be made on or before October 1, 19.70							
WITNESS my hand this21st day of	,							
·								
• · · · · · · · · · · · · · · · · · · ·	STATE ENGINEER							
	 							

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 12 day of Decembel 1966, at 600 o'clock 4. M.

Returned to applicant:

July 21, 1967

Recorded in book No.

Application No. 41707

CHRIS L. WHEELER STATE ENGINEER

Permits on page

Drainage Basin No.