

RECEIVED
DEC 8 1966
STATE ENGINEER
OREGON

Permit No. 32216

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45191

To Appropriate the Public Waters of the State of Oregon

I, Malheur District Improvement Company
(Name of applicant)
of Route 3, Weiser, Idaho (Malheur County, Oregon)
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
May 2, 1917 Oregon

1. The source of the proposed appropriation is Snake River
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 12.1
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of
(Section or subdivision)
S. 22° 55' E. 2842 feet from the SE corner of Sec. 29,
Twp. 15 S., R. 47 E. W. M., Malheur County, Oregon
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the Lot 3 of Sec. 33, Tp. 15 S.,
(Give smallest legal subdivision) (N. or S.)
R. 47 E., W. M., in the county of Malheur

5. The canal to be 14,000
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SW 1/4 of Sec. 29, Tp. 15 S.,
(Smallest legal subdivision) (N. or S.)
R. 47 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
see schedule of pumps attached
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate, At headgate: width on top (at water line) 7 feet; width on bottom feet; depth of water 3½ feet; grade 4 to 5 inches feet fall per one thousand feet.

(b) At 1½ miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water 2½ feet; grade 4 to 5 in. feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
		see attached schedule		

(If more space required, attach separate sheet)

(a) Character of soil silt and sandy loam

(b) Kind of crops raised hay, grain and row crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

RECEIVED
 JUN 10 1966
 S. W. ENGINEER
 DEPT. OF AGRICULTURE

Township	Range	Section	40-acre tract	Number of Acres to be irrigated
15 S.	47 E.W.M.	20	SE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 2)	12
			SW $\frac{1}{4}$ SE $\frac{1}{4}$ (Lot 3)	7
		28	NE $\frac{1}{4}$ NW $\frac{1}{4}$	3
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	10
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	36
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	26
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	40
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	40
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	40
		29	NE $\frac{1}{4}$ NE $\frac{1}{4}$	30
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	40
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	40
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	40
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	40
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	40
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	40
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	40
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	10
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	5
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	25
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	40
		30	NE $\frac{1}{4}$ NE $\frac{1}{4}$	20
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	40
		32	NE $\frac{1}{4}$ NE $\frac{1}{4}$	35
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	25
		33	NW $\frac{1}{4}$ NE $\frac{1}{4}$	6
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	5.5
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	40
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	26
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	38
NW $\frac{1}{4}$ SW $\frac{1}{4}$	3			

962.5

RECEIVED
MAY 13 1968
CIVIL ENGINEER
DIVISION

SCHEDULE OF PUMPS OF MALHEUR DISTRICT IMPROVEMENT COMPANY

- #1 Pomona turbine pump with 20 HP motor, 14 in. discharge
17 foot lift, 18" X 50' discharge pipe, 350 gal. per
minute.
- #2 Pomona turbine pump, 50 Hp motor, 18" discharge, 17 foot
lift, 20" X 40' discharge pipe, 7500 gal. per minute.
- #3 Johnston turbine pump, 40 HP motor, 16' discharge,
17 foot to 19 foot lift, 18" X 40' discharge pipe,
5,000 gal. per minute.
- #4 Weiser Iron Works turbine pump, 10 HP motor, 10" discharge,
14" X 40' discharge pipe, 17 ft. to 19 ft. lift,
2,000 gal per minute.

NOTE: All four pumps are located adjacent to each other at the
point of diversion and any one or all may be operated
at one time pending on water demand.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

MALHEUR DISTRICT IMPROVEMENT COMPANY
By *J. C. Schaefer*
President (Signature of applicant)

Remarks:

This is an existing system. The original works were installed and water was first used on approximately these same lands in and before 1919. Beneficial use of water probably was applied to some portion of the lands prior to the adoption of the water code in 1909, but no good evidence is available concerning the same and if so such waters were applied through different works than herein described.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 12.1 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 8, 1966

Actual construction work shall begin on or before August 4, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

Complete application of the water to the proposed use shall be made on or before October 1, 1970.

WITNESS my hand this 4th day of August, 1967

Chris L. Wheeler

STATE ENGINEER

Application No. 43111
Permit No. 32216

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of December
1966, at 1:00 o'clock P. M.

Returned to applicant:

Approved: August 4, 1967
Recorded in book No. 32216 of
Permits on page 48

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 10 page 48
Fees 68.65