

RECEIVED
DEC 20 1937
STATE ENGINEER
SALEM

*APPLICATION FOR PERMIT

CERTIFICATE NO. 45046

To appropriate the Public Waters of the State of Oregon

I, Carlton R. Barkhurst
(Name of applicant)
of Route 1, Box 330, Eagle Point,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream, trib. of
(Name of stream)
Rogue River, a tributary of Pacific Ocean.

2. The amount of water which the applicant intends to apply to beneficial use is 0.04 c.f.s.
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1450 ft. S. and 885 ft. W. from the NW
(N. or S.) (E. or W.)
corner of Section 32
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 32, Tp. 35 S.
(Give smallest legal subdivision) (N. or S.)
R. 1 W., W. M., in the county of Jackson.

5. The main ditch to be 600 feet.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 32, Tp. 35 S.
(Smallest legal subdivision) (N. or S.)
R. 1 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1.0 feet, length on top 4.0 feet, length at bottom
2.0 feet; material to be used and character of construction wooden planks and rock.
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate one foot square wooden box with slide gate.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____
 _____ County, having a present population of _____
 (Name of) _____
 and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200,000
- 12. Construction work will begin on or before one year from date of priority.
- 13. Construction work will be completed on or before October 1, 1968.
- 14. The water will be completely applied to the proposed use on or before October 1, 1969.

Carlton R. Barkhuser
 (Signature of applicant)

Remarks: I am aware of the Water Resources Board's policy in regard to Rogue River and its tributaries.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 29, 1966

Actual construction work shall begin on or before August 4, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969...

Complete application of the water to the proposed use shall be made on or before October 1, 1970...

WITNESS my hand this 4th day of August, 1967

Chris L. Wheeler

STATE ENGINEER

PC

Application No. 43161
Permit No. 32241

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29 day of December, 1966, at 11:50 o'clock A. M.

Returned to applicant:

Approved:

August 4, 1967
Recorded in book No. of
Permits on page 32241

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 7823
Fees \$15.00