

RECEIVED
FEB 20 1967

Permit No. 32354

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39095

To Appropriate the Public Waters of the State of Oregon

I, W.G.Buchanan, and Ferman A. Warnock

(Name of applicant)

of Enterprise

(Mailing address)

State of Oregon

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed spring a tributary of
(Name of stream)
Imanha River, a tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 1/100
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located Spring bears N 5° 23' E. 1783 feet and South 1/4
ft. (N. or S.) and ft. (E. or W.)
corner of Sec. 16, T 1 N., R 48 E. W. M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 16, Tp. 1 N.,
(Give smallest legal subdivision) (N. or S.)
R. 48 E., W. M., in the county of Wallowa
(E. or W.)

5. The pipe line to be 1930 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 SW 1/4 of Sec. 16, Tp. 1 N.,
(Smallest legal subdivision) (N. or S.)

R. 48 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity feed to two dwellings
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Two families

(Answer questions 11, 12, 13, and 14 in all cases)

\$500.00

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before Is completed
- 13. Construction work will be completed on or before Is Completed
- 14. The water will be completely applied to the proposed use on or before Has been applied

Th. Y. Buchanan

(Signature of applicant)

Jerman A. Warwick

Remarks: The above named owners have a deed to the above spring
along with a deed right of way, 2 feet in width, to install and
maintain a water line from the spring to the North line of the
SE $\frac{1}{4}$ SW $\frac{1}{4}$, (Ref. Book 31, page 141, Wallowa County Deeds)

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring.....

The use to which this water is to be applied is domestic use of two families.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 20, 1967.....

Actual construction work shall begin on or before October 10, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

Complete application of the water to the proposed use shall be made on or before October 1, 1970....

WITNESS my hand this 10th day of October, 1967.

Chris L. Wheeler

STATE ENGINEER

PC

Application No. 43289

Permit No. 32354

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of February, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 10, 1967

Recorded in book No. of

Permits on page 32354

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 22

Fees \$10.00