*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1. The source of the proposed appropriation is S. J. M. M. M. Comment of the proposed appropriation is S. J. M. M. M. Comment of the proposed appropriation is S. J. M. M. M. M. Comment of the proposed appropriation is S. J. M. M. M. M. Comment of the proposed appropriation is S. J. M.	1, Gordon & Eleanor Cooke	••
the of Cotaling settings) As hereby make application for a permit to appropriate the Cowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is S. A. M. J. J. Common of stream. 1. The source of the proposed appropriation is S. A. M. J. J. Common of stream. 1. The source of the proposed appropriation is S. A. M. J. J. Common of stream. 1. The source of the proposed appropriation is S. A. M. J. J. Common of stream. 2. The amount of water which the applicant intends to apply to beneficial use is O. O. 9. bic feet per second. (It water is to be used from more than one source, the quantity from each) **3. The use to which the water is to be applied is	Rt. 1 Box 84 Willamina	
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed appropriation is \$\int \text{Latt hill.} \text{Colore of steep of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} \text{Colore of the proposed location being shown throughout on the accompanying map.} Colore of the proposed location being shown throughout on the	(Mailing address)	,
1. The source of the proposed appropriation is \$\int_{\text{A}} \frac{\lambda{\text{Intermediate}}{\text{Closes of treemin}}}{\text{Closes of treemin}}\$ 2. The amount of water which the applicant intends to apply to beneficial use is \$\int_{\text{Closes}} \text{O.9}\$ bic feet per second. (If water is to be applied is \text{Cregation power, pine, manufacturing, documents prom such)} **3. The use to which the water is to be applied is \text{Cregation power, mining, manufacturing, documents propries, etc.)}} 4. The point of diversion is located \$\int_{\text{Closes}} \text{Of f. cr. etc.}\$ and \$\int_{\text{Closes}} \text{Closes} \text{V.} \text{True of } \text{Closes of the most blance and bearing to section corner)}} (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is more than one point of diversion) (If there is no undersity to section corner) (If there is no undersity to s	ate of for a permit to appropriate th	е
1. The source of the proposed appropriation is	Lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
2. The amount of water which the applicant intends to apply to beneficial use is . O. 9. bic feet per second. (It water is to be used from more than one source, give cusative from each) **3. The use to which the water is to be applied is	If the applicant is a corporation, give date and place of incorporation	
2. The amount of water which the applicant intends to apply to beneficial use is . O. 9. bic feet per second. (It water is to be used from more than one source, give cusative from each) **3. The use to which the water is to be applied is		••
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is S. Tam hill Kiver	
2. The amount of water which the applicant intends to apply to beneficial use is	, a tributary of Willamette R.	••
(If water is to be used from more than one source, three quality from each) **3. The use to which the water is to be applied is		
**3. The use to which the water is to be applied is	ibic feet per second.	
4. The point of diversion is located \$50 ft. S. and \$30ft. (R. or W.) from the W.//f. The point of diversion is located \$50 ft. S. and \$530ft. (R. or W.) from the W.//f. (R. or W.) (R.	/ •	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ting within the	3. The use to which the water is to be applied is	••
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ting within the	4. The point of diversion is located 580 ft. S and 530ft. F from the W/	4
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the	orner of Section 15	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the	(Section of Subdivision)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the		••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the		••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ring within the		
(Give smallest legal subdivision) (E. or W.) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (E. or W.) (Description of headgate (Timber, concrete, etc., number and size of openings)	(If preferable, give distance and bearing to section corner)	
5. The		••
5. The	ring within the	٠,
5. The	7W, W. M., in the county of 1214	
length, terminating in the	,—,	
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		
DESCRIPTION OF WORKS iversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	length, terminating in the of Sec, Tp(N. or S.)	·••
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)		·••
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, ck and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	DESCRIPTION OF WORKS	·••
feet; material to be used and character of construction (Loose rock, concrete, masonry, (Loose rock, mas	iversion Works—	·••
(b) Description of headgate	6. (a) Height of dam feet, length on top feet, length at bottom	·••
(b) Description of headgate	feet; material to be used and character of construction	,
(b) Description of headgate	(Loose rock, concrete, masonr	m
	ck and brush, timber crib, etc., wasteway over or around dam)	m
	(b) Description of headgate	m
	(Timber, concrete, etc., number and size of openings)	m
(a) If suntant is to be numbed give consent description (PNI: 75 gnm (P))	(Timber, concrete, etc., number and size of openings)	m
(C) If water is to be pumped give general description (Size and type of pump)		m
5 H.P. E/C. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pumped give general description Cent. 75.90m (Size and type of pump)	m

^{*}A different form of application is provided where storage works are contemplated.

Canal System or Pipe Line—	Canal	System	or Pine	Line-
----------------------------	-------	--------	---------	-------

adgate. At hea	dgate: width,on	top (at water	line)	feet; width on botto
	feet; depth of a	vater	feet; grade	feet fall per or
ousand feet.				•
(0) At		miles from n	eadgate: width on top (at wate	et une)
	feet; width on l	oottom	feet; depth of u	vater fee
ade	feet fa	ll per one thou	sand feet.	
(a) I amati	h of nina	£4 .	sian at intalea	in · piza at
· (c) Lengu	i oj pipe,	J <i>i</i> .,	size at intake,	111., 812e ut
om intake	in.	; size at place	of use in.; di	fference in elevation betwee
ake and place	of use,	ft. I	s grade uniform?	Estimated capacit
•••••	saa ft			
		irrigated, or p	lace of use	
Township	Range			Number Asset To De Indested
North or South	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	70	15	NW1/4 5W/4	7º Ac
	<u> </u>			
	<u> </u>		· · · · · · · · · · · · · · · · · · ·	*
			-	
				·
	-			
	<u>.l</u>	(If more space	required, attach separate sheet)	
(a) Ch	naracter of soil .			
	•			
		ea	:	
Power or Mining	_	4. 1. 1	i e e e e e e e e e e e e e e e e e e e	41
9. (a) 10	otal amount of p	ower to be der	veloped	tneoretical norsepow
(b) Q	uantity of water	to be used for	powerse	ec. ft.
(c) To	tal fall to be ut	ilized	(Klead)	
				. J
. (a) 11	ne nature of the	works by mea	ns of which the power is to be	aevelopea
•••••••••••••••••••••••••••••••••••••••			•••••••••••••••••••••••••••••••••••••••	•
(e) Si	uch works to be	located in	(Legal subdivision)	of Sec
			ì	
(No. N. or	, R(No	. E. or W.)	<i>M</i> .	•
(f) Is	water to be ret	urned to any s	tream?(Yes or No)	
	••		•	
(g) If	so, name stream	n and locate p	oint of return	•••••••
			, Tp(No. N. or S.)	

(i) The nature of the mines to be served

10. (a) To supply the city of			
	nt population of	······································	
d an estimated population of	in 19		
(b) If for domestic use state number of	families to be suppli	ed	······
(Answer questions 11,	12, 13, and 14 in all cases)		
11. Estimated cost of proposed works, \$	5000	4	
12. Construction work will begin on or before			
13. Construction work will be completed on o	or before	202	
14. The water will be completely applied to th		\ / _ \ / _	
11. 11.0 water with the completeing applica to the	ic proposed use on or	00,070	
,	A.l.	41.	0
	Sulland "	ignature of applicant)	r (001
•	My Cles	nor Coo	120
Remarks:	······································	•••••••••••••	
		•••••	***********************
			••••••
	1		······
	***************************************	•••••••••••••••••••••••••••••••••••••••	•••••••••••
			••••

			••••
			•••••
-			••••
			••••
		••••••••••••	
TATE OF OREGON,)	•		
County of Marion,			
This is to certify that I have examined the	foregoing application	, together with t	he accompany
aps and data, and return the same for			
		••••••	
In order to retain its priority, this application	on must be returned t	o the State Engir	neer, with cor
ons on or before	, 19		
•			
	•		40
THE PRINTER CO			19
WITNESS my hand this day of			, 20
WITNESS my hand this day of			, 20

By

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use					
and shall not exceedQ.Q.	and shall not exceedQ.Q cubic feet per second measured at the point of diversion from the				
stream, or its equivalent in case of rotation	on with other water users, from South Yamhill River				
<u></u>					
The use to which this water is to be	e applied is irrigation				
If for irrigation, this appropriation	shall be limited to1/80th of one cubic foot per				
second or its equivalent for each acre irrig	gated and shall be further limited to a diversion of				
not to exceed 2 acre feet per a	cre for each acre irrigated during the irrigation				
.season of each year,					
,					
and shall be subject to such reasonable ro	station system as may be ordered by the proper state officer.				
The priority date of this permit is	March 17, 1967				
Actual construction work shall beg	gin on or before November 21, 1968 and shall				
	diligence and be completed on or before October 1, 19.69				
•	to the proposed use shall be made on or before October 1, 1970				
	day of				
WIINESS my nana this	duy of				
	STATE ENGINEER				
	·				

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Permit No. 32444

Application No. 4.32

office of the State Engineer at Salem, Oregon,

Z

196 (, at #15 o'clock . 1

Returned to applicant:

State Printing 93137

STATE ENGINEER

Drainage Basin No.

CHRIS L. WHEBLAR

Permits on page _____32444

Recorded in book No. ...

November 21, 1967

Approved: