CERTIFICATE NO. 11507

* Permit No. 3247

APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

Incorporated under the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is. Upper Cow Creek Lake Reservoir to be Name of stream) Sonstructed under Application No. 5298, Permit No. R 391 Jordan Creek 2. The amount of water which the applicant intends to apply to beneficial use is. 35.00 cubic feet per second. 3. The use to which the water is to be applied is. (Irrigation and a supplemental supply for the irrigation of lands already having a partial water right Important Incorporated under Incorporation. Incorporated under Incorporation under Incorporation. Incorporated under Incorporation. Incorporated under Incorporation under Incorporation. Incorporated under Incorporation. Incorporation under Incorporation. Incorporation under Incorporation under Incorporation. Incorporation under Incorporation under Incorporation. Incorporation under
(Postoffice) Idaho Idaho Idaho A hereby make application for a permit to appropriate the pollowing described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. Incorporated under the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is Upper Cow Creek Lake Reservoir to be constructed under Application No. 5298, Permit No. R 391 Source of the proposed appropriation is Jordan Creek tributary of Jordan Creek tributary of Jordan Creek tributary of Trigation and a supplemental supply cor the irrigation of lands already having a partial water right Onestic supplies, etc.) Are 4. The points of diversion to located as follows: See Remark No. 1 (Give distance and bearing to section corner)
Idaho , do hereby make application for a permit to appropriate the collowing described public waters of the State of Oregon, subject to existing rights: If the applicant is a corporation, give date and place of incorporation. Incorporated under the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is. Upper Cow Creek Lake Reservoir to be constructed under Application No. 5298, Permit No. R 391 2. The amount of water which the applicant intends to apply to beneficial use is. 35.00 cubic feet per second. 3. The use to which the water is to be applied is. Irrigation and a supplemental supply for the irrigation of lands already having a partial water right **The points of diversion** blocated** 4. The points of diversion** blocated** **Corporation** section corner** **Give distance and bearing to section corner** **Give distance and bearing to section corner** **Give distance and bearing to section corner**
the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is. Upper Cow Creek Lake Reservoir to be constructed under Application No. 5298, Permit No. R 391 2. The amount of water which the applicant intends to apply to beneficial use is. Jordan Creek 3. The use to which the water is to be applied is. Irrigation and a supplemental supply for the irrigation of lands already having a partial water right domestic supplies, etc.) are 4. The point of diversion is located. as follows: See Remark No. 1 (Give distance and bearing to section corner)
the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is. Upper Cow Creek Lake Reservoir to be Name of stream) constructed under Application No. 5298, Permit No. R 391 Jordan Creek 2. The amount of water which the applicant intends to apply to beneficial use is. 35.00 cubic feet per second. 3. The use to which the water is to be applied is. Irrigation and a supplemental supply for the irrigation of lands already having a partial water right domestic supplies, etc.) are 4. The point of diversion is located. as follows: See Remark No. 1 (Give distance and bearing to section corner)
the laws of the State of Idaho on July 27, 1909 1. The source of the proposed appropriation is
1. The source of the proposed appropriation is Upper Cow Creek Lake Reservoir to be constructed under Application No. 5298, Permit No. R 391 Jordan Creek 2. The amount of water which the applicant intends to apply to beneficial use is. 35.00 cubic feet per second. 3. The use to which the water is to be applied is Irrigation and a supplemental supply for the irrigation of lands already having a partial water right domestic supplies, etc.) are 4. The points of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
constructed under Application No. 5298, Permit No. R 391 Jordan Creek 2. The amount of water which the applicant intends to apply to beneficial use is 35.00 cubic feet per second. 3. The use to which the water is to be applied is (Irrigation and a supplemental supply for the irrigation of lands already having a partial water right domestic supplies, etc.) are 4. The point of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
2. The amount of water which the applicant intends to apply to beneficial use is
2. The amount of water which the applicant intends to apply to beneficial use is
35.00 cubic feet per second. 3. The use to which the water is to be applied is
3. The use to which the water is to be applied is. (Irrigation and a supplemental supply (Irrigation, power, mining, manufacturing, manufacturing, manufacturing) domestic supplies, etc.) are 4. The points of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
for the irrigation of lands already having a partial water right domestic supplies, etc.) are 4. The points of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
domestic supplies, etc.) are 4. The point of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
4. The point of diversion is located as follows: See Remark No. 1 (Give distance and bearing to section corner)
(Give distance and bearing to section corner)
Composition the smallest legal subdivision of Sec. Tp. (No. N. or S.) R. (No. E. or W.)
5. The See Remark No. 2 to be miles in Main ditch, canal or pipe line)
length, terminating in theof Sec, Tp, R(No. N. or S.) (No. E. or W.)
W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the ditch, canal or other works is
Azcuenaga Live Stock & Land Company Ditch
DESCRIPTION OF WORKS
Diversion Works—
7. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction. (Loose rock, concrete,
Concrete and rock. Wasteway over dam
masonry, rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate. Size of opening 4 ft. wide by 3 ft. high, constru
of steel and set in concrete in dam. To be operated by screw lifting device.
of steer and set in dulcrete in war. To be operated by below 1110128 devices.
• A different form of application is provided where storage works are contemplated. These forms can be secured, without charge,

rom headgates. At headgate: Width on top (a	t water line)	feet; width on botton
feet; depth of water		
housand feet.	# 	
(b) Atmiles from he	adgate. Width on top (at water line)
feet; width on bottom	feet; depth of	waterfeet
radefeet fall per one thousan	d feet.	
un egim egekirásze vilin igi nell.		
and the second of the second o		•
		ı
FILL IN THE FOLLOWING INFORMA		
		VATER IS USED TOW.
RRIGATION-	2060	
9. The land to be irrigated has a total area		•
mallest legal subdivision, as follows:(Give area	of land in each smallest legal su	abdivision which you intend to irrigate)
en distribution of the end of the control of the co	,,,,,,_,,,_,_,_,_,	<u></u>
·	· · · · · · · ·	
Control of the Contro	248 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5) 4 (5)	
	· · · · · · · · · · · · · · · · · · ·	
The Country of Country of the Countr	en e	
4 2	:	
		<u> </u>
	·	· · · · · · · · · · · · · · · · · · ·
ni pela.	en e	
omental programment in the second of the sec	ired, attach separate sheet)	
POWER, MINING, MANUFACTURING, OR TRANSPOR	RTATION PURPOSES—	er Berlinder in der State der Stat
10. (a) Total amount of power to be dev		theoretical horsepowe
(b) Total fall to be utilized(Hea	feet.	**************************************
(c) The nature of the works by means	of which the power is to	be developed
erg and a grown	1 <u>15 16 34 381 381 4</u>	
(d) Such works to be located in		of Sec.
(d) Such works to be located in	(Legal subdivision)	
(No. N. or S.) (No. E. or W.)	eam.?	of the second of
(f) If so, name stream and locate poin	(Yes or No)	
Sec. , T		
(a) The use to which nower is to be a	applied is	inviological de la filologica de la filo

LAND FOR WHICH A NEW RIGHT IS DESIRED.

Township 29 S Range 44 E.W.M.	Sec. 20 22	SE NE	40 A 25 40 30 40
Township 30 S Range 44 E.W.M.	Sec. 9	\$\frac{1}{2}\$\$\frac{1}{4}\$\$\$\frac{1}{4}\$\$\$\$\frac{1}{4}\$\$\$\$\frac{1}{4}\$\$\$\$\$\frac{1}{4}\$\$\$\$\$\frac{1}{4}\$\$\$\$\$\$\frac{1}{4}\$\$\$\$\$\$\$\$\$\$\frac{1}{4}\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$\$	80 A 15 25 20 40 15

LAND HAVING A PARTIAL WATER RIGHT AND FOR WHICH A

SUPPLEMENTAL SUPPLY IS DESIRED.

Township 29 S Range 44 E.W.M.	Sec. 1	15	$S_{2}^{\frac{1}{2}}$ $SW_{4}^{\frac{1}{4}}$ $S_{2}^{\frac{1}{2}}$ $SE_{4}^{\frac{1}{4}}$	80 A ^r 80.
		1 6	$\mathtt{SE}_4^{\underline{1}} \ \mathtt{SE}_4^{\underline{1}}$	40 A
	2	21	net set nvi st	40 -
	2	22	NV NE NE SW	80 ′ 40″
	;	28	N 2 N 2 SW4 W2 SE4	80
Township 30 S Range 44 E.W.M.	Sec.	16	NE N	40 35 - 7

11. To supply the city of	
(Name of) County, having a pro-	esent population of, and an
estimated population ofin	<i>191</i>
(Answer question	ns 12, 13, 14, and 15 in all cases)
12. Estimated cost of proposed works	, \$
	before September 1, 1917
	ed on or before September 1, 1920
	lied to the proposed use on or before
	June 1, 1922
Duplicate maps of the proposed ditch o	r other works, prepared in accordance with the rules of the
State Water Board, accompany this applica	AZCUENAGA LIVE STOCK & LAND COMPANY,
	(Name of applicant) by Antonio Azcuenaga,
,	Secretary and General Manager.
Signed in the presence of us as witness	
(Name) (2)	(Address of witness)
2 deg. 55' W., 530 ft. distant from M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Po	(Address of witness) f the main point of diversion at the reservoir da the $\frac{1}{4}$ sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M.
22 deg. 55' W., 530 ft. distant from M.M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Pom the cor. of Secs. 3 and 4 on the REMARK NO. 2 Cow Creek is used to water is diverted at diversion points.	f the main point of diversion at the reservoir da the $\frac{1}{4}$ sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the
22 deg. 55' W., 530 ft. distant from M.M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Pom the cor. of Secs. 3 and 4 on the REMARK NO. 2 Cow Creek is used to be irrigated, as described on	the main point of diversion at the reservoir dathe 4 sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50° W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45° W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the accompanying map.
22 deg. 55' W., 530 ft. distant from N.M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Pom the cor. of Secs. 3 and 4 on the REMARK NO. 2 Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reservasible to carry same through the mail	f the main point of diversion at the reservoir da the $\frac{1}{4}$ sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the
22 deg. 55' W., 530 ft. distant from N.M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Pom the cor. of Secs. 3 and 4 on the REMARK NO. 2 Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch cer from Upper Cow Creek Lake Reservesible to carry same through the main will terminate on NE4 NE4 Sec. 22	the main point of diversion at the reservoir da the \(\frac{1}{4}\) sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extended
22 deg. 55' W., 530 ft. distant from No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Pom the cor. of Secs. 3 and 4 on the REMARK NO. 2 Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reservable to carry same through the mail will terminate on NE4 NE4 Sec. 22 regation system.	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regul
22 deg. 55' W., 530 ft. distant from No. 2 bears. 21 and 22, T 29 S R 44 E.W.M. Pomm the cor. of Secs. 3 and 4 on the REMARK NO. 2. Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reservable to carry same through the main will terminate on NE4 NE4 Sec. 22 regation system.	the main point of diversion at the reservoir da the 4 sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extended T 29 S R 44 E. where it will empty into the regul
22 deg. 55' W., 530 ft. distant from ".M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point the cor. of Secs. 3 and 4 on the resonant the cor. of Secs. 3 and 4 on the resonant to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reservisible to carry same through the mail will terminate on NE4 NE4 Sec. 22 regation system. STATE OF OREGON, County of Marion Ss.	the main point of diversion at the reservoir dathe \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50 W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is no creek channel. It is to be enlarged and extended to the second of the regular of the regular canals of the regular canal ca
22 deg. 55' W., 530 ft. distant from ".M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point the cor. of Secs. 3 and 4 on the resonant the cor. of Secs. 3 and 4 on the resonant to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reservisible to carry same through the mail will terminate on NE4 NE4 Sec. 22 regation system. STATE OF OREGON, County of Marion This is to certify that I have examined	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 \cdot W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 \cdot W 3504 morth boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regul
22 deg. 55' W., 530 ft. distant from ".M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point method the cor. of Secs. 3 and 4 on the cor. REMARK NO. 2 Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch ser from Upper Cow Creek Lake Reserv sible to carry same through the mail will terminate on NE NE Sec. 22 described rigation system. STATE OF OREGON, SS. County of Marion This is to certify that I have examined maps and data, and return the same for comparison.	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50 N 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 N 3504 morth boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is no creek channel. It is to be enlarged and extended the companying map in the creek channel of the companying map in the creek channel of the creek channel of the companying correction or completion, together with the accompanying correction or completion, as follows:
22 deg. 55' W., 530 ft. distant from ".M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point method the cor. of Secs. 3 and 4 on the cor. REMARK NO. 2 Cow Creek is used to be irrigated, as described on the cor. REMARK NO. 3. The Oliver Ditch cer from Upper Cow Creek Lake Reservesible to carry same through the mail will terminate on NE NE Sec. 22 described second signature. STATE OF OREGON, County of Marion This is to certify that I have examined maps and data, and return the same for compared the same	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50' W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45' W 3504 morth boundary of T 30 S R 44 F.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regular correction or completion, together with the accompanying correction or completion, as follows:
22 deg. 55' W., 530 ft. distant from ".M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point method the cor. of Secs. 3 and 4 on the cor. REMARK NO. 2 Cow Creek is used to be irrigated, as described on the cor. REMARK NO. 3. The Oliver Ditch cer from Upper Cow Creek Lake Reservesible to carry same through the mail will terminate on NE NE Sec. 22 described second signature. STATE OF OREGON, County of Marion This is to certify that I have examined maps and data, and return the same for compared the same	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 N 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 N 3504 morth boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regul
22 deg. 55' W., 530 ft. distant from "M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point the cor. of Secs. 3 and 4 on the research of the cor. of Secs. 3 and 4 on the research of the cor. 2 Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch of the refrom Upper Cow Creek Lake Reservesible to carry same through the main will terminate on NE1 NE1 Sec. 22 regation system. STATE OF OREGON, County of Marion This is to certify that I have examined maps and data, and return the same for comparison of the comparison of	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S F N 5 deg. 50' W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45' W 3504 morth boundary of T 30 S R 44 F.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regular correction or completion, together with the accompanying correction or completion, as follows:
22 deg. 55' W., 530 ft. distant from M.M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point of Secs. 3 and 4 on the REMARK NO. 2. Cow Creek is used to be irrigated, as described on REMARK NO. 3. The Oliver Ditch er from Upper Cow Creek Lake Reservesible to carry same through the mail will terminate on NE4 NE4 Sec. 22 regation system. STATE OF OREGON, County of Marion This is to certify that I have examined maps and data, and return the same for compared the same for compared to retain its priority, this	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 \cdot W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 \cdot W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regular correction or completion, as follows: application must be returned to the State Engineer, with
2 deg. 55' W., 530 ft. distant from M. Point of Diversion No. 2 bears 21 and 22, T 29 S R 44 E.W.M. Point the cor. of Secs. 3 and 4 on the matter is diverted at diversion part of the irrigated, as described on REMARK NO. 3. The Oliver Ditch or from Upper Cow Creek Lake Reservable to carry same through the mail will terminate on NE4 NE4 Sec. 22 described maps and data, and return the same for a maps and data, and return the same for a corrections, on or before	the main point of diversion at the reservoir day the \(\frac{1}{4} \) sec. cor. between Secs. 27 and 28 T 28 S R N 5 deg. 50 \cdot W 1087 ft. from the cor. of Secs. 1 int of Diversion No. 3 bears S 61 deg. 45 \cdot W 3504 north boundary of T 30 S R 44 E.W.M. d as the channel for carrying the main supply of oints No. 2 and 3, into laterals and canals on the the accompanying map. , it is proposed shall be used for transporting to oir, provided it is shown by experiment that it is n creek channel. It is to be enlarged and extend T 29 S R 44 E. where it will empty into the regular correction or completion, as follows: application must be returned to the State Engineer, with

11

Application	No	5299
Permit No.	3247	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 2 District No.

	This instrument was first rec	eivea
	in the office of the State Engine	
	Salem, Oregon, on the 14	
	day of December , 1	91.6. ,
	at $5:00$ o'clock $p \cdot m$.	
and the second second	Returned to applicant for corre	ection
	i Mariana	
	Corrected application receive	ed
A VENEZA CONTRACTOR	<u> </u>	·
	Approved:	
	Feb 10 1917	······ <u>·</u>
	Recorded in Book No. 12	2of , , , , , , , , , , , , , , , , , , ,
•	Permits, on Page 3247	
	John H L ewis	
en e	State Er	
	1 map RS	
	\$36. 50	and the second of the second o
STATE OF OREGON.)	
SIAIE OF OILEGON,	88.	
County of Marion	i	,
This is to certify that I ha	ve examined the foregoing appli	ication and do hereby grant the same,
The use of the water unde Upper Cow Creek Reservoir	r this permit shall be lime to be constructed under Ap	the proper State officerited to the water stored in the pplication No. 5298, Permit No. the irrigation of lands already
having a partial water ri		
•		amount which can be applied to bene-
ficial use and not to exceed	23.75 cubic feet	per second, or its equivalent in case of
	(7.2	December 14, 1916
rotation. The priority date of	this permit is	
Actual construction work	shall begin on or before	February 10, 1918
and shall thereafter be prosecut	ed with reasonable diligence and	be completed on or before.
Extended to Oct. 1, 1934	And the second s	une 1, 1920 EXTENDED TO 1/21-4/22-4/32-6/
Extended to Oct.1, 1935		Extended to Oct. 1, 1930
	e water to the proposed use sha	all be made on or before
Extended to Oct. 1, 1934	o to wood to one proposite was sine	October 1. 1922 10 19// . '9//
Extended to Oot 1, 1935	on the second of the second of the second	October 1, 1922 to 9//23'9//24
	10th day of	
WIINESS My nana ins		Wee 10 0
• • •	Control of the second	John H Lewis

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.