To Appropriate the Public Waters of the State of Oregon

EQEIDED

CONTRACTOR ADRES

I,	Marvin Hudson and Hat		applicant)	
f	Rte. 1 Box 7 Mosier. (Mailing address)			
tute of .	Oregon	do nereo	y make application jo	r a permit to appropriate the
ollowing	g described public waters of t	he State of Orego	on, SUBJECT TO EX	ISTING RIGHTS:
If:	the applicant is a corporation,	, give date and pl	ace of incorporation	none
1	The source of the proposed or	onmonmiation is	Pond No. 1	Trafficiality is any unlarge training development.
	The source of the proposed ap			
**************		, a tributar	y of	
2.	The amount of water which t	he applicant inter	ds to apply to benefic	cial use isl.9acre.feet.
ubic fee	t per second			
	The use to which the water is			,
	O.95 Acre feet livestoc			_
4.	The point of diversion is loca	ited #120 ft.	south and 2700	ft. West from the NE OCC
	SE4			
•	•	(Section	or subdivision)	
•••••				
			•••••	······
	(If prefe	erable, give distance and l	pearing to section corner)	
	(If there is more than one poin	t of diversion, each must	be described. Use separate she	et if necessary)
eing wit	thin the SE ¹ SE ¹ (Give smaller		of Sec1	2, <i>Tp.</i> 2N,
				(N. or S.)
(E. O	, W. M., in the county of			
5.	The none (Main ditch,	canal or pipe line)	to be	(Miles or feet)
n length	, terminating in thes		of Sec	, Tp,
	, W. M., the propos			
(1	E. or W.)	eu tocutton being	i i i i i i i i i i i i i i i i i i i	the accompanying map.
		DESCRIPTION	OF WORKS	
	n Works—		35/	
6.	(a) Height of dam10 fee	feet, len	gth on top156	feet, length at bottom
50	feet; material to be u	sed and character	of constructione	Grath fill Gloose rock, concrete, masonry.
	ency spillway around end			(Loose rock, concrete, masonry,
ock and bru	sh, timber crib, etc., wasteway over or arou	ind dam)		
(b) Description of headgate	(Tu	nonenone and noter and	d size of openings)
1-) If another is to be marked at	no ganamal dasamin	tion none	•
(C) If water is to be pumped giv	ге денети аевстір	(S)	ze and type of pump)
	(Size and type of er	ngine or motor to be used	total head water is to be lifted	, etc.)
	,			

lgate. At head	dgate: width on	top (at water	line) none	feet; width on bottom
sand feet.			dgate: width on top (at water line)	
	feet; width on b	ottom	feet; depth o	f water feet;
le	feet fal	l per one thou	sand feet.	
(c) Length	ı of pipe,	ft.;	size at intake,	in.; size at ft.
			•	difference in elevation between
		_		
	_		s grade unijorm:	Estimated capacity,
8. Locatio	•	nigatedzan pl	ace of use as described	below
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be irrigated Spr
North of South		10		
SN	11 E	75	NW ± SE ±	16
<u>2N</u>	11E	12	NET SET	6.8
	llE	12	SW T SET	23.6
	11E	13	SE ¹ / ₂ SE ¹ / ₂	2.5
				48.9
Livesto	k water trov	ch will be		
<u> </u>	115	12	SEL SEL	one trough
			· .	
			·	
<u> </u>				
	·		required, attach separate sheet)	
		dche	rries and native range	9
ver or Mining 9. (a) To	-	ower to be dev	peloped none	theoretical horsepower.
			power	
•			1	
			(Elead)	
(d) Th	ie nature of the	works by mear	ns of which the power is to	be developed
•••••				
(e) Su	ch works to be l	ocated in	(Legal subdivision)	, of Sec.
(No. N. or 8	, R(No.	, W. 1	м.	•
(f) Is	water to be retu	rned to any st	Team?(Yes or No)	
(g) If				
		., Sec	, Tp	, R, W. M.

By CHRIS LIWHEELER STATE ENGINEER

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 1.9 acre feet stored water only and shall not exceed							
stream, or its equivalent in case of rotation with other water users, fromreservoir to be constructed under application No. R-43417, permit No. R-4983							
-for-stook-and-0.95-af-for-orchard-spraying-							
· ·	ed to of one cubic foot per						
second or its equivalent for each acre irrigated							
- Partition of the Control of the Co							
and shall be subject to such reasonable rotation system	as may be ordered by the proper state officer.						
The priority date of this permit is	May 31, 1967						
Actual construction work shall begin on or before	re November 21, 1968 and shall						
thereafter be prosecuted with reasonable diligence and	l be completed on or before October 1, 19.69						
Complete application of the water to the propose	d use shall be made on or before October 1, 19.70.						
WITNESS my hand thislst day of	November , 19 67						
	STATE ENGINEER						
	1						

Application No. 436.1

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the S

196.7, at - 6. O Po'clock

Returned to applicant:

November 21, 1967

Approved:

Recorded in book No.

Permits on page

CHRIS L. WHEHLER STATE ENGINEER

Drainage Basin No.

State Printing 98137

Permit No.