

APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 5 Page 320

To Appropriate the Public Waters of the State of Oregon

| State of Oregon , do hereby make application for a permit to appropriate following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Unnamed Stream 1. The source of the proposed appropriation is Unnamed Stream 2. The amount of water which the applicant intends to apply to beneficial use is 9.11. 9.1. 2. The amount of water which the applicant intends to apply to beneficial use is 9.11. 9.1. 2. The use to which the water is to be applied is Irrigation for give quantity born such) **3. The use to which the water is to be applied is Irrigation for give quantity born such) **4. The point of diversion is located for the constant of th | I, | Charles E. Ross | (Name of a | applicant) | •••••• | •••••• |
|--|---|--|--|--------------------------------|---|--------------|
| State of Oregon , do hereby make application for a permit to appropriate to following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Unmaned Stream Comment of Stream Co | of | Box 146 Dillard, | | | | |
| following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is | State of | Oregon | a) | | | riate the |
| 1. The source of the proposed appropriation is | | | | | | |
| 1. The source of the proposed appropriation is | | _ | . , , | | | |
| | Ij | f the applicant is a corpor | ration, give date and pla | ce of incorporation | | |
| 2. The amount of water which the applicant intends to apply to beneficial use is0.11. C.f.s. cubic feet per second | 1. | . The source of the propo | sed appropriation is | Jnnamed stream | une of stream) | |
| Cubic feet per second. (If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is Christian, power, mining, manufacturing, demostle supplies, etc. **N. 66 50 **W 1710ff ff., 5-2- 4. The point of diversion is located ## ft. At and 1627ft. At from the SE corner of Section 18, T.26S., R6 W.W.M. (S.65 Section 18) T.70 Introduced (S.65 Section 18, T.26S., R6 W.W.M. (S.65 Section 18, T.70 Introduced (S.65 Se | ••••• | | , a tributarı | of Umpqua F | liver | |
| **3. The use to which the water is to be applied is | | · | | | | .f.s. |
| **3. The use to which the water is to be applied is | cubic fe | eet per second | (If water is to be used from | m more than one source, giv- | e quantity from each) | |
| 4. The point of diversion is located | | | | Irrigation | *************************************** | |
| 4. The point of diversion is located 10 ft. At. and 1227 ft. At. (a.e.w.) from the .SE. (a.e.w.) (a.e.w.) (a.e.w.) (a.e.w.) (b.e.w.) | | | | | | |
| Corner of Section 18, T.26S., R6 W.W.M. (S.66 decrees 50 Ra 1/70 lest) (Bection or subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if secessary) being within the SWA, SRA (Give smallest legal subdivision) of Sec. 18, Tp. 26. Sa. (R. or S.) R. 6 W., W. M., in the county of DONGLAS. (Class will be seen to be 10 fact. (R. or S.) 5. The Pipeline (State ditch, canal or pipe line) to be 10 fact. (R. or S.) (R. or W.) 10. (R. or W.) 5. The Pipeline (State ditch, canal or pipe line) of Sec. 18, Tp. 26. S. (R. or S.) (R. or W.) C. or W.) C. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose roots, concrete, mass reck and brush, timber orb, etc., wasteway over or around dam) (b) Description of headgate (Climber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of yump) | | | N. 66 | 50 W 7770 | 16p. 5 | ·2-6/ |
| (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the SW3, SE3 (Give smallest legal subdivision) of Sec. 18 , Tp. 26. S. R. 6 W , W. M., in the county of DURGIAS (N. or 8.) 5. The Pipeline (Calles of the SW3, SE3 (Standlest legal subdivision) of Sec. 18 , Tp. 26. S. (Since w.) 5. The Pipeline (Calles of the SW3, SE3 (Standlest legal subdivision) of Sec. 18 , Tp. 26. S. (Since w.) (R. or 8.) R. 6 W. W. M., the proposed location being shown throughout on the accompanying map. (R. or 8.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, man reed and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | | | | | | |
| (If there is more than one point of diversion, each must be described. Use separate sheet if seconsary) being within the Swa, SEX (Give smallest legal subdivision) of Sec. 18 | corner (| of Section 18, T.2 | 6S., R6 W.W.M. (S.C | degrees 50 F | . 1(70 Teet) | •••••• |
| being within the Swa, SEA (Give smallest legal subdivision) of Sec. 18 , Tp. 26. S. (Kt. er 8.) R. 6 W , W. M., in the county of Dulglas (Sec. w.) 5. The Pipeline to be 40 feet (Miles or feet) in length, terminating in the Swa SEA (Smallest legal subdivision) of Sec. 18 , Tp. 26. S. (Kt. er 8.) R. 6 W . W. M., the proposed location being shown throughout on the accompanying map. (R. er w.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loces rock, concrete, mass rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | *************************************** | | | | | |
| R | R 5 | oithin the SW4, SE4 (GR. 6 W., W. M., in the context). The Pipeline (Ma.) | re smallest legal subdivision) unty of Douglas in ditch, canal or pipe line) | of Sec | .8 , Tp. 26 S | |
| DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mass rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | | _ | | | | |
| Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mass rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | | (E. or W.) | | | • | |
| 6. (a) Height of dam feet, length on top feet, length at bott feet; material to be used and character of construction (Loose rock, concrete, mass rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | Diversi | on Works | DESCRIPTION (| of works | | |
| feet; material to be used and character of construction (Loose rock, concrete, mass (Loose rock, concrete, mass (D) Description of headgate (Timber, concrete, etc., number and size of openings) (C) If water is to be pumped give general description (Size and type of pump) | • | | feet, leng | th on top | feet, length at | bottom |
| (b) Description of headgate | | | | | | |
| (b) Description of headgate | •••••• | jeet; materiai t | o de usea ana character | of construction | (Loose rock, concre | te, masonry, |
| (c) If water is to be pumped give general description 8 H.P. Gasoline driven (Size and type of pump) | rock and b | rush, timber crib, etc., wasteway ove | r or around dam) | • | | ************ |
| (man and the or hamp) | | | | ber, congrete, etc., number s | und size of openings) | · |
| centrifical 12 feet head | (| c) If water is to be pump | ped give general descrip | tion 8 H.P. Ga | soline driven | - |
| | | centrifical 12 fe | | | | ····· |
| (Size and type of engine or motor to be used, total head water is to be lifted, etc.) | | (Size and t | ype of engine or motor to be used, | total head water is to be lift | ra, etc.) | |

| dgate. At head | lgate: width on | top (at water | line) | feet; width on botte |
|----------------------------|-------------------------------------|------------------------------|------------------------------------|--|
| usand feet. | | | - | water line) |
| | | • | - | of water fe |
| | | | 1 | oj waterje |
| | feet fal | | | |
| | | ` | | in.; size at |
| m intake | in.; | size at place | of use in. | ; difference in elevation betwe |
| ake and place | of use, | ft. I | s grade uniform? | Estimated capaci |
| 9 7 | • | | | |
| 6. Location | Range | rrigatea, or p | ace of use | |
| Township North or South | E. or W. of Williamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 26 S. | 6 W | 19 | NWa NEa | 1.5 acres |
| 26 S. | 6 W | 18 | Swiz Seiz | 6.5 acres |
| | | · | r | 8,0 |
| | | | Í | |
| | | | | |
| | | <u> </u> | | |
| <u>·</u> | | | | |
| | | | | |
| | | | <u> </u> | |
| | | | | |
| | | | | |
| | | | | |
| · | | | | |
| (a) Ch | amastan of soil | - | e required, attach separate sheet) | |
| | | | | |
| wer or Mining | • , | a | : | · |
| | - | ower to be de | veloped | theoretical horsepor |
| (b) Q ₁ | antity of water | tó be used for | power | se c. ft. |
| | | | (Head) | |
| | | | : | • |
| (a) 1n | ie nature of the | шотк в о у теа | ns of which the power is t | o be developed |
| | | | , | ······································ |
| | | | | of Sec |
| | , R(No. | | | |
| | | | tream?(Yes or No) | |
| | | | | |
| · (g) If | | _ | | |
| | ••••• | , Sec | Tv | , R, W |

| | ······································ |
|---|--|
| | present population of |
| d an estimated population of | in 19 |
| (b) If for domestic use state number | ber of families to be supplied |
| (Answer quee | stions 11, 42, 12, and 14 in all cases) |
| 11. Estimated cost of proposed works, \$. | beer's |
| | |
| 12. Construction work will begin on or | |
| | ed on or before Completed |
| 14. The water will be completely applie | ed to the proposed use on or beforeCompleted |
| | Charles & Russ (Signature of applicant) |
| Remarks: Legal Description: | · |
| All of Lots 5 and | 6, Block 1, and all of Lot 5, Block 4 of |
| Roseburg Home Orc | hard Tracts, Douglas County, Oregon |
| | <u> </u> |
| | *************************************** |
| | |
| | |
| | |
| · | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TATE OF OREGON, ss. | |
| TATE OF OREGON, ss. County of Marion, | ed the foregoing application, together with the accomp |
| TATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examine | |
| TATE OF OREGON, ss. County of Marion, ss. This is to certify that I have examine | ed the foregoing application, together with the accomp |
| TATE OF OREGON, ss. County of Marion, This is to certify that I have examine aps and data, and return the same for | ed the foregoing application, together with the accomp |
| TATE OF OREGON, ss. County of Marion, This is to certify that I have examine aps and data, and return the same for In order to retain its priority, this ap | ed the foregoing application, together with the accomp |
| TATE OF OREGON, ss. County of Marion, This is to certify that I have examine aps and data, and return the same for | ed the foregoing application, together with the accomp |
| TATE OF OREGON, County of Marion, This is to certify that I have examine aps and data, and return the same for In order to retain its priority, this ap ons on or before | plication must be returned to the State Engineer, with |
| TATE OF OREGON, County of Marion, This is to certify that I have examine aps and data, and return the same for In order to retain its priority, this ap ons on or before | ed the foregoing application, together with the accomp |
| TATE OF OREGON, County of Marion, This is to certify that I have examine aps and data, and return the same for In order to retain its priority, this ap ons on or before | plication must be returned to the State Engineer, with |

By

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| and shall not exceed |
|--|
| |
| |
| Y |
| The use to which this water is to be applied isirrigation |
| |
| If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per |
| second or its equivalent for each acre irrigated and shall be further limited to a diversion of |
| not to exceed 23 acre feet per acre for each acre irrigated during the irrigation |
| season of each year. |
| |
| |
| |
| |
| |
| |
| |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. |
| The priority date of this permit isApril 11, 1967 |
| Actual construction work shall begin on or before December 22, 1968 and shall |
| thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69 |
| Complete application of the water to the proposed use shall be made on or before October 1, 19.70 |
| WITNESS my hand this 22nd day of December, 1967. |
| dist whole |
| STATE ENGINEER |

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

office of the State Engineer at Salem, Oregon, on the Ut.A.... day ofApril

19.67, at 1:00 o'clock.

Returned to applicant:

Approved:

December 22, 1967

Recorded in book No.

Permits on page 32510

CHRIS L. MEETER GATE ENGINEER Drainage Basin No. / 6

State Printing 96137