CERTIFICATE NO.36979

To Appropriate the Public Waters of the State of Oregon

i, Ernest A. Storm
of Route 1, Box CL28, BANDON, Oregon 97/1/1
State of Creque address, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is UNNAMED CFECK (Name of stream)
, a tributary of CONNER Creek
2. The amount of water which the applicant intends to apply to beneficial use is 5.
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is Lingalian, power, mining, manufacturing, domestic supplies, etc.)
AND TO Flood bogs For WATER PICKING OF Cranberries. Irrigation
AND TO Flood bogs For WATER PICKING OF CRANBERTIES. Irrigation 30%, Frest Protection 130% AND Water Picking 40% 5500 WHILE From the S.W. and 1145 ft. E. from the S.W.
corner of Section 12, 1, 305, R. 15 W. W.M.
NW4 SW4 OF Sec 12
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the 13651 (1056) of Sec. 12, Tp. 305. (Give smallest legal subdivision)
R. 15 W. M., in the county of COOS
5. The PIPE LINE to be 2500 FEET (Main ditch, canal or pipe line) in length, terminating in the 13636 (43:79ac) of Sec. 14 , Tp. 30.5c., (Smallest legal subdivision)
in length, terminating in the 13636 (43.79ac) of Sec. 11, Tp. 30.5c.
R
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description CINC STATIONALY 2"CONVIEWGAI
(c) If water is to be pumped give general description CNC STATIONALY 2"CENTRIFUGAL (Size and type of pump) PUMP, 10h.P. Electric Motor, 12 [I Suction lift, 40FT discharge (Size and type of engine or motor to be used, total head water to to be lifted, etc.) [IFT. CAPACITY AT SUMP (NOPIPELNE) 280 GP.M.
11F1. CAPACITY AT TUMP (NOPIPELNE) 280 G.F.M.

	4		r line)	
usand feet.			feet; grade	'
(b) At		miles from l	headgate: width on top (at wate	r line)
······	feet; width on b	ottom	feet; depth of u	oater fee
de	feet fal	l per one tho	usand feet.	
(c) Length	h of pipe, 2.5	<u>(20</u> ft	.; size at intake,	. in.; size at f
m intake	in.;	size at place	of use	ference in elevation betwee
ike and place	of use, 10/	ft.	Is grade uniform?	Estimated capacity
. 5	(4			
8. Locatio	n of area to be i	rrigated, or 1	place of use See Remarks	For legal descripti
Township North or South	Range E. or W. of Willemotte Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 5.	15W.	11	13636 SW4NEY	da 9%
30 5	15W.	11	13636 SEYNWY	4
	1500		13636 3L970W9	
	 			
				
· .			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
		· .		
(a) Ch	amantan af asil		te required, attach separate sheet)	·
(a) Cn	aracter of soil		berries	•••••••••••••••••••••••••••••••••••••••
<i>b)</i> Ki) wer or Mining		dS	F. F. I. I. S. J.	
	-	wer to be de	veloped	theoretical horsepowe
(b) Q1	uantity of water	to be used for	r powerse	c. ft.
		-	(Head)	•
	,			J.,
(a) 17	ie nature of the t	works by me	ans of which the power is to be	aevelopea
	*******************************	*****************	·	
(e) Su	ich works to be l	ocated in	(Legal subdivision)	of Sec
O(No. N. or £	, R(No.)	, W.	М.	•
(f) Is	water to be retu	rned to any	stream?(Yes or No)	
			point of return	••••••
(g) If				
		., Sec	, Tp(No. N. or S.)	, R, W. I

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before

June 17th

July 18th

67

CHRIS L. WHEELER STATE ENGINEER

By GOMM (ASSISTANT

STATE	OF	OREGON,	}ss.
Coun	tu o	f Marion	\\ ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,

The	e right herein gran	nted is limited to the an 50 cubic feet pe case of rotation with o	rount of w	ater which c	an be applied	liversion from the
	•	water is to be applied i				
	_	cfs for irrigation	0.15 c	fa for fro	st protecti	on and 0.20 cfs
	berry harvesti					
		appropriation shall be li each acre irrigated				
		each acre wrigated				
		r cranberries. If				
	•	limited to 1/80th	and the second			
		and shall be furth				
2½ acre	feet per acre	for each acre irrig	ated dur	ing the ir	rigation se	ason of each
year,					•	

					·····	
and shall	be subject to such	reasonable rotation sys	tem as ma <u>s</u>	be ordered	by the proper	state officer.
The	e priority date of t	his permit is	April .l	2,1967	••••••	
Act	tual construction i	vork shall begin on or l	peforeD	ecember22	1968	and shall
thereafter	r be prosecuted w	ith reasonable diligence	and be con	npleted on o	before Octob	per 1, 19.69
Con	mplete application	of the water to the prop	osed use s	hall be made	on or before	October 1, 19.70
WI	TNESS my hand t	his22nd day o	fDec	ember	, 19.67	
			a	Lizz-	kulon	STATE ENGINEER 4
				and the second of the second	e de la companya de l	
Application No. 43469 Permit No. 32513	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the LLLD day of	Returned to applicant:	1	Recorded in book No. 32513	CHRIS L. WHEELER STATE ENGINEER Drainage Basin No. 17 page 42 Fees

State Printing 98137