

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

Comment of State of State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation, give date and place of incorporation If the applicant is a corporation is	I,	Harry C. and Sallie	S. Bose	of applicant)		
Crescon			1.y			
The source of the proposed appropriation is			do here	by make applicatio	n for a permit to c	appropriate the
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Crabtree Creek 1. The source of the proposed appropriation is Crabtree Creek 2. The amount of water which the applicant intends to apply to beneficial use is 0.54 The use to which the water is to be applied is The use to which the water is to be applied is The use to which the water is to be applied is The use to which the water is to be applied is The point of diversion is located The use of the use o						
1. The source of the proposed appropriation is Crabtree Creek	· .		,			
a tributary of South Santiam River 2. The amount of water which the applicant intends to apply to beneficial use is	If th	e applicant is a corporati	on, give date and p	place of incorporat	ion	·
a tributary of South Santiam River 2. The amount of water which the applicant intends to apply to beneficial use is				· · · · · · · · · · · · · · · · · · ·		***************************************
2. The amount of water which the applicant intends to apply to beneficial use is	1. T	he source of the proposed	l appropriation is	Crabtree C	reek (Name of stream)	
The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is N. 7° W. 26.6 chains 1. The point of diversion is located 1. The point of located 1. The point of located 1. The point of locates	•••••	······································	, a tributo	ry of South S	antiam Ri ver	•••••••••••
The use to which the water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is N. 7° W. 26.6 chains 1. The point of diversion is located 1. The point of located 1. The point of located 1. The point of locates	2. T	he amount of water whic	h the applicant inte	ends to apply to be	neficial use is	0.54
**3. The use to which the water is to be applied is		•				•
4. The point of diversion is locatedft						•••••••••••••••••••••••••••••••••••••••
4. The point of diversion is located N. 7° W. 26.6 chains SE 4. The point of diversion is located G. C.	**3. T	he use to which the wate	r is to be applied is	Irrig	ation	estic supplies, etc.)
4. The point of diversion is located				(Mildaul, power, m		
4. The point of diversion is locatedft						SE
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE% of SW/4 Cive smallest legal subdivision) R 2 W, W. M., in the county of	4. T	he point of diversion is l	ocated ft	and	ft fro	om the
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the NE% of SW% (Give smallest legal subdivision) of Sec. 27, Tp. 10 S (Give smallest legal subdivision) E. The main pipe line to be 3000 feet (Alies of feet) (Ali	corner of	SW% of S. 27, T.]	10 S., R. 2 W.	1,207 42 20,	(_	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the NEA of SWA (Give smallest legal subdivision) of Sec. 27, Tp. 10 S (Give smallest legal subdivision) R. 2 W, W. M., in the county of Linn (S. The main pipe line to be 3000 feet (Miles or feet) (Main disp., sanal or pipe line) (Miles or feet) (In length, terminating in the SWA of SWA (Smallest legal subdivision)) (R. or s.) R. 2 W , W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry (D. or s.)) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump) 40 H. P. electric motor. Will use 100 seven kallon sprinklers.	corner of .		(Section)	n or subdivision)		
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE% of SW% of SW% of Sec. 27. Tp. 10 S (R. or s.) R. 2 W , W. M., in the county of Linn 5. The main pipe line to be 3000 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SW% of SW% (Smallest legal subdivision) of Sec. 27. Tp. 10 S. (R. or s.) R. 2 W , W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 N. P. electric motor. Will use 100 seven gallon sprinklers.	•					
5. The		in the NE% of SW%	point of diversion, each mus	t be described. Use separa of Sec	27 , Tp.	10 S (N. or S.)
in length, terminating in the SW% of SW% (Smallest legal subdivision) of Sec. 27 Tp. 10 S. (N. or S.) R. 2 W N. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	R2	$\mathbb{C}_{\mathbb{C}}^{\mathbb{W}}$, \mathbb{W} . \mathbb{M} ., in the county	y of Linn		•••	
in length, terminating in the SW/4 of SW/4 (Smallest legal subdivision) of Sec. 27 Tp. 10 S. (N. or S.) R. 2 W N. M. the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Tumber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	5. T	he main pipe	line	to be	3000 feet	·
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry) rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	in length, 1	terminating in the SW1/4	of SW/4	of Sec	27 Tp.	10 S.
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.						
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	(E.	or W.)	posed tocation bein	g snown inrougnoi	it on the accompan	ying map.
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.			DESCRIPTION	OF WORKS		
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	Diversion '	Works—		5		
(b) Description of headgate	6. (a) Height of dam	feet, le	ngth on top	feet, le	ngth at bottom
(b) Description of headgate		feet; material to b	e used and characte	er of construction		
(b) Description of headgate					(Loose ro	ck, concrete, masonry
(c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.						
(c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.	(b)	Description of headgate				
(c) If water is to be pumped give general description 4" centrifugal pump powered by (Size and type of pump) 40 H. P. electric motor. Will use 100 seven gallon sprinklers.						
40 H. P. electric motor. Will use 100 seven gallon sprinklers.		••••		;		
40 H. P. electric motor. Will use 100 seven gallon sprinklers.	(c)	If water is to be pumped	give general descr	iption 4" centr	ifugal pump po	wered by
						-
	***************************************					***************************************

^{*}A different form of application is provided where storage works are contemplated.

Canal System or	-			3253
			· · · · · · · · · · · · · · · · · · ·	nged in size, stating miles from
adgate. At hea	dgate: width on t	op (at water	· line)	feet; width on botton
ousand feet.		i.		ter line)
	feet; width on bo	ottom	feet; depth of	water fee
rade	feet fall	per one thou	isand feet.	
(c) Lengtl	h of pipe,30	00 ft.	; size at intake,8	in.; size at1200
om intake	6 in.;	size at place	of use in.; o	lifference in elevation betwee
itake and place	of use,	15 ft.	Is grade uniform?Yes	Estimated capacit
2.0		•		
		rigated, or p	lace of use	
Township North or South	Range E. or W. of Williamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
10 S	2 W	27	SW% of SW%	24,4
10 S	2 W	27	SE% of SW%	8.7
10 S	2 W	34	NE% of NW%	2,6
10 S	2 W	34	NW% of NW%	7.5
			Total	43.2
			<u> </u>	
			· · · · · · · · · · · · · · · · · · ·	
		(If more med	e required, attach separate sheet)	
(a) Ch	naracter of soil		silt loam	***************************************
(h) K	ind of crops raise	. Vomotobl	os ammir foress soci	peppermint
Power or Minin		*	; 	be blormin
9. (a) To	otal amount of po	wer to be de	veloped	theoretical horsepow
(b) Q	uantitu of water t	o be used for	power	sec. ft.
			(Head)	•
			,	
(d) T	he nature of the ı	vorks by med	ins of which the power is to l	be developed
••••••••••••••••••	•	•		
(e) St	uch works to be l	cated in	(Legal subdivision)	of Sec
Tp	, R	, W.	М.	•
(=101 211 02)	(210.2	02,	tream?(Yes or No.)	
			(Yes or No) point of return	
				, R, W. (No. E. or W.)
			•	.) (No. E. or W.)
(i) T	ne nature of the 1	nines to be s	etved	

unicipal or Domestic Supply—	•		0,000
10. (a) To supply the city of			
	esent population of	;	
d an estimated population of	in 19	!	
(b) If for domestic use state number	of families to be su	pplied	***************************************
(Anguar quarties	ns 11, 42, 13, and 14 in all cases)		•
11. Estimated cost of proposed works, \$,	
12. Construction work will begin on or be	eforeApril13	1968	
13. Construction work will be completed	on or beforeOct	ober 1, 1967	
14. The water will be completely applied	to the proposed use o	n or beforeOctob	erl.,1970
			·····
	Harry E	(Signature of applicant)	Lalli E
e de la companya de	Rus	(Signature of applicant)	7
	- Langung F		
Remarks:			
			••••••••

•	••••••	••••••	
	••••••••••	••••••	
	***************************************	·	•••••

	•		
	:		
TATE OF OREGON, } {ss.	:		
County of Marion,)			
This is to certify that I have examined	the foregoing applica	ition, together with	the accompany
aps and data, and return the same for	! ;		
	. ;		
· · · · · · · · · · · · · · · · · · ·			••••••
In order to retain its priority, this appl	ication must be retur	ned to the State Eng	ineer, with cor
ons on or before	, 19		
•			
	:		
WITNESS my hand this day	of		19
			Curve and ver-
			STATE ENGINE

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be a	applied to beneficial use
and shall not exceed0.54 cubic feet per second measured at the point	nt of diversion from the
stream, or its equivalent in case of rotation with other water users, fromCre	
The use to which this water is to be applied isirrigation	
If for irrigation, this appropriation shall be limited to1/80thsecond or its equivalent for each acre irrigatedand shall be further limite	of one cubic foot per
not-to-exceed-22-aere-feet-per-acre-for-each-acre-irrigated-during	
-season of each year,	· ·
and shall be subject to such reasonable rotation system as may be ordered by the p	
The priority date of this permit is April 17, 1967	
Actual construction work shall begin on or beforeDecember.	22, 1968 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before	October 1, 19.69
Complete application of the water to the proposed use shall be made on or b	pefore October 1, 1970
WITNESS my hand this 22nd day of December	, 1967 Do-
	STATE ENGINEER

Permit No. 32531

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE

OF OREGON

office of the State Engineer at Salem, Oregon, on the LZLL. day of APAL.

19.67, at 61.00.0'clock M.

Returned to applicant:

This instrument was first received in the

Approved:

December 22, 1967

Recorded in book No.

Permits on page _______

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No.

State Printing 98137