

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Verden V. Moore and Vivian June Moore (Name of applicant) of P. O. Box 718, Myrtle Creek (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 2 unnamed streams, S. Myrtle Creek and unnamed reservoir (Name of stream), a tributary of Myrtle Creek

2. The amount of water which the applicant intends to apply to beneficial use is See attached Sheet. cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is See attached sheet. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of See Attached sheet. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. 10, Tp. 29S, R. 3W, W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipeline to be various lengths (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NE 1/4 SE 1/4 and SE 1/4 NE 1/4 of Sec. 10, Tp. 29S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" Discharge Cent. 6 HP gas engine. 150 gal. per min. P.O.D. 1 and 3 are 2" gravity pipe lines 40 gal. per min. per line. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Questions #2 and 3: Amount of water: 0.15 cfs. and $\frac{1}{4}$ acre foot stored water.

<u>Source</u>	<u>Use</u>	<u>Amount</u>
Stream #1	Domestic	0.01 cfs.
	stock	0.01 and reservoir
	fish culture	0.01 and reservoir
	irrigation	0.02
	supplemental irrigation	<u>0.01</u>
	Total	0.06 c.f.s
Stream #2	irrigation	0.02 c.f.s
South Myrtle Creek	irrigation	<u>0.07</u> c.f.s
	Total	0.15 c.f.s

Question #4. Points of Diversion

<u>P.O.D.</u>	<u>Distance</u>	<u>$\frac{1}{4}$ Section</u>
1.	470 feet South, 620 feet West	NE $\frac{1}{4}$ SE $\frac{1}{4}$
2.	460 feet North, 185 feet West	SE $\frac{1}{4}$ NE $\frac{1}{4}$
a.	230 feet North, 300 feet West	SE $\frac{1}{4}$ NE $\frac{1}{4}$
b.	35 feet North, 340 feet West	SE $\frac{1}{4}$ NE $\frac{1}{4}$
3.	300 feet South, 80 feet West	NE $\frac{1}{4}$ SE $\frac{1}{4}$
4.	730 feet South, 325 feet West	NE $\frac{1}{4}$ SE $\frac{1}{4}$
5.	20 feet South, 370 feet West	NE $\frac{1}{4}$ SE $\frac{1}{4}$

all from E $\frac{1}{4}$ corner, Section 10, Township 29 South, Range 3W.W.M.

Question #8.

T.29S. R.3W., Section 10

NE $\frac{1}{4}$ SE $\frac{1}{4}$	Stream #1 $1\frac{1}{4}$ ac. irrigation, domestic, supplemental $\frac{1}{2}$ acre Stream #1 and Reservoir-fish culture and stock
NE $\frac{1}{4}$ SE $\frac{1}{4}$	Stream #2 $1\frac{1}{2}$ acre irrigation
NE $\frac{1}{4}$ SE $\frac{1}{4}$	<i>S. Myrtle Cr</i> (Stream #3) $1\frac{1}{4}$ acres irrigation <i>S. Myrtle</i>
SE $\frac{1}{4}$ NE $\frac{1}{4}$	South Myrtle Creek - $1\frac{1}{2}$ acres irrigation

Total 6.5 ac

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one family

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before May, 1966

13. Construction work will be completed on or before May, 1967

14. The water will be completely applied to the proposed use on or before June, 1967

Herdon J. Moore
(Signature of applicant)
Divian June Moore

Remarks: Method of irrigation - flood

The pond noted on map is an improved natural pond, maintained somewhat by natural seepage. We are diverting 20 gal. per min. from P. O.D. #3 to keep this water fresh and clean. We then channel the overflow back into Myrtle Creek as shown on map.

- The beneficial uses are:
1. drainage control
 2. Fresh water for livestock
 3. food fish for family

Gallons per minute noted for pump and gravity lines are for irrigation hours only. Not meant to exceed total allowance.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion
Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 17th 1967
July 5th 1967
December 11th 1967

WITNESS my hand this 15th day of February 1967
4th day of May 1967
10th day of October 1967

CHRIS L. WHEELER

STATE ENGINEER

By /s/ Larry W. Jebousek

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Myrtle Creek, two unnamed streams and reservoir to be constructed under application No. R-44011, permit No. R-5010

The use to which this water is to be applied is domestic use of one family, stock, fish culture, irrigation and supplemental irrigation being 0.005 cfs for domestic, 0.015 cfs for irrigation, 0.01 cfs for supplemental irrigation from stream No. 1, 0.005 cfs for stock, 0.005 cfs for fish culture from stream No. 1 and reservoir, 0.02 cfs for irrigation from stream No. 2 and 0.07 cfs for irrigation from South Myrtle Creek

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 28, 1967

Actual construction work shall begin on or before December 27, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 27th day of December, 1967

Chris L. Wheeler

STATE ENGINEER

Application No. 42488
Permit No. 32557

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of July, 1966, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

December 27, 1967

Recorded in book No. 32557 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 376

Fees \$25.00

pc