

*APPLICATION FOR PERMIT

CERTIFICATE NO. 41489

To Appropriate the Public Waters of the State of Oregon

I, JOHN H. LAKE and I, ISABEL LAKE (Name of applicant) c/o Randall S. Jones, 1212 Failing Bldg., Portland (Mailing address) State of Oregon, 97204, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream formed by an unnamed spring, a tributary of Henry Creek (Zigzag River)

2. The amount of water which the applicant intends to apply to beneficial use is 0.05 cubic feet per second.

**3. The use to which the water is to be applied is domestic supplies

4. The point of diversion is located 250 ft. N and 340 ft. W from the S.E. corner of Tract 40 in Section 11, T 3S, R7E, W.M.

being within the Tract 40 (Southeast one-quarter) of Sec. 11, Tp. T 3 S., R. 7 E., W. M., in the county of Clackamas, Oregon

5. The pipe line to be about 1900 feet in length, terminating in the SE 1/4 of Sec. 11, Tp. 3 S., R. 7 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam six feet, length on top 11'3" feet, length at bottom 11'3" feet; material to be used and character of construction concrete

The dam is in the form of a concrete box 6' high, 11'3" wide, 24'8" long, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none, four 4" iron overflow pipes will serve to drain off excess water.

(c) If water is to be pumped give general description no pump

* constructed in the creek bed about 40' below the spring, with a concrete trough in the stream bed leading into the concrete box. The trough is 3' 6" wide, 20' long and the sides are 4' high at the point where they join the concrete box. Both the box and the trough are covered with a gable roof and protected with wooden gables with screens therein.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 16 families and

~~was restaurant~~ J.H.L.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,000.00

12. Construction work will begin on or before started

13. Construction work will be completed on or before December 1, 1967

14. The water will be completely applied to the proposed use on or before October 1, 1968

John H Lake

(Signature of applicant)

Isabel Lake

Remarks: This application is made by applicants on behalf of themselves and on behalf of Kenneth Cushman and Patricia Cushman, husband and wife; George Schroeder and Bessie M. Schroeder, husband and wife; Ralph Curtis and Juanita Curtis, husband and wife; Jerry Ross and Marilyn Ross, husband and wife; William Carr and Marilyn Carr, husband and wife; Fred Schwenk, and all the persons who shall hereafter purchase lots in that part of Tract 40 indicated by the shaded area on accompanying water rights map.

John H Lake

Isabel Lake

Tract 40 on GHO plat.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.04 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use of sixteen families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 5, 1965

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of January 19 68

Chris L. Wheeler

STATE ENGINEER

Application No. 41580
Permit No. 32603

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of November, 1965, at 10:35 o'clock A.M.

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. _____ of _____

Permits on page 32603

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 3 page 20

Fees \$20.00