

RECEIVED
MAY 20 1937
STATE ENGINEER
Salem, Oregon

Permit No. 32627
CERTIFICATE NO. 37806

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, GEORGE ALFRED TRUMBO
(Name of applicant)
of KELLOGG STAR ROUTE BOX 22, OAKLAND, OREGON
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Calipooia Creek
(Name of stream)
a tributary of Umpqua

2. The amount of water which the applicant intends to apply to beneficial use is 0.26
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation--Livestock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Irrigation 0.25 Livestock 0.01

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of (1) Irrigation 2160 S. and 2280 E. from NW Corner Sec. 12
(Section or subdivision)
within SE 1/4 NW 1/4
(2) Livestock 2160 S. and 1880 E. from NW Corner Sec. 12
within Se 1/4 NW 1/4
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the of Sec. 12, Tp. 25S
(Give smallest legal subdivision) (N. or S.)

R. 6W, W. M., in the county of Douglas
(E. or W.)

5. The Pipeline to be 500 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NE 1/4 of Sec. 12, Tp. 25S
(Smallest legal subdivision) (N. or S.)
R. 6W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (1) Irrigation 10 hp Electric
(Size and type of pump)
(2) Livestock 1 1/2 hp Electric
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

(A different form of application is provided where storage works are contemplated.)
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 200.00
- 12. Construction work will begin on or before 6-1-68
- 13. Construction work will be completed on or before 6-1-69
- 14. The water will be completely applied to the proposed use on or before 7-1-69

Mrs. A. Trumbo
(Signature of applicant)

Remarks: Legal Description filed under:

A #40953

P # 30430

3 livestock - Cows

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 23rd, 19 67.

WITNESS my hand this 23rd day of June, 19 67.

CHRIS L. WHEELER

By *Tammy W. [Signature]*
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.26 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Calapooia Creek

The use to which this water is to be applied is irrigation and stock being 0.25 cfs for irrigation and 0.01 cfs for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 23, 1967

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of January, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 43645
Permit No. 32627

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of May, 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1968
Recorded in book No. 32627 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 4A
Fees 430.00