## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 38541

## To Appropriate the Public Waters of the State of Oregon

I, Earl II. and Kareen H. Brown (Name of applicant)	·
of Route 2, Box 18, Jacksonville,	,
(Mailing address)  State ofOregon 97530, do hereby make application for a permit to appropriate	e the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	·
	······································
1. The source of the proposed appropriation is Hukill Hollow and Sterling Cre	ek
, a tributary of Little Applegate Riv	er.
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second. being 0.33 c.f.s. from either source (see remarks) (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied isirrigation	
	tc.)
Sterling Creek	
4. The point of diversion is located 350 ft. S. and 980 ft. E. from the 1	W
corner of Section 17, (Section or subdivision)	
Hukill Hollow diversion is located 550' south and 230' east from	the
W corner of Section 17, both	
(If preferable, give distance and bearing to section corner)	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	·
being within the NW4 NW4 of Sec. 17 , Tp. 39 S. (Give smallest legal subdivision)	<b></b> ,
R. 2 W. , W. M., in the county of Jackson.	
5. The main ditch to be 3/4 mile (Miles or feet)  in length, terminating in the SW4 NEW & NW4 SEW of Sec. 18 , Tp. 39 S (Smallest legal subdivision)	
•	)
R. $\frac{2}{(\mathbf{x}. \text{ or } \mathbf{w}.)}$ , W. M., the proposed location being shown throughout on the accompanying map.	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length at b	ottom
10 feet; material to be used and character of construction concrete with fl	ash-
hoards in center, rock and brush, timber crib, etc., wasteway over or around dam)	·····
(b) Description of headgate water controlled in wooden flume	
(Timber, concrete, etc., number and size of openings)	
	•••••••
(c) If water is to be pumped give general description(Size and type of pump)	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	······································

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	. *			feet; width on botton
ousand feet.	feet; depth of w	ater	Jeet; grade	• O feet fall per on
	ame	miles from h	eadgate: width on top (at u	vater line)
	feet; width on bo	ottom	feet; depth	of water fee
ade	feet fall	per one thou	sand feet.	
		_	•	in tains at
				in.; size at f
om intake	in.;	size at place	of use in.	; difference in elevation betwee
take and place	of use,	ft. I	s grade uniform?	Estimated capacity
	sec. ft.			
8. Location	n of area to be in	rigated, or p	lace of use	
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	2 W.	18	SW¼ NE¼	12.0 acres
39 S	2 W.	18	NW14 SE14	1.0 acre
				13.0
			<u> </u>	
		-		
\*				
			required, attach separate sheet)	
(a) Ch	aracter of soil	rock	ry clay loam.	·
(b) Ki	nd of crops raised	lpas	sture and hay.	
ower or Mining	_		• ;	
9. (a) To	tal amount of po	wer to be der	veloped	theoretical horsepow
(b) Qu	antity of water t	o be used for	power	sec. ft.
(c) To	tal fall to be <b>u</b> til	ized	(Head)	
			; -	o be developed
(4) 17	ic nasare of the t	oornes og med	in of which the power is a	o oc acocopea
(n) G	-7 7 4 . Y 7.			
				of Sec
(No. N. or S	, R(No. E	, W.	M.	
· (f) Is	water to be retu	rned to any s	tream?(Yes or No)	•
(a) If	so, name stream	and locate p	oint of return	ì
(9) 1)	•			

(i) The nature of the mines to be served .....

By \_\_\_\_\_\_

STATE OF OREGON,	)
County of Marion	\s <b>s</b> .

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

•
The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed0.33 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Hukill Hollow with any
deficiency in the available supply from Hukill Hollow to be made up by appropriation
from Sterling Creek provided that the total quantity diverted from both sources shal not exceed 0.33 cubic foot per second  The use to which this water is to be applied isirrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 42 acre feet per acre for each acre irrigated during the irrigation
season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is June 5, 1967
Actual construction work shall begin on or before January 18, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69
Complete application of the water to the proposed use shall be made on or before October 1, 19.70
WITNESS my hand this 18th day of January , 1968.
STATE ENGINEER

Permit No. 32655 Application No. 43689

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 5.42... day of ........................ 67, at 8:00 o'clock

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. Permits on page

CHAIS I. MEELIKR STATE ENGINEER

... page

Drainage Basin No.

State Printing 98137