Permit No.

ASSIGNED STATES TO VOL

*APPLICATION FOR PERMIT

	4			A	38IGN	IED, See	Misa Rea,	Vol. L	Page 2144
To	Appropriate	the	Public	Waters	of	the	State	of	Oregon

1, Melvin C. Valnuston, Thelma L. Palmeston
of 10561 77 applegate Rel
State of Ozega, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is 2 20 Iname stream
tributary of applicate, a tributary of Roque River
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. Q 97
(If water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is (2) Surfation (Irrigation bower, mining, manufacturing, domestic supplies, etc.)
0331 At 5 100 Af W 71.6. Com
4. The point of diversion is located 2 60 ft. and 30 ft. from the N.W. of Jelly of Leater 27(N. or s.) TWP 375 (F. or W.) ASW, WM. corner of DSE 14 of Leater 27, T.WP 375 R5W, WM. (Section or subdivision)
corner of DSE 14 of Section 27, TWP 375 R5W WM
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2. N. W. 14.5 E. 14. of Sec. 2.7., Tp. 37.5., Give smallest legal subdivision) (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2. N. W. 14.5 E. 14. of Sec. 2.7., Tp. 37.5., Give smallest legal subdivision) (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2. N. W. 14.5 E. 14. of Sec. 2.7., Tp. 37.5., Give smallest legal subdivision) (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2. N. W. 14.5 E. 14. of Sec. 2.7., Tp. 37.5., Give smallest legal subdivision) (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 3.75 being within the 2.N.W. 14 f. the 5 E. 14 of Sec. 2.7, Tp. 3.7.5, (Give smallest legal subdivision) (N. or S.) R. 2.N. W. M., in the county of sec. 2.7 to be 2.4.75 (Main ditch, canal or pipe line) 2.7 (Miles or feet) 3.7.5 in length, terminating in the 2.S.E. 14 of 7.W. 14 of Sec. 2.7, Tp. 3.7.5, (Smallest legal subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2. N. W. 14.5 E. 14. of Sec. 2.7., Tp. 37.5., Give smallest legal subdivision) (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 3.75 being within the 2.N.W. 14 f. the 5 E. 14 of Sec. 2.7, Tp. 3.7.5, (Give smallest legal subdivision) (N. or S.) R. 2.N. W. M., in the county of sec. 2.7 to be 2.4.75 (Main ditch, canal or pipe line) 2.7 (Miles or feet) 3.7.5 in length, terminating in the 2.S.E. 14 of 7.W. 14 of Sec. 2.7, Tp. 3.7.5, (Smallest legal subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5. The S. W. M., in the county of Sec. 27, Tp. 375 (R. or W.) (R. or W.) (Sec. 27, Tp. 375 (N. or S.) (N. or S.) (N. or S.) (Miles or feet) 3. 75 (Miles or feet) 3. 75 (Miles or feet) 3. 75 (N. or S.) (Smallest legal subdivision) (R. or W.) (Smallest legal subdivision) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works—
being within the 2 N. W. M., in the county of Main ditch, canal or pipe line) (E. or W.) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Smallest legal subdivision) (Miles or feet) 3 7 5 (Miles or feet) 3 7 5 (Miles or feet) 3 7 5 (N. or S.)
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 2 N W 14 f the 5 (1/4) of Sec. 27 Tp. 37 No. or 8.) R. 5 M W. M., in the country of Adminditch, canal or pipe line) (E. or W.) (Box mallest legal subdivision) 5. The 2 Factor of Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) R. 5 W W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— (Accorded to the separate sheet if necessary) (More s.) (More s.) (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works— (Accorded to masonry) (Loose rock, concrete, masonry)
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 2 N W 14 f the 5 (1/4) of Sec. 27 Tp. 37 No. or 8.) R. 5 M W. M., in the country of Adminditch, canal or pipe line) (E. or W.) (Box mallest legal subdivision) 5. The 2 Factor of Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) R. 5 W W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) DESCRIPTION OF WORKS Diversion Works— (Accorded to the separate sheet if necessary) (More s.) (More s.) (Miles or feet) (Miles or feet) (N. or S.) (N. or S.) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS Diversion Works— (Accorded to masonry) (Loose rock, concrete, masonry)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the 2 N N N of SE (Give smallest legal subdivision) R. 5 N of Sec. 27 Tp. 375 (R. or W.) (R. or W.) (R. or W.) (Main ditch. canal or pipe line) (Main ditch. canal or pipe line) (Sec. 27 (Miles or feet) (Miles or feet) (Miles or feet) (N. or S.) (Smallest legal subdivision) (N. or S.) R. 5 N of Sec. 27 Tp. 375 (Smallest legal subdivision) (R. or W.) DESCRIPTION OF WORKS Diversion Works— (A of Height of dam feet, length on top feet, length at bottom
(B) there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5. The D. W. W. M., in the county of Main ditch, canal or pipe line) (E. or W.) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (R. or W.) (Main ditch, canal or pipe line) (Smallest legal subdivision) (R. or W.) (Smallest legal subdivision) (D) Sec. 27 (Milles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) DESCRIPTION OF WORKS Diversion Works Diversion Works (E. or W.) DESCRIPTION OF WORKS Diversion Works (Loose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)
being within the 2 N. N. 14 for the same point of diversion, each must be described. Use separate sheet if necessary) 5.75 being within the 2 N. N. 14 for the same point of diversion, each must be described. Use separate sheet if necessary) 5.75 Gave smallest legal subdivision) 5. The 2 Parallel state of opine line) (E. or W.) 5. The 2 Parallel state of opine line) (Smallel state subdivision) (C. or S.) (Main ditch. canal og pipe line) (Main or feet) 3.75 (Main or fe
(B) there is more than one point of diversion, each must be described. Use separate sheet if necessary) 5. The D. W. W. M., in the county of Main ditch, canal or pipe line) (E. or W.) (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (R. or W.) (Main ditch, canal or pipe line) (Smallest legal subdivision) (R. or W.) (Smallest legal subdivision) (D) Sec. 27 (Milles or feet) (N. or S.) (N. or S.) (N. or S.) (N. or S.) DESCRIPTION OF WORKS Diversion Works Diversion Works (E. or W.) DESCRIPTION OF WORKS Diversion Works (Loose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, Cloose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)

North or South 375 5N 27 NW 07 NE. of SE of NW 1/4 NE 1/4 SE 1/4 SW 1/4	th on top (at water line) feet; depth of water in; size at in; size at in; difference in elevation between form? Lysic Tract Number Acres To Be Irrigated 12.7 P_r m_s 12
(b) At miles from headgate: widt feet; width on bottom ade feet fall per one thousand feet. (c) Length of pipe 2 24.75 ft.; size at intak om intake 2 ft. Is grade unifor sec. ft. 8. Location of area to be irrigated, or place of use Township Range Range Williamste Meridian 375 5W 27 NW of SE of	feet; depth of water feet 2" 400' 3. in.; size at form? 3. in.; difference in elevation between form? Estimated capacity Ty-acre Tract Number Acres To Be Irrigated 12.7 Pr. materials 13.7 Supplies 15.7 Supplies
feet; width on bottom ade	feet; depth of water feet 2" 400' 3. in.; size at form? 3. in.; difference in elevation between form? Estimated capacity Ty-acre Tract Number Acres To Be Irrigated 12.7 Pr. materials 13.7 Supplies 15.7 Supplies
feet fall per one thousand feet. (c) Length of pipe 2 2475 ft.; size at intake om intake 2 ft. in.; size at place of use intake and place of use in.; size at place of use intake and place of use into in.; size at place of use intake and place of use into in.; size at place of use intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size at intake into in.; size at place of use in.; size a	2" 10. in.; size at
(c) Length of pipe 2 2475 ft.; size at intake om intake 2 ft. in.; size at place of use in.; size at place of use in.; size at place of use intake and place of use in.; size at place of use intake and place of use into sec. ft. 8. Location of area to be irrigated, or place of use into south interests in interests interests in interests interests in inte	in.; size at
om intake 2	in.; difference in elevation between two corm? Shall Estimated capacity ty-acre Tract Number Acres To Be Irrigated $12.7 Pr, me$ 19.7
om intake 2	in.; difference in elevation between two corm? Shall Estimated capacity ty-acre Tract Number Acres To Be Irrigated $12.7 Pr, me$ 19.7
take and place of use	ty-acre Tract Number Acres To Be Irrigated $12.7 Pr, me$ 19.7
Sec. ft. 8. Location of area to be irrigated, or place of use Range Range Section Forth	ty-acre Tract Number Acres To Be Irrigated 12.7 Pr. ma 5 W 1/4 19.7 NW 1/4 10.1. 11 of SE 1/4 15.7 supplies of SE 1/4 15.4 1
Range Section Fort Williamste Meridian Section Fort North or South Williamste Meridian Section Fort NE of SE of SE of SE 14 of SE	12.7 Prime 12.7 Prime 12.7 Prime 15W 14 19.7 10.1. 11 15E 14 15.7 supplies 15E 14 15.4 1
Township Range Sort of Williamster Meridian 375 5W 27 NW of NE of SE of	12.7 Prime 12.7 Prime 12.7 Prime 15W 14 19.7 10.1. 11 15E 14 15.7 supplies 15E 14 15.4 1
North or South Williamste Meridian 375 5W 27 NW NE SE SE SE SE SE SE SE SE SE	15E 14 12.7 Prime SW 14 19.7 " NW 14 10.1. " of SE 14 15.7 supling of SE 14 15.4 "
375 5W 27 SW'14 NE 14 NE 14 SE 14 SE 14 SW 14 SW 14 (If more space required, attach so (a) Character of soil Sandy Sunce (b) Kind of crops raised Alfalfac, all Cower or Mining Purposes—	SW 1/4 19.7 " NW 1/4 10.1. " of SE 1/4 15.7 suplin
375 5W 27 SW14 NE 14 SE 14 SE 14 SW14 SW14 CH more space required, attach so (a) Character of soil	SW 1/4 19.7 " NW 1/4 10.1. " of SE 1/4 15.7 supling of SE 1/4 15.4 "
375 5W 27 SW14 NE 14 SE 14 SE 14 SW14 SW14 CH more space required, attach so (a) Character of soil	NW 14 10.1. " of SE 14 15.7 suplin
375 5W 27 SW 14 SE 14 SW 14 375 5W 27 NW 14 (If more space required, attach so (a) Character of soil Sandy Sweet (b) Kind of crops raised Cliffelia. Co. Cower or Mining Purposes	of SE 1/4 15.7 suplin
(If more space required, attach so (a) Character of soil Sandy Since the source of the soil Sandy Since the source of the soil Sandy Sandy Sower or Mining Purposes—	of SE14 15.4 "
375 5W 27 NW 14 (If more space required, attach so (a) Character of soil	9 5 7 7 75.7
375 5W 27 NW 14 (If more space required, attach so (a) Character of soil	45 WW 5 11
375 5W 27 NW 14 (If more space required, attach so (a) Character of soil	A /7
375 5W 27 NW 1/4 (If more space required, attach so (a) Character of soil	
375 5W 27 NW 14 (If more space required, attach so (a) Character of soil Sandy Survey (b) Kind of crops raised Olfalfa O	
(a) Character of soil	of NE 14 1.2
(a) Character of soil	
(a) Character of soil	of SE'14 DON Inc. 1/2 acre
(a) Character of soil Sandy Rivers (b) Kind of crops raised Alfalfa Cower or Mining Purposes	
(a) Character of soil Sandy Rivers (b) Kind of crops raised Alfalfa Cower or Mining Purposes	71.6
(b) Kind of crops raised Alfalfa	separate sheet)
ower or Mining Purposes—	Soan
ower or Mining Purposes—	lover, & grasses
9. (a) Total amount of power to be developed	
	theoretical horsepow
(b) Quantity of water to be used for power	sec. ft.
(a) Total fall to be utilized	faat
(c) Total fall to be utilized(Head)	
(d) The nature of the works by means of which t	the power is to be developed
(e) Such works to be located in(Les	of Sec
	gai subdivision)
(No. N. or S.), R. (No. E. or W.)	•
(f) Is water to be returned to any stream?(Yes	sor No)
(g) If so, name stream and locate point of return	77
, Sec,	
(h) The use to which power is to be applied is	Tp, R, W. (No. E. or W.)

10. (a) To supply the city of	
a , , , ,	
(Name of)	g a present population of
and an estimated population of	in 19
(b) If for domestic use state n	umber of families to be supplied
(Answer	questions 11, 13, 13, and 14 in all cases)
211. Estimated cost of proposed works	s,\$ 4921.00
(2) 12. Construction work will begin on	n or before 7770431, 1967
	oleted on or before May 31, 1968
	plied to the proposed use on or before ZZay 3/,
14. The water will be completely up	pited to the proposed use on or dejore
	7, 1. 600
	Melous (Signature of applicant)
	· IBIna L. Valmeston
Remarks:	
<u> </u>	
STATE OF OREGON.	
STATE OF OREGON, Sss.	s,≥0.00 ≥ 3.0 ≤ 2.1
County of Marion,)	
County of Marion,) This is to certify that I have exan	nined the foregoing application, together with the accom
County of Marion,)	nined the foregoing application, together with the accom
County of Marion, This is to certify that I have exammaps and data, and return the same for	nined the foregoing application, together with the accom
County of Marion, This is to certify that I have exammaps and data, and return the same for	nined the foregoing application, together with the accom
County of Marion, This is to certify that I have exammaps and data, and return the same for	nined the foregoing application, together with the accom
County of Marion, This is to certify that I have exammaps and data, and return the same for In order to retain its priority, this	nined the foregoing application, together with the accom
This is to certify that I have exammaps and data, and return the same for In order to retain its priority, this tions on or before	nined the foregoing application, together with the accom
This is to certify that I have exammaps and data, and return the same for In order to retain its priority, this tions on or before	nined the foregoing application, together with the accomes application must be returned to the State Engineer, with
This is to certify that I have exammaps and data, and return the same for In order to retain its priority, this tions on or before	nined the foregoing application, together with the accomes application must be returned to the State Engineer, with

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from a spring and an unnamed.
stream
The use to which this water is to be applied is domestic use of one family including the
irrigation of not to exceed one-half acre lawn and garden and irrigation and supple-
mental irrigation being 0.01 cfs from the spring for domestic and 0.97 cfs from the stream for irrigation and supplemental irrigation If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 42 acre feet per acre for each acre irrigated during the irrigation
season of each year, provided further that the right allowed herein shall be limited
to any deficiency in the available supply of any prior right existing for the same
land and shall not exceed the limitation allowed herein.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is

کے

Application No. 4374 6

Permit No.

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

office of the State Engineer at Salem, Oregon,

1967, at 10:09 o'clock

Returned to applicant:

on the 22 red day of

State Printing 98137

CHRIS L. WHEGLER.

Drainage Basin No.

February 7, 1968.

Approved.

Recorded in book No.

Permits on page