

*APPLICATION FOR PERMIT

CERTIFICATE NO. 42465

To appropriate the Public Waters of the State of Oregon

I, George Wirth (Name of applicant)
 of 90 Medical Springs Stage Baker, Oregon (Mailing address),
 State of Oregon, do hereby make application for a permit to appropriate the
 following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Big Creek Willow Site Reservoir (Name of stream),
 a tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is 29 cc-ft
 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is ~~located~~ 1,615 ft ± ft. N. 60° E. and 1,615 ft ± ft. from the southwest corner (N. or S.) (E. or W.)
 corner of Sec. 25, T. 6 S., R. 41 E., W. M. (Section or subdivision)
of Sec. 25, T. 6 S., R. 41 E., W. M.
Willow Site Dam in the SW 1/4 NW 1/4 Section 1, T. 7 S., R. 41 E., W. M.
 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the SE 1/4 SW 1/4 of Sec. 25, Tp. 6 S. (Give smallest legal subdivision) (N. or S.)
 R. 41 E., W. M., in the county of Union (E. or W.)

5. The feeder ditch (Main ditch, canal or pipe line) to be 1.6 ± miles (Miles or feet)
 in length, terminating in the SW 1/4 NW 1/4 of Sec. 1, Tp. 7 S. (Smallest legal subdivision) (N. or S.)
 R. 41 E., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—
 6. (a) Height of dam 1 feet, length on top 16 ± feet, length at bottom 16 ± feet; material to be used and character of construction wooden timber (Loose rock, concrete, masonry)
117 Creek bed
 rock and brush, timber crib, etc., wasteway over or around dam)
 (b) Description of headgate Wood flash boards in front of timber sill (Timber, concrete, etc., number and size of openings)
 (c) If water is to be pumped give general description (Size and type of pump)
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
 **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 29.0 acre feet stored water only ~~measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from reservoir to be constructed under application No. R-43340, permit No. R-5031~~

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to ~~one acre foot per second or its equivalent for each acre irrigated~~ a diversion of 3 1/2 acre feet for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 6, 1967

Actual construction work shall begin on or before March 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 7th day of March, 1968

Chris L. Wheeler

STATE ENGINEER

pc

Application No. 43341
Permit No. 32745

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 7th day of March,
1968, at 1:00 o'clock P. M.

Returned to applicant:

Approved: March 7, 1968 of
Recorded in book No. 32745
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 340
Fees