

RECEIVED
AUG 1 1967
STATE ENGINEER
OREGON

RECEIVED
AUG 4 1967
Permit No. 32809
STATE ENGINEER
OREGON
CERTIFICATE NO. 47388

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Perrys Sports Camp, Inc. (Name of applicant)
of Keasey Rt. Vernonia (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Oct 2 1963
Oregon

1. The source of the proposed appropriation is Rock Creek (Name of stream)
a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.5 cfs (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation, domestic supplies, Camp Use, Sanitary
protection, (swimming pool, and athletic) facilities, Cook house (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
0.25 cfs 0.05 cfs 0.20 cfs

4. The point of diversion is located 1803 ft. S and 758 ft. W from the NE
corner of Section 32 (Section or subdivision)

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE Quarter of NE Quarter of Sec. 32, Tp. 5N
(Give smallest legal subdivision) (N. or S.)
R. 4W, W. M., in the county of Columbia
(E. or W.)

5. The pipeline to be 1050 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE Quarter of NE Quarter of Sec. 32, Tp. 5N
(Smallest legal subdivision) (N. or S.)
R. 4W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 hp centrifugal up to 120' head
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied equivalent of 70

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$500.00 temporarily; \$3,000.00 additional in future

12. Construction work will begin on or before Future permanent

13. Construction work will be completed on or before Depends on growth

14. The water will be completely applied to the proposed use on or before 1970 if growth continues

George F. Perry
(Signature of applicant)

Remarks: Land is hillside, approximately 10% grade. Irrigation is called for between May 1st and September 15th. Occupancy of camp occurs between June 1st and September 1st. Approximately 100 boys attend camp at all times. This requires many showers per day and continuous irrigation of facilities. Public also uses the pool in evenings which requires much additional shower usage.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.35 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rock Creek

The use to which this water is to be applied is irrigation, domestic and camp use being 0.25 cfs for irrigation, 0.10 cfs for domestic use and camp use

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 4, 1967

Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

Complete application of the water to the proposed use shall be made on or before October 1, 1970.

WITNESS my hand this 18th day of March, 1968

Chris L. Wheeler
STATE ENGINEER

P-c

Application No. 43893
Permit No. 32809

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 4th day of August
1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved: March 18, 1968 of
Recorded in book No. 32809
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 12F
Fees \$30.00