

*APPLICATION FOR PERMIT

CERTIFICATE NO. 38331

To appropriate the Public Waters of the State of Oregon

I, DENNIS E. AND JOAN OLSTEDT (Name of applicant) of ELSIE BE BOX 62 SEASIDE (Mailing address) State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is KLINES CREEK (Name of stream), a tributary of NEHALEN RIVER

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. .01 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is DOMESTIC USE INCLUDING IRRIG. OF LAWN & GARDEN (Irrigation, power, mining, manufacturing, domestic supplies, etc.) NOT TO EXCEED 1/2 ACRE

4. The point of diversion is located 600 ft. N and 430 ft. E from the NW 1/4 corner of SECTION 27 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of the NW 1/4 of Sec. 27, Tp. 5-N, R. 7-W, W. M., in the county of

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/2 HORSE FAIRBANKS-MORSE MODEL 250-44 7 FT. LIFT (Size and type of engine or motor to be used, total head water is to be lifted, etc.) DIVERSION 600 FT. N 430 FT. E NW 1/4 CORNER 27

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE FAMILY

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150.00
- 12. Construction work will begin on or before COMPLETED
- 13. Construction work will be completed on or before COMPLETED
- 14. The water will be completely applied to the proposed use on or before 10/1/70

DENNIS E. AND JOAN OLSTEDT
By - Dennis E. Olstedt
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Klines Creek

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden


If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 15, 1967

Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969...

Complete application of the water to the proposed use shall be made on or before October 1, 1970..

WITNESS my hand this 18th day of March, 1968

STATE ENGINEER

Application No. 43954
Permit No. 32839

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of August, 1967, at 9:05 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of March 18, 1968
Permits on page 32839

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 12E
Fees \$25.00