

RECEIVED
APR 17 1967

Permit No. 32846

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39056

To Appropriate the Public Waters of the State of Oregon

I, Oregon State Parks and Recreation Division of the Oregon State Highway Department
(Name of applicant)
of Room 301 Highway Building, Salem
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek
(Name of stream)
a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 0.5
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Park purposes 0.15 c.f.s.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
irrigation 0.35 c.f.s.

4. The point of diversion is located 660 ft. N and 200 ft. W from the SE
(N. or S.) (E. or W.)
corner of Sec. 34
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE⁴ SE⁴ of Sec. 34, Tp. 3 N
(Give smallest legal subdivision) (N. or S.)
R. 9 E, W. M., in the county of Hood River
(E. or W.)

5. The pipe line to be 2,600 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW⁴ SW⁴ of Sec. 35, Tp. 3 N
(Smallest legal subdivision) (N. or S.)
R. 9 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 10 feet, length at bottom 3 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry, wasteway over rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete with iron trash rack
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of Viento State Park
County, having a present population of _____
(Name of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____ park uses

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 20,000.
- 12. Construction work will begin on or before 10/1/67
- 13. Construction work will be completed on or before 5/1/68
- 14. The water will be completely applied to the proposed use on or before 6/1/68

[Signature]
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek

The use to which this water is to be applied is use in public park and irrigation being 0.15 cfs for park use and 0.35 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 17, 1967

Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.

Complete application of the water to the proposed use shall be made on or before October 1, 1970.

WITNESS my hand this 18th day of March, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 43967
Permit No. 32846

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of August, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

March 18, 1968
Recorded in book No. of
Permits on page 32846

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 4 page 6F
Fees 30.00