

RECEIVED
AUG 18 1967

STATE ENGINEER
NEW OREGON

Permit No. 32852

CERTIFICATE NO. 38328

*APPLICATION FOR PERMIT See Misc. Res. Vol. 4 Page 1004

ASSIGNED, See Misc. Res. Vol. 4 Page 221

To Appropriate the Public Waters of the State of Oregon

I, Ralph Jamison (Name of applicant)
of RT. 1 Box 473 Tillamook (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed Stream (Name of stream),
a tributary of Tillamook River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is One Horse Domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
including up to 1/2 ac. of lawn & garden

4. The point of diversion is located 165.00 ft. N and 2612.00 ft. W from the
corner of sec 22 G&T, lot 4 S.W. corner (Section or subdivision)
(1605 N. & 2012 W. S.E. cor lot 4 sec 22)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the lot 3 of Sec. 22, Tp. 15
(Give smallest legal subdivision) (N. or S.)
R. 10 W, W. M., in the county of Tillamook (E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 1200 feet (Miles or feet)
in length, terminating in the lot 4 of Sec. 22, Tp. 15
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3'6" feet, length on top 5 feet, length at bottom
5 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate lumber 4"
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before 8/20/67
- 13. Construction work will be completed on or before 9/30/68
- 14. The water will be completely applied to the proposed use on or before 9/30/69

Ralph Jamison
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forCompletion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or beforeNovember 27th....., 19..67..

WITNESS my hand this ..26th..... day ofSeptember....., 19...67

RECEIVED
OCT 20 1967

CHRIS. L. WHEELER
STATE ENGINEER

By Tony A. [Signature]
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 18, 1967

Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of March, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 43978
Permit No. 32852

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of August, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:
March 18, 1968 of
Recorded in book No. _____
Permits on page 32852

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 1 page 18A
Fees \$25.00