

SM- RECEIVED
AUG 25 1967
STATE ENGINEER
DAVID W. JOHNSON

RECEIVED
AUG 25 1967
STATE ENGINEER

Permit No. 32900

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43130

To appropriate the Public Waters of the State of Oregon

I, Carl Westfall
(Name of applicant)
of 1014 1/2 RT Box 108 E
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Deer Creek
(Name of stream)
a tributary of S. Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. 0.02
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 210 ft. S and 120 ft. W from the SE
(N. or S.) (E. or W.)
corner of Lot 11 Deer Creek Orchard Tracts
PLAT A
(Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 NW 1/4 of Sec. 23, Tp. 22 S
(Give smallest legal subdivision) (N. or S.)
R. SW, W. M., in the county of Douglas
(E. or W.)

5. The Pipe to be 450'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 23, Tp. 22 S
(Smallest legal subdivision) (N. or S.)
R. SW, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3 HP Centrifugal
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

County, having a present population of _____

(Name of)

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500

12. Construction work will begin on or before Aug 24th

13. Construction work will be completed on or before _____

14. The water will be completely applied to the proposed use on or before Aug 30th

Carl L. Wertzell

(Signature of applicant)

MEMBER AND BOARD OF THE STATE ENGINEER

Remarks: I, the applicant, have been informed of the State Water Resources

Board's policy concerning the Umpqua River and its tributaries.

We have been informed that we must change our water permit from Deep Creek to IRRIGATION from Domestic & IRRIGATION to just IRRIGATION now that we have city water and don't use the creek water for domestic use.

Since we have bought the adjoining property next to us (west of us) 200 acres we would like to include it in our permit the amount of water we were allowed for our original permit would be adequate for the 200 acres next to us if we could get just twice the amount we had.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 19_____

WITNESS my hand this _____ day of _____, 19_____

SEAL OF OREGON

DEPUTY

By _____

STATE ENGINEER

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Deer Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 25, 1967

Actual construction work shall begin on or before April 17, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 17th day of April, 1968

Chris L. Wheeler

STATE ENGINEER

Application No. 44009
Permit No. 32900

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25th day of August, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 17, 1968

Recorded in book No. of 32900
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 13

fees 42.00