

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39951

To appropriate the Public Waters of the State of Oregon

I, LEONARD C. HARMS + (JANE K.) of R#1 - Box 170 VANCILLA, OREGON - 97499 State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is EIK CREEK, a tributary of UMPQUA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second.

**3. The use to which the water is to be applied is IRRIGATION

4. The point of diversion is located 100 ft. S and 2350 ft. W from the E 1/4 corner of Sec. 18

being within the N.W. 1/4 SE 1/4 of Sec. 18, Tp. 22S, R. 5W, W.M., in the county of DOUGLAS

5. The PIPE LINE to be 700 FEET in length, terminating in the N.W. 1/4 SE 1/4 of Sec. 18, Tp. 22S, R. 5W, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 HP - ELECTRIC

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
22 S	5 W	18	NW 1/4 SE 1/4	2 ACRES

(If more space required, attach separate sheet)

(a) Character of soil SILTY - CLAY
 (b) Kind of crops raised LAWN - GARDENS

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
 Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)
 (g) If so, name stream and locate point of return
, Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1380.00

12. Construction work will begin on or before 1 YEAR AFTER ISSUED

13. Construction work will be completed on or before 2 YEAR AFTER ISSUED

14. The water will be completely applied to the proposed use on or before 3 YEARS AFTER

ISSUED

Leonard C. Hains, Jr.
(Signature of applicant)

Remarks: I, the applicant, have been informed of the State Water Resources

..... Board's policy concerning the Umpqua River and its tributaries.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.025..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 27, 1967

Actual construction work shall begin on or before May 6, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this 6th day of May, 1968.

Chris L. Wheeler

STATE ENGINEER

Application No. 44109
Permit No. 32918

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of September, 1967, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

May 6, 1968

Recorded in book No. of

Permits on page 32918

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 180

Fees