

SM- RECEIVED
SEP 10 1907

Permit No. 32055

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39724

To appropriate the Public Waters of the State of Oregon

I, John A. Barney (Name of applicant)
of Star Rt, Box 28, Idley Park, Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River (Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 1/80th cubic feet per second. 7/80th (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3070.13 ft. S and 1183.03 ft. W from the NE corner of Sec 10. T26S R3W. (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 Sec 10 of Sec. 10, Tp. 26 S, R. 3 W, W. M., in the county of Douglas

5. The pipe line 1/2 in to be 471 ft. (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 of Sec. 10, Tp. 26 S, R. 3 W (Smallest legal subdivision), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description: portable, submersible 3/4 hp high head pump, lifting approx 12 gal per min 70 ft. Use 2 sprinklers, 7/8 in apertures 3/32 & 7/32 per each sprinkler. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500.00
- 12. Construction work will begin on or before 1 June 1968
- 13. Construction work will be completed on or before 15 June 1968
- 14. The water will be completely applied to the proposed use on or before 1 July 1968

There will be no dam. At diversion point, submersible pump and suction opening will be placed in the river.

John A. Rainey
(Signature of applicant)
Star Rt, Box 28, Idleyld Park, Ore

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 8th 19 68

WITNESS my hand this 8th day of November, 19 67

CHRIS L. WHEELER
STATE ENGINEER
By *[Signature]*
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 29, 1967

Actual construction work shall begin on or before May 6, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970..

Complete application of the water to the proposed use shall be made on or before October 1, 1971..

WITNESS my hand this 6th day of May, 1968..

Chris L. Wheeler

STATE ENGINEER

pc

Application No. 44121
Permit No. 32055

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of September, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 6, 1968

Recorded in book No. of
Permits on page 32055

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 160 page 360
Fees