*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, MARY JON				•••••
of P.O. BOX 1171,	ROSEBURG, ORE		7 0	
State of OREGON	, do hereby m	ake application f	or a permit to a	ppropriate the
following described public waters				
If the applicant is a corpore	ation, give date and place	of incorporation		
·		***************************************	•••••	
1. The source of the propos	ed appropriation isN	ORTH UMP	QUA RIVE	₹
		•		
2. The amount of water wh	ich the applicant intends t	o apply to benej	icial use is	005 c.f.s.
cubic feet per second.	(If water is to be used from m	ore than one source, giv	e quantity from each)	
**3. The use to which the wa				for one
family including 12 ac				
✓4. The point of diversion is	s located845 ft. S	and 3330	ftE from	m theN.W.
corner of Section 16				
	(Section of su	I	•••••	

	7		•••••	•••••
	If preferable, give distance and bearin	***************************************		
being within the M. 4 if N. H. (Give	ne point of diversion, each must be des		• •	26 S
R. 4 W. W. M., in the cour				(N. or S.)
5. The pipe line			300 ft.	
in length, terminating in the	N.W. + of N.E.	of Sec1	(Miles or fe	eu 26 S
R. 4 W W. M., the property (E. or W.)				
(E. or W.)	;			
Diversion Works—	DESCRIPTION OF	WORKS		
6. (a) Height of dam				
feet; material to			re ,	
	be used and character of d	onstruction	re ,	k, concrete, masonry,
	be used and character of o	onstruction	(Loose roc	k, concrete, masonry,
rock and brush, timber crib, etc., wasteway over (b) Description of headgat	or around dam) e(Timber.	concrete, etc., number a	(Loose roc	k, concrete, masonry,
rock and brush, timber crib, etc., wasteway over	or around dam) e(Timber.	concrete, etc., number a	(Loose roc	k, concrete, masonry,
rock and brush, timber crib, etc., wasteway over (b) Description of headgat (c) If water is to be pumper	or around dam) e(Timber.	concrete, etc., number a	(Loose rock ind size of openings) Urchased Size and type of pump)	k, concrete, masonry,

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

-	Pipe Line			33034
7. (a) Give	e dimensions at a	each point of ca	nal where materially char	nged in size, stating miles from
eadgate. At head	lgate: width on t	top (at water li	ne)	feet; width on bottom
ousand feet.	-			ter line)
	feet; width on bo	ottom	feet; depth of	water feet,
ade	feet fall	per one thousa	nd feet.	
	_		_	in.; size at300 ft.
			·	difference in elevation between
				Estimated capacity
960 gal. per			grade unijorni:v.s.s.s.	Estimated capacity
		rigated, or plac	e of use	
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S	4 W	16	N.W. 4 of N.E.4	I Dome
	lawn and go		News 4 Of Nede 4	
			 g	Itr 12-11-67
(a) Cho	tracter of soil		quired, attach separate sheet)	
	•		es and flowers	
ower or Mining	_			
9. (a) Tot	al amount of po	wer to be devel	oped	theoretical horsepower
(b) Qu	antity of water t	o be used for po	wer	sec. ft.
(c) Tot	al fall to be util	ized	(Hoad)	
,				pe developed
, ,		, , , , , , , , , , , , , , , , , , ,		·
(e) Su	ch works to he lo	cated in		of San
(U) D u				of Sec.
	מ			
(No. N. or S.				
(f) Is a	water to be retur	rned to any stre	eam?(Yes or No) It of return	

12. Construction work will begin on or before November 1, 1967. 13. Construction work will be completed on or before March 1, 1968. 14. The water will be completely applied to the proposed use on or before March 1, 1968. 15. The water will be completely applied to the proposed use on or before March 1, 1968. 16. The water will be completely applied to the proposed use on or before March 1, 1968. 17. The water will be completely applied to the proposed use on or before March 2, 1968. 18. Add March 2, 1968. 19. The water will be completely applied to the proposed use on or before March 2, 1968. 19. The water will be completely applied to the proposed use on or before March 2, 1968. 19. The water will be completely applied to the William 26, 1969. 19. The following described property in Section 9, and Section 16, 1969. 19. The following described property in Section 9, and Section 16, 1969. 19. The following described property in Section 9, and Section 16, 1969. 19. The following described property in Section 9, and Section 16, 1969. 19. The following described property in Section 9, and Section 16, 1969. 20. The following described property in Section 9, and Section 16, 1969. 21. The water will be water 1969. 22. The water 1969 in Section 2, 1969. 23. The water 1969 in Section 2, 1969. 24. The water 1969 in Section 2, 1969. 25. The water 1969 in Section 2, 1969. 26. The water 1969 in Section 2, 1969. 26. The water 1969 in Section 2, 1969. 27. Township 26 South, Range 4 West, W. M., bears North 81 degrees 48. We water 1969 in Section 2, 1969. 28. The water 1969 in Section 2, 1969. 29. The water 1969 in Section 2, 1969. 29. The water 1969 in Section 2, 1969. 29. The water 1969 in Section 3, 1969. 29. The water 19	County, having a pre	esent population of	
(b) If for domestic use state number of families to be supplied (Character questions II, it 18 and it is all cases) 11. Estimated cost of proposed works, \$1.200. 12. Construction work will begin on or before Navamber 1, 1968. 13. Construction work will be completed on or before March 1, 1968. 14. The water will be completely applied to the proposed use on or before when 1, 1968. 25. Add the water will be completely applied to the proposed use on or before when 1, 1968. 26. Add the water will be completely applied to the proposed use on or before when 1, 1968. 27. Add the water will be completely applied to the proposed use on or before when 1, 1968. 28. Add the water will be completely applied to the property as taken from Warranty Deec recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021 - 29. of the following described property in Section 9, and Section 16, niship 26 South, Range 4 West, W. M., Douglas County, Oregon: BEGINNING at marked with a 3/4" iron rod on the southerly right of way line of the Wilbur-Ghway (County No. 2001) from which the Section corner common to sections 8, 9, 17. Township 26 South, Range 4 West, W. M., bears North 81 degrees 48' We 4, feet; thence South 310 feet, to the meander line on the right bank of the Norque River, thence downstream along the said meander line to a point on the west of the Fritz and Patricia H. Sterchi property as described in Volumn 356, Page 1 k of the Prinz and Patricia H. Sterchi property to 3.3/4" iron rod on the sout of way line of said Wilbur-Gline of said Wilbur-Gline of said wild wild meander line on the right bank of the North of the Prinz and Patricia H. Sterchi property to 3.3/4" iron rod on the sout of way line of said wild wild wild meander line on the gold meander line on the right bank of the North of the Prinz and Patricia H. Sterchi property to 3.3/4" iron rod on the sout of way line of said wild wild be a south of the State Engineer, with corner common to the State Engineer, with corner common the so	· ·		
11. Estimated cost of proposed works, \$.1200. 12. Construction work will begin on or before November 1, 1957. 13. Construction work will be completed on or before March 1, 1968. 14. The water will be completely applied to the proposed use on or before June 1, 1968. 15. The water will be completely applied to the proposed use on or before June 1, 1968. 16. The water will be completely applied to the proposed use on or before June 1, 1968. 17. The water will be completely applied to the proposed use on or before June 1, 1968. 18. The water will be completely applied to the property as taken from Warranty Deed recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021			
11. Estimated cost of proposed works, \$.1200. 12. Construction work will begin on or before November 1, 1967. 13. Construction work will be completed on or before March 1, 1968. 14. The water will be completely applied to the proposed use on or before June 1, 1968. Remarks: Legal Description of Mary Jones property as taken from Warranty Deed recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 on Page 1021 of the following described property in Section 9, and Section 16, paship 26 South, Range 4 West. W. M., Douglas County, Oregon: EEGINNING so the marked with a 3/4" iron rod on the southerly right of way line of the Wilburg in marked with a 3/4" iron rod on the southerly right of way line of the Wilburg 117, Township 26 South, Range 4 West, W. M., bears North 81 degrees 48" well 4.4 feet; thence South 310 feet, to the meander line on the right bank of the Norpus Revenue of the Pritz and Patricia H. Sterchi property as described in Volumn 366, Page 1 k of Records, Douglas County, Oregon; thence leaving said meander line and right along said westerly line of said Sterchi property to 3 3/4" from rod on the south of way line of said Wilbur-Glide Highway, thence along said southerly right of a in an easterly direction to the point of beginning, containing 19,5 acres, more and account of the south of the point of beginning, containing 19,5 acres, more and data, and return the same for	(b) If for domestic use state number	of families to be supplied	one
12. Construction work will be completed on or before March 1, 1968 14. The water will be completely applied to the proposed use on or before	(Answer questions	s 11, 12, 13, and 14 in all cases)	
13. Construction work will be completely applied to the proposed use on or beforeLune. 1,1968	11. Estimated cost of proposed works, \$.120	00,	
Remarks: Legal Description of Mary Jones property as taken from Warranty Deec recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 on Page 1021	12. Construction work will begin on or be	fore November 1, 1967	
Remarks: Legal Description of Mary Jones property as taken from Warranty Deec recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021	13. Construction work will be completed o	on or before March 1, 196	8
Remarks: Legal Description of Mary Jones property as taken from Warranty Deed recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021	14. The water will be completely applied to	o the proposed use on or befo	re June 1, 1968
Remarks: Legal Description of Mary Jones property as taken from Warranty Deed recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 of Page 1021		× Mary	Jones
recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021		,	my or applicant)
recorded in Douglas County, State of Oregon on April 21, 1967 in Book 388 or Page 1021	Remarks. Legal Description of Mary	Jones property as take	n from Warranty Deed
Page 1021			
of the following described property in Section 9, and Section 16, onship 26 South, Range 4 West, W.M., Douglas County, Oregon; BEGINNING and marked with a 3/4" iron rod on the southerly right of way line of the Wilbur-Ginway (County No. 200) from which the Section corner common to sections 8, 9, in 17, Township 26 South, Range 4 West, W. M., bears North 81 degrees 48' We 74.4 feet; thence South 310 feet, to the meander line on the right bank of the Nor pqua River, thence downstream along the said meander line to a point on the western the Fritz and Patricia H. Sterchi property as described in Volumn 366, Page 10 ok of Records, Douglas County, Oregon; thence leaving said meander line and right along said westerly line of said Sterchi property to a 3/4" iron rod on the sount of way line of said Wilbur-Glide Highway, thence along said southerly right ce in an easterly direction to the point of beginning, containing 19.5 acres, more than a casterly direction to the point of beginning, containing 19.5 acres, more than a casterly that I have examined the foregoing application, together with the accompany are and data, and return the same for			
CATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany aps and data, and return the same forCompletion		<u>he Section corner comm</u>	ion to sections 8, 9, 1
CATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany application and data, and return the same for completion In order to retain its priority, this application must be returned to the State Engineer, with correction	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the long said westerly line of said St. t of way line of said Wilbur-Glide F	the Section corner commest, W. M., bears Nor the meander line on the g the said meander line property as described i gon; thence leaving sa Sterchi property to a 3/Highway, thence along	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 o id meander line and rur 4" iron rod on the south said southerly right of
ATE OF OREGON, ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany aps and data, and return the same forCompletion In order to retain its priority, this application must be returned to the State Engineer, with corrected.	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the along said westerly line of said State of way line of said Wilbur-Glide Feet in an easterly direction to the point	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and run 4" iron rod on the south said southerly right of ing 19.5 acres, more of
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ups and data, and return the same forCompletion In order to retain its priority, this application must be returned to the State Engineer, with correction	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the along said westerly line of said State of way line of said Wilbur-Glide Feet in an easterly direction to the point	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and run 4" iron rod on the south said southerly right of ing 19.5 acres, more of
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany aps and data, and return the same for	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the along said westerly line of said State of way line of said Wilbur-Glide Feet in an easterly direction to the point	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany ps and data, and return the same for	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the along said westerly line of said State of way line of said Wilbur-Glide Feet in an easterly direction to the point	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of
ps and data, and return the same forCompletion	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregan the along said westerly line of said State of way line of said Wilbur-Glide Feet in an easterly direction to the point	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of
In order to retain its priority, this application must be returned to the State Engineer, with corr	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to equa River, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregin along said westerly line of said St. of way line of said Wilbur-Glide Fe in an easterly direction to the point of the Point ATE OF OREGON, and a second sec	the Section corner commest, W. M., bears Northe meander line on the g the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of
In order to retain its priority, this application must be returned to the State Engineer, with corr	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to equa River, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregith along said westerly line of said St. t of way line of said Wilbur-Glide Fe in an easterly direction to the point of an easterly direction to the point of the County of Marion, Ss. County of Marion,	the Section corner commest, W. M., bears Northe meander line on the group the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contain	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 oid meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of the said southerly right of the said said southerly right of the said said southerly right of the said said said said said said said said
	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a squa River, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregin along said westerly line of said St. tof way line of said Wilbur-Glide Frinan easterly direction to the point of an easterly direction to the point of the point of the said Wilbur-Glide Frinan easterly direction to the point of the poin	the Section corner commest, W. M., bears Nor the meander line on the group the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contains the foregoing application, together the foregoing application, together the said application of the foregoing application, together the foregoing application, together the said application of the foregoing application, together the said meander line and the said application of the said applicat	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 oid meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of the south said said southerly right of the south said said said said said said said said
	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a squa River, thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregin along said westerly line of said St. tof way line of said Wilbur-Glide Frinan easterly direction to the point of an easterly direction to the point of the point of the said Wilbur-Glide Frinan easterly direction to the point of the poin	the Section corner commest, W. M., bears Nor the meander line on the group the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contains the foregoing application, together the foregoing application, together the said application of the foregoing application, together the foregoing application, together the said application of the foregoing application, together the said meander line and the said application of the said applicat	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 oid meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of ing 19.5 acres, more content of the south said southerly right of the south said said southerly right of the south said said said said said said said said
ons on or dejoreuanuary1440, 1999	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to compare the south 310 feet, to to compare the ritz and Patricia H. Sterchi k of Records, Douglas County, Oregoth along said westerly line of said South of way line of said Wilbur-Glide Fe in an easterly direction to the point ATE OF OREGON, County of Marion, This is to certify that I have examined to the post and data, and return the same for	the Section corner commest, W. M., bears Nor the meander line on the growing the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along at of beginning, contains the foregoing application, together the foregoing application, together the foregoing application of the foregoing app	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of the west with the accompanying the with the with the with the with the accompanying the with the wi
. I	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet; thence South 310 feet, to to a feet a feet; thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregon the along said westerly line of said St. tof way line of said Wilbur-Glide Feet in an easterly direction to the point of the point of the point of the same for	the Section corner commest, W. M., bears Nor the meander line on the growing the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along it of beginning, contains of beginning, contains completion.	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of the west with the accompanying the with the with the with the with the accompanying the with the wi
WITNESS my hand this 17th day of November , 19 67	17, Township 26 South, Range 4 We 4.4 feet; thence South 310 feet, to to a feet; thence South 310 feet, to to a feet a feet; thence downstream along of the Fritz and Patricia H. Sterchick of Records, Douglas County, Oregon the along said westerly line of said St. tof way line of said Wilbur-Glide Feet in an easterly direction to the point of the point of the point of the same for	the Section corner commest, W. M., bears Nor the meander line on the growing the said meander line property as described igon; thence leaving sa Sterchi property to a 3/Highway, thence along it of beginning, contains of beginning, contains completion.	th 81 degrees 48' West right bank of the North to a point on the west n Volumn 366, Page 1 of id meander line and rur 4" iron rod on the south said southerly right of ing 19.5 acres, more of the west with the accompanying the with the with the with the with the accompanying the with the wi

CHRIS L. WHEELER

STATE ENGINEER

By MAN LONG ASSISTANT

STATE	OF	OREGON,	1)	
Coun	tu o	f Marion	(ss.	,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, fromNorth Umpqua River

The use to which this water is to be applied iscomestic_use_of_one_family
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated
· · · · · · · · · · · · · · · · · · ·
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isNovember 3, 1967
Actual construction work shall begin on or before May 17, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.
Complete application of the water to the proposed use shall be made on or before October 1, 19.71
WITNESS my hand this 17th day of May, 1968
STATE ENGINEER

... page .06.D ainage Basin No.

CHILS L. WHEHLER STATE ENGINEER

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the

ice of the State Engineer at Salem, Oregon,

the 300 day of November

67, at 8:00 o'clock A.

turned to applicant:

Fay 17, 1968.

Recorded in book No. ...