

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John D. Stokes (Name of applicant) of Route 1, Box 24-A4, Philomath (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Marys River (Name of stream), a tributary of Willamette

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.) see remarks

4. The point of diversion is located 2357 ft. N (N. or S.) and 1864 ft. E (E. or W.) from the SW corner of W. M. Pearson DLC 51 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 28, Tp. 11S (N. or S.)

R. 6W (E. or W.), W. M., in the county of Benton

5. The pipe line (Main ditch, canal or pipe line) to be 175' (Miles or feet)

in length, terminating in the NE 1/4 SW 1/4 (Smallest legal subdivision) of Sec. 28, Tp. 11S (N. or S.)

R. 6N (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1/3 hp single phase electric motor (Size and type of pump) and matching centrifugal pump for yard irrigation. 1/4 hp electric pump with (Size and type of engine or motor to be used, total head water is to be lifted, etc.) matching centrifugal pump for house. Included purification system.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 600
- 12. Construction work will begin on or before complete
- 13. Construction work will be completed on or before complete
- 14. The water will be completely applied to the proposed use on or before is currently being
used.

John L. Stebbins
(Signature of applicant)

Remarks: The total sytem involves two pump units: one for in-the-house
supplies involving a purification system and a separate pump used for yard
irrigation. Yard is less than one-half acre.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mary's River

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 28, 1967

Actual construction work shall begin on or before June 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 7th day of June, 1968

Charles J. Wheeler

STATE ENGINEER

Application No. 44287

Permit No. 33078

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
the 28th day of November,
67, at 8:00 o'clock A. M.

turned to applicant:

proved:

June 7, 1968

Recorded in book No. _____ of _____
permits on page 33078

CHARLES J. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 1913

725