

*APPLICATION FOR PERMIT

CERTIFICATE NO. 42098

To appropriate the Public Waters of the State of Oregon

I, Eugene Chemical & Rendering Works of PO Box 2AA Harrisburg, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Curtis Slough, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1.25 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 500 ft. S and 2850 ft. W from the N.E. corner of Section 27, T. 15 S R. 4 W of the W.M.

being within the N.E. 1/4 N.W. 1/4 of Sec. 27, Tp. 15 S, R. 4 W, W. M., in the county of Linn

5. The Slough to be 1 mi in length, terminating in the S.E. 1/4 of the S.E. 1/4 of Sec. 3A, Tp. 15 S, R. 4 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 60 H.P. 900 G.P.M. Electric Pump 6" Inlet 5" Outlet 16' Lift

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 16' ft. Is grade uniform? YES Estimated capacity, 1.25 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
15 ^S	A. W	27	N.E. 1/4 N.E. 1/4	2
15 ^S	A W	27	N.W. 1/4 N.E. 1/4	26
15 ^S	A W	22	S.W. 1/4 S.E. 1/4	28
15 ^S	A W	22	S.E. 1/4 S.W. 1/4	10
15 ^S	A. W	27	N.E. 1/4 N.W. 1/4	4
15 ^S	A W	22	N.E. 1/4 S.W. 1/4	12
15 ^S	A W	22	N.W. 1/4 S.E. 1/4	16
15 ^S	A W	22	S.W. 1/4 N.E. 1/4	2
15 ^S	A W	22	S.E. 1/4 N.W. 1/4	3
				<u>103</u>

(If more space required, attach separate sheet)

(a) Character of soil Silt loam & silty clay loams

(b) Kind of crops raised Specialty Crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$17,000.00

12. Construction work will begin on or before May 1st 1968

13. Construction work will be completed on or before June 1st 1968

14. The water will be completely applied to the proposed use on or before July 1st 1968

Eugene Chemical & Remolding works
(Signature of applicant)

By Tang Torte

Remarks: The following described real property situated in the County of Linn, State of Oregon, to-wit; Part of Section 27 and part of the D.L.C. of Jason S. Clark, Claim No. 45, in Township 15, South of Range 4 West of the Willemette Meridian, Oregon, more particularly described as follows: Beginning at a point on the west line of said Clark Claim No. 45, which is 4.30 chains North of the South line of the Northwest quarter of section 22; thence South 41.75 chains to the center of a slough; thence Easterly up the center of said slough to the East line of Section 27, at a point 18.0 chains South of the Northeast corner of said Section 27, thence North to the Southwesterly boundary line of Market Road No. 2, as described in Deed recorded October 15, 1938 in book 148, page 477, Deed Records; thence North 37°01' West along the Southwesterly boundary line of said Market Road No. 2, to the North boundary line of that tract conveyed to A.C. Hubbard and Ida Mae Hubbard, his wife, by deed recorded June 25, 1942 in Book 158, page 434, Deed Records; thence West to the place of beginning, EXCEPT a roadway along the East side of said described property, recorded in Book 116, page 253, Deed Records.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Curtis Slough

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 12, 1967

Actual construction work shall begin on or before June 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 7th day of June, 1968

Chris L. Wheeler

STATE ENGINEER

Application No. 44338
Permit No. 33102

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of December, 1967, at 1:00 o'clock P. M.

returned to applicant:

approved:

June 7, 1968 of
Recorded in book No. 33102
permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 76.B.4