*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, G. W. Stringer	(Name of app			
of	312 Park Avenue, Nyssa		•	***************************************	
	(Mailing address)		, · · · · · · · · · · · · · · · · · · ·		
State	of Oregon	, do hereby n	nake application for	a permit to appropriate the	
follo	wing described public waters of t	he State of Oregon,	SUBJECT TO EXI	STING RIGHTS:	•
	If the applicant is a corporation,	, give date and place	e of incorporation		
*******					•
	1. The source of the proposed ap	(1) opropriation is .(2).	Owyhee Rive Keck Slough	r	
	•		•		
*******		, a tributary	ofShake KT	ver	
	2. The amount of water which th	he applicant intends	to apply to benefici	ial use is2.77.5	
	feet per second. (1) 1.85 c				n Kec Sloug!
•	*3. The use to which the water is	to be applied is	Irrigation	nanufacturing domestic supplies ate	_
		4 4 90	, , , , , , , , , , , , , , , , , , ,	of	
	4. The point of diversion is loca	ted* ft	f	tfrom the .East	4
corn	er of Sec. 25, Township	2.0			
*	(I) S 88 36 W -	1092 feet		· · · · · · · · · · · · · · · · · · ·	
	(1) s 88° 36' w -				
	(1) S 88 36 W -				
	(2) s 43° 39' w -	1784 feet	· .		
	(2) s 43° 39' w -		· .		
*	(2) S 43° 39' W -	1784 feet	ing to section corner)	if necessary)	
*	(2) S 43° 39' W -	1784 feet	ing to section corner)	if necessary)	
* being	(12) S 43° 39' W — (14) There is more than one point (1) NE4SE4 (14) Within the .(2) NE4SE4 (Give smalles 45 E. W. M. in the county of	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f Malheur	described. Use separate sheet	if necessary) , Tp20_S, (N. or S.)	
* being	(12) S 43° 39' W - (14) prefer to mare than one point of within the (2). NE4SE4 (Give smalles 45 E, W. M., in the county of (E. or W.) 5. The ditch and pipe	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	described. Use separate sheet	if necessary) , Tp20_S, (N. or S.)	
being	(1) S 43° 39' W - (1) NE4SE4 (Give smalles 45 E, W. M., in the county of (E or W.) 5. The ditch and pipe	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec25	3200 feet (Miles or feet)	
being	(12) S 43° 39' W - (14) prefer to mare than one point of within the (2). NE4SE4 (Give smalles 45 E, W. M., in the county of (E. or W.) 5. The ditch and pipe	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec25	3200 feet (Miles or feet)	
being R	(1) S 43° 39' W - (1) NE4SE4 (Give smalles 45 E, W. M., in the county of (E or W.) 5. The ditch and pipe	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec25	3200 feet (Miles or feet) Tp. 20 S. (N. or S.)	
being R	(12) S 43° 39' W — (14) prefer in mare than one point (14) NE 4 SE 4 (Give smalles 45 E. , W. M., in the county of (E. or W.) 5. The ditch and pipe (Main ditch) (S) (S) 46 E. , W. M., the propose (E. or W.)	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec	3200 feet (Miles or feet) Tp. 20 S. (N. or S.)	
being R	(12) S 43° 39' W — (14) prefer in mare than one point (14) NE 4 SE 4 (Give smalles 45 E. , W. M., in the county of (E. or W.) 5. The ditch and pipe (Main ditch) (S) (S) 46 E. , W. M., the propose (E. or W.)	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) Malheur Line panal or pipe line) 4NE4 SEI mallest legal subdivision) ed location being sh	ing to section corner) described. Use separate sheet of Sec	3200 feet (Miles or feet) Tp. 20 S. (N. or S.)	
being R in let	(2) S 43° 39' W - (If there is more than one point (If the point	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) Malheur line panal or pipe line) ANE 4 SEL mallest legal subdivision) ed location being sh DESCRIPTION OF	to be .(2)	3200 feet 1300 feet (Miles or feet) Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map.	
being R	(2) S 43° 39' W — (4) prefer to mare then one point of the 12. NE 4SE 4 (Give smalles (Give smalle	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) Malheur line panal or pipe line) ANE 4 SEL mallest legal subdivision) ed location being sh DESCRIPTION OF	to be .(2)	3200 feet 1300 feet (Miles or feet) Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map.	
being R in le	(2) S 43° 39' W — (11) prefer to mare then one point of the NE 4SE 4 (Give smalles (arable, give distance and bear t of diversion, each must be d st legal subdivision) f Malheur line prair pipe line) 4SE4 mallest legal subdivision) ed location being sh DESCRIPTION OF feet, length sed and character of	ing to section corner) described. Use separate sheet of Sec	3200 feet 1300 feet (Miles or feet) Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map.	
being R in le	(2) S 43° 39' W — (11) There is more then one point (12) NE 4SE 4 (14) within the (2) NE 4SE 4 (Give smalles (G	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec	3200 feet 1300 feet (Miles or feet) , Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map. feet, length at bottom	
being R in le	(2) S 43° 39' W — (11) prefer to mare then one point of the NE 4SE 4 (Give smalles (1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec	3200 feet 1300 feet (Miles or feet) , Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map. feet, length at bottom	
being R in let	(2) S 43° 39' W — (11) There is more then one point (12) NE 4SE 4 (14) within the (2) NE 4SE 4 (Give smalles (G	1784 feet arable, give distance and bear t of diversion, each must be d st legal subdivision) f	ing to section corner) described. Use separate sheet of Sec	3200 feet 1300 feet (Miles or feet) , Tp. 20 S. (N. or S.) Tp. 20 S. (N. or S.) the accompanying map. feet, length at bottom	
being R. in let R. Dive	(2) S 43° 39' W — (11) There is more then one point (12) NE 4SE 4 (14) within the (2) NE 4SE 4 (Give smalles (G	arable, give distance and bear t of diversion, each must be d st legal subdivision) Malheur Line Faraller pipe line) ANE 4 Mallest legal subdivision) ed location being sh DESCRIPTION OF feet, length sed and character of	ing to section corner) described. Use separate sheet of Sec. 2.5 (1) to be (2) of Sec. 25 own throughout on the second construction r, concrete, etc., number and (1) Parma with the section with the second construction with the second constr	3200 feet 1300 feet 1300 feet (Miles or feet) Tp. 20 S. (N. or S.) the accompanying map. (Loose rock, concrete, masonry, size of openings) ater lift 900 GPM	

7. (a) Give	dimensions at e	each point of c	anal where materially change	ed in size, stating miles from
eadgate. At head	gate: width on t	op (at water l	ine)	feet; width on botton
iousand feet.			feet; grade adgate: width on top (at water	
			feet; depth of w	
rade	• .			
			rize at intake,	in · ciza at
			use in.; diff	
		ft. Is	grade uniform?	Estimatea capacii
8. Location		rigated, or pla	ce of use	
Township	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	,	-		
Pump No. 1	45.7	25	***************************************	
20 S	46 E	25	NENE	8
		25	SENE	26
		25	NESE	36
		25	NWSE	. 3
			Total	73 acres
Pump No. 2				
<u>∞ 20 s</u>	46 E	25	SESE	37
	. : '	, ,		
<u> </u>		4		1 0
			- Marine	
		(If more space r	equired, attach separate sheet)	
(a) Cha	racter of soil	s	sandy	(,) · () · () · ()
(b) Kin	d of crops raised	hay.	grain, potatoes, s	ugar beets
Power or Mining	-			:
			ploped	
			owersec	c. ft.
(c) Tot	al fall to be util	ized	(Head)	
(d) The	e nature of the u	oorks by mean	s of which the power is to be	developed
(e) Suc	ch works to be lo	cated in	(Legal subdivision)	of Sec
Tp(No. N. or S.			,	
			eam?(Yes or No)	•
			(Yes or No) int of return	
(g) If s	,			

CHRIS L. WHEELER

STATE	OF	OREGON,))
Coun	tu oi	f Marion	ss.	4

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from Owyhee River and Keck
Slough being 1.21 cfs from Owyhee River and 0.62 cfs from Keck Slough
The use to which this water is to be applied is irrigation
,
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 4 acre feet per acre for each acre irrigated during the irrigation
season of each year,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is
Actual construction work shall begin on or before June 7, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970
Complete application of the water to the proposed use shall be made on or before October 1, 19.71
WITNESS my hand this 7th day of June , 1968
STATE ENGINEER

Permit No. 33112 Application No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the

fice of the State Engineer at Salem, Oregon, 1 the Ath day of SEERN DER,

A. M.

4. at Bi W o'clock

sturned to applicant:

pproved:

June 7, 1968

Recorded in book No.

ermits on page

CHRIS L. WHEELER STATE ENGINEER

rainage Basin No.

State Printing 98137