

RECEIVED
SEP 15 1957

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 57649

To appropriate the Public Waters of the State of Oregon

I, Cloverdale Grade School
(Name of applicant)
of Cloverdale, Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream
(Name of stream)
a tributary of Clear Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.31
(If water is to be used from more than one source, give quantity from each)
cubic feet per second.

**3. The use to which the water is to be applied is School 0.10 cubic ft. per second,
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Domestic 0.02 cubic ft. per second
*(including 0.02 cfs to 1/2 ac of lawn & garden each) Irrigation 0.10 cfs
Stock use 0.02 cfs*

4. The point of diversion is located 474.3 ft. south and 1264.7 ft. east from the SW
(N. or S.) (E. or W.)
corner of SE 1/4 of Sec. 34 Township 4 south, Range 10 west.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the LOT 3 NW NE of Sec. 3, Tp. 5 S (N)
(Give smallest legal subdivision) (N. or S.)
R. 10 W, W. M., in the county of TILLAMOOK
(E. or W.)

5. The pipe line (Main ditch, canal or pipe line) to be 3/4 mile (Miles or feet)
in length, terminating in the SE 1/4 SW 1/4 of Sec. 34, Tp. 4 south,
(Smallest legal subdivision) (N. or S.)
R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 ft. feet, length on top 10 feet, length at bottom
6 feet; material to be used and character of construction concrete
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber 4' x 2'
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2960 ft.; size at intake, 2 in. in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of W.M.	Section	40 Acre Tract	Number of acres to be irrigated
4S	10W	27	NW $\frac{1}{4}$ SW $\frac{1}{4}$	one house inc. $\frac{1}{2}$ acre L & G 1 dairy barn 70 Head
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	School Use
				5.4 Acres
		28	SW $\frac{1}{4}$ SE $\frac{1}{4}$	Two houses Inc. $\frac{1}{4}$ acres L & G one dairy barn 100 head
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	3 houses inc. $\frac{1}{2}$ acre L & G one dairy Barn 45 head
				one barn non-com.
		34	NE $\frac{1}{4}$ NW $\frac{1}{4}$	two houses inc. $\frac{1}{2}$ acre L & G one dairy barn 45 head
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	two houses inc. $\frac{1}{2}$ acre L & G one barn non-Com.
				4.1 Acres

TOTAL 10 houses Inc. $\frac{1}{2}$ acre L & G

4 Dairy Barns 260 Head

2 Non Com. Barns

1 School

9.5 Ac irrig.

changes OK'd by Steve O. Smith Principal.

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 1 school, 7 families, 3 farms

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2500.00

12. Construction work will begin on or before 9-1-67

13. Construction work will be completed on or before 9-30-67

14. The water will be completely applied to the proposed use on or before 10-15-67

Susan Kellow
(Signature of applicant) Susan Kellow,
Chairman, School District No. 22

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion and Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19 68

WITNESS my hand this 2nd day of November, 19 67

8th
24th

December
April

67
68

RECEIVED
MAY 10 1968
STATE ENGINEER
BALLH OF OREGON

CHRIS L. WHEELER
STATE ENGINEER

By *Tammy J. Smith*
ASSISTANT

12-3-67
Sfor

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is school, stock, domestic use of 10 families including the irrigation of not to exceed one-half acre lawn and garden and irrigation being 0.01 cfs for school, 0.02 cfs for stock, 0.03 cfs for domestic and 0.12 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 26, 1967

Actual construction work shall begin on or before July 22, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this 22nd day of July, 1968

Charles L. Wheeler
STATE ENGINEER

Application No. 44105
Permit No. 33135

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of September, 1967, at 2:00 o'clock A. M.

returned to applicant:

approved:

July 22, 1968
Recorded in book No. of
33135
permits on page

CHARLES L. WHEELER
STATE ENGINEER

rainage Basin No. 1 page 169