

RECEIVED
JAN 17 1900

STATE ENGINEER
SALMON DIVISION

*APPLICATION FOR PERMIT

CERTIFICATE NO. 43484

To appropriate the Public Waters of the State of Oregon

I, George A. and Jennie L. Mealey
(Name of applicant)
of 2381 Ocean Vista Avenue, Seaside
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is two unnamed springs
(Name of stream)
a tributary of Middle Fork of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
cubic feet per second. 0.03 from each spring
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic supplies and Lawn and Garden
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of Spring No. 1 is 1460 ft. S. and 480 ft. E. of the NW corner of S. 19, T. 13 S., R. 2 E. and in SW 1/4 of NW 1/4, S. 19, T. 13 S., R. 2 E. (Section or subdivision) Spring No. 2 is 1560 ft. South and 460 ft. E. of the NW corner of S. 19, T. 13 S., R. 2 E. and in SW 1/4 of NW 1/4, S. 19, T. 13 S., R. 2 E.

2 E. Two storage tanks are provided; a 1700 gallon tank is 1500 feet South of the
(If preferable, give distance and bearing to section corner)
NW corner of S. 19, T. 13 S., R. 2 E. and a 1000 gallon tank is 1360 feet South and 380 ft. E. of NW corner of S. 19, T. 13 S., R. 2 E., with both tanks within SW 1/4 of NW 1/4, S. 19, T. 13 S., R. 2 E.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of NW 1/4 of Sec. 19, Tp. 13 S., R. 2 E.
(Give smallest legal subdivision) (N. or S.)

R. 2 E., W. M., in the county of Linn
(E. or W.)

5. The main pipe line to be 550 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 of NW 1/4 of Sec. 19, Tp. 13 S.,
(Smallest legal subdivision) (N. or S.)

R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Have two pumps - one at 1700 gallon tank and one at dwelling.
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 550 ft.; size at intake, 1 in.; size at 550 ft. from intake 1 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? No Estimated capacity, 0.1 sec. ft.

8. Location of area to be irrigated, or place of use SW¹/₄ of NW¹/₄, S. 19, T. 13 S., R. 2 E.

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	1 E	19	SW ¹ / ₄ of NW ¹ / ₄	Domestic and Lawn and Garden for 6 families (House and 5 trailers)

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 6

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500.00

12. Construction work will begin on or before January 15, 1969

13. Construction work will be completed on or before October 1, 1969

14. The water will be completely applied to the proposed use on or before October 1, 1970

George A. J. Jensen Miley
(Signature of applicant)
by George A. Miley

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs being 0.015 cfs from each spring

The use to which this water is to be applied is domestic use of six families including the irrigation of not to exceed one-half acre lawn and garden

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 17, 1968

Actual construction work shall begin on or before July 22, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 22nd day of July, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 44402
Permit No. 33165

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
the 17th day of January
1968, at 8:00 o'clock P.M.

Returned to applicant:

Approved:

July 22, 1968

Recorded in book No. _____ of
units on page 33165

CHRIS L. WHEELER
STATE ENGINEER

Image Basin No. 0 page 42K