

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

XX Weyerhaeuser Company, a Washington corporation (Name of applicant)

of Tacoma, Washington 98401 (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation January 18, 1900 State of Washington

1. The source of the proposed appropriation is Klamath River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 20.4 CFS Withdrawn cubic feet per second. 18.0 CFS Returned, 2.4 CFS Consumed. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Cooling, Manufacturing (Irrigation, power, mining, manufacturing, domestic supplies, etc.) Boiler Feed See Remarks

4. The point of diversion is located 615 ft. S and 1640 ft. W from the NE corner of Sect. 24 T39S Range 8E W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 3 (Give smallest legal subdivision) of Sec. 24, Tp. 39S, R. 8E, W. M., in the county of Klamath

5. The Pipeline (Main ditch, canal or pipe line) to be Various - See Remarks terminating at various points in Sec. 13 & 24, Tp. 39S, R. 8E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2 Valve openings approximately 3' x 3' (Timber, concrete, etc., number and size of openings) underwater with trash racks

(c) If water is to be pumped give general description 7 centrifugal pumps (Size and type of pump) Turbine and motor drives. Total head varies 42' to 242' (Size and type of engine or motor to be used, total head water is to be lifted, etc.) See remarks.

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, See accompanying drawing ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use Wood Products Manufacturing Plant in

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T39S	R8E	13	Pt SW $\frac{1}{4}$ SW $\frac{1}{4}$ ; Pt SE $\frac{1}{4}$ SW $\frac{1}{4}$ ; Pt NE $\frac{1}{4}$ SE $\frac{1}{4}$ ; Pt SW $\frac{1}{4}$ SE $\frac{1}{4}$ ; Lot 1	
T39S	R8E	24	Lots 3, 8 & 2; Pt NW $\frac{1}{4}$ NW $\frac{1}{4}$ ; Lot 1	
T39S	R9E	18	<del>SW<math>\frac{1}{4}</math>NE<math>\frac{1}{4}</math>; NW<math>\frac{1}{4}</math>NW<math>\frac{1}{4}</math>; SW<math>\frac{1}{4}</math>NW<math>\frac{1}{4}</math>; NE<math>\frac{1}{4}</math>SW<math>\frac{1}{4}</math>;</del> NW $\frac{1}{4}$ SW $\frac{1}{4}$ ; Lots 4, 5, 6, 7, 8, 3, & 8	

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before Existing.....

13. Construction work will be completed on or before Existing.....

14. The water will be completely applied to the proposed use on or before Existing.....

WEYERHAEUSER COMPANY

By: *J. Church*  
(Signature of applicant)

Area Manager

Remarks: (3) Water use covered by this application is pumped and piped through underground system to points of use. See map attached (P1001-108)

(5) See map for pipe network explanation.

(6) c. 7 centrifugal pumps are installed.

Breakdown as follows: 1 5600 GPM @ 45' head

2 2500 GPM @ 45' head

2 3000 GPM @ 242' head

1 2500 GPM @ 242' head

1 1500 GPM @ 242' head

The 45' head pumps are used for condenser cooling and water is returned to river. The 242' head pumps are for fire and service water, and normal consumption is 1050 GPM. All 242' head pumps are available for fire use.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... Completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... April 1st ....., 19 68

WITNESS my hand this 31st day of January, 19 68

CHRIS L. WHEELER STATE ENGINEER

By: *Samuel W. ...*  
ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 20.4 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Klamath River

The use to which this water is to be applied is cooling, manufacturing and boiler feed being 18.0 cfs for cooling and 2.4 cfs for manufacturing and boiler feed

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 26, 1968

Actual construction work shall begin on or before July 22, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970

Complete application of the water to the proposed use shall be made on or before October 1, 1971

WITNESS my hand this 22nd day of July, 1968

*Chris L. Wheeler*

STATE ENGINEER

Application No. 44425  
Permit No. 33181

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of January, 1968 at 8:00 o'clock A. M.

returned to applicant:

approved:

July 22, 1968

Recorded in book No. 33181 of permits on page

CHRIS L. WHEELER  
STATE ENGINEER

rainage Basin No. 111 page 10