

## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

**3. The use to which the water is to be applied is	I, Gygi and Engel, a co-partnership consisting of Robert N, Gygi & Bruce L, E (Name of applicant)
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is unnamed stream and reservoir often a stream of the proposed appropriation is unnamed stream and reservoir often of the proposed appropriation is unnamed stream and reservoir of summer Creek  2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 0.20 c.f. f.  (It water is to be used from more than one second, gracually from each)  **3. The use to which the water is to be applied is recreation (and the country of second of the se	of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed stream and reservoir (state of the proposed appropriation is unnamed to apply to beneficial use is unbounded appropriation (state of the proposed appropriation is unamed to the proposed appropriation (state of the proposed appropriation is unamed to the proposed appropriation and the state of the proposed appropriation is unamed to the proposed appropriation (state of the proposed appropriation)  (If there is now then we prove it is not be undown to the state of the proposed appropriation (state of the proposed appropriation)  (If there is now then the proposed appropriation is unnamed to the proposed appropriation (state of the proposed appropriation)  (If there is now the state of the proposed appropriation (state of the proposed appropriation)  (If there is no the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation of the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation of the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation of the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation appropriation (state of the proposed appropriation)  (If the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation (state of the proposed appropriation)  (If the proposed appropriation (state of the propose	State ofOregon, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is	
A tributary of Bummer Creek  2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is	The source of the proposed appropriation is unnamed stream and reservoir
cubic feet per second. 0.20 c. f. f.  (If water is to be used from more than one source, gros quantity from each)  **3. The use to which the water is to be applied is recreation (irrigation, power, mining, manufacturing, demonstra supplies, ste.)  4. The point of diversion is located 368 ft. N. and 662 ft. E. from the SW (cf. or d.)  Greation or ministriction.  (Greation or ministriction)	, a tributary of Bummer Creek
4. The point of diversion is located 368 ft. N and 662 ft. E from the SW (Rev et a) (Rection or mulativisten)  4. The point of diversion is located 368 ft. N and 662 ft. E from the SW (Rev et a) (Rection or mulativisten)  (If there is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev et a)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev et a)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev et a)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev et a)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev ex)  (It ex ex)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  being within the SW 1/4 SW/2 of Sec. 24 Tp. 148 (Rev ex)  (It ex ex)  (It have is more than one point of diversion, each must be described. Use supersite sheet if securery)  (It ex ex)  (It have constant is supersited sheet if securery)  (It have constant i	2. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located 368 ft. N and 662 ft. E from the SW corner of Section 24, in the County of Benton.  (Bection or subdivision)  (If there is more than one point of diversion, each must be described. Use superate sheet if necessary)  being within the SW 1/4 SW of Section of Sect	cubic feet per second. 0.20 c.f.f.
4. The point of diversion is located 368 ft. No. and 662 ft. Equation (C. of Equation)  Corner of Section 24, in the County of Benton.  (All there is more than one point of diversion, each must be described. Use separate sheet if becauser)  (All there is more than one point of diversion, each must be described. Use separate sheet if becauser)  being within the SW 1/4 SW\$ of Sec. 24 , Tp. 148 (Cite smallert legal subdivision)  F. 8W (Cite w.)  5. The (Cite smallert legal subdivision)  5. The (Cite smallert legal subdivision)  6. (Cite w.)  (Cite smallert legal subdivision)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom 150 feet; material to be used and character of construction existing earthen dam with (Come rook, concrete, manner).  (Cite sec and brush, theber cite, etc. wastersy over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, etc. number and size of openings)  steel culvert overflow approximately 4" below top of dam  (c) If water is to be pumped give general description (Elies and type of pump)	
Corner of Section 24, in the County of Benton.  (Bection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SW 1/4 SW/2 of Sec. 24 , Tp. 148 , (Citre smallest legal subdivision)  R. 8W , W. M., in the county of Benton  (I. or W.)  5. The (Smallest legal subdivision) of Sec, Tp	(Brigation, power, mining, manufacturing, domestic supplies, etc.)
Corner of Section 24, in the County of Benton.  (Bection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the SW 1/4 SW/2 of Sec. 24 , Tp. 148 , (Citre smallest legal subdivision)  R. 8W , W. M., in the county of Benton  (I. or W.)  5. The (Smallest legal subdivision) of Sec, Tp	***************************************
Corner of Section 24, in the County of Benton.  (Rection or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if seconsary)  being within the SW 1/4 SW/2 of Sec. 24 , Tp. 14S (R. or S.)  R. 8W , W. M., in the county of Benton  (C. or W.) Benton  (C. or W.) (Miss or bott)  in length, terminating in the (Smallert legal subdivision) of Sec. , Tp. (R. or S.)  R. (C. or W.) , W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom 150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, massenzy.  Wasteway around South end rock and brush, timber cith, ste, wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Tumber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4" below top of dam  (c) If water is to be pumped give general description (Sless and type of pump)	4. The point of diversion is located 368 ft. N and 662 ft. E from the SW
(If there is more than one point of diversion, each must be described. Use superate sheet if necessary)  being within the SW 1/4 SW <sup>+</sup> of Sec. 24 , Tp. 148 (Give smallest lagal subdivision)  R. 8W , W. M., in the county of Benton (G. or W.)  5. The (Main dibc), canal or pipe line)  in length, terminating in the (smallest lagal subdivision)  R. W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom  150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, mannay).  was teway around South end  rect and brush, timber cith, ric., wasteway over or around dam) (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, site, number and site of openings)  steel culvert overflow approximately 4" below top of dam  (c) If water is to be pumped give general description (Bive and type of pump)	
being within the SW 1/4 SW 4/2 of Sec. 24 ,Tp. 14S (Give smallest legal subdivision) of Sec. 24 ,Tp. 14S (Give smallest legal subdivision)  R. 8W ,W. M., in the county of Benton  5. The (Main ditch. canal or pipe line) to be (Miles or twell)  in length, terminating in the (Smallest legal subdivision) of Sec. ,Tp. (K. or E.)  R. (Smallest legal subdivision) of Sec. ,Tp. (K. or E.)  R. (Ler W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom 150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, one county is, steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pumps)	(Section or subdivision)
being within the SW 1/4 SW 4/2 of Sec. 24 ,Tp. 14S (Give smallest legal subdivision) of Sec. 24 ,Tp. 14S (Give smallest legal subdivision)  R. 8W ,W. M., in the county of Benton  5. The (Main ditch. canal or pipe line) to be (Miles or twell)  in length, terminating in the (Smallest legal subdivision) of Sec. ,Tp. (K. or E.)  R. (Smallest legal subdivision) of Sec. ,Tp. (K. or E.)  R. (Ler W.)  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom 150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, one county is, steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pumps)	
being within the SW 1/4 SW4 of Sec. 24 ,Tp. 148 (Citre smallest legal subdivision) of Sec. 24 ,Tp. 148 (Rt. er 8.)  R. 8W ,W. M., in the county of Benton  (a. er w.)  5. The (Smallest legal subdivision) of Sec	**************************************
being within the SW 1/4 SW4 of Sec. 24 ,Tp. 148 (Citre smallest legal subdivision) of Sec. 24 ,Tp. 148 (Rt. er 8.)  R. 8W ,W. M., in the county of Benton  (a. er w.)  5. The (Smallest legal subdivision) of Sec	
being within the SW 1/4 SW/7 of Sec. 24 , Tp. 148 (Give smallest legal subdivision) of Sec. 24 , Tp. 148 (R. or 8.)  R. 8W , W. M., in the county of Benton  S. The Sec. 24 , Tp. 148 (R. or 8.)  Sec. 24 , Tp. 148 (R. or 8.)  Benton  Sec. 24 , Tp. 148 (R. or 8.)	(If preferable, give distance and bearing to section corner)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
R	being within the SW $1/4$ SW $\frac{1}{4}$ of Sec. $\frac{24}{7}$ Tp. $\frac{14S}{7}$
5. The	
in length, terminating in the	
in length, terminating in the	5. The to be
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom  150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, masonary, wasteway around South end  150 reck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom  150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, massonry, wasteway around South end rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, etc., number and size of openings) steel culvert overflow approximately 4" below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	(Smallest legal subdivision) (N. er S.)
6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom  150 feet; material to be used and character of construction existing earthen dam with  Wasteway around South end  rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30"  (Timber, concrete, etc., sumaber and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description  (Size and type of pump)	R, W. M., the proposed location being shown throughout on the accompanying map.
6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom  150 feet; material to be used and character of construction existing earthen dam with  Wasteway around South end  rock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30"  (Timber, concrete, etc., sumaber and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description  (Size and type of pump)	DESCRIPTION OF WORKS
150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, masonry, wasteway around South end reck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	
150 feet; material to be used and character of construction existing earthen dam with (Loose rock, concrete, masonry, wasteway around South end reck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30" (Timber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam 14 feet, length on top 200 feet, length at bottom
wasteway around South end  reck and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate 12" concrete culvert drain at bottom of dam; 30"  (Timber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	
(b) Description of headgate 12" concrete culvert drain at bottom of dam; 30"  (Timber, concrete, etc., number and size of openings)  steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description (Size and type of pump)	(Loose rock, concrete, masonry
steel culvert overflow approximately 4' below top of dam  (c) If water is to be pumped give general description  (Size and type of pump)	rock and brush, timber crib, etc., wasteway over or around dam)
(c) If water is to be pumped give general description (Size and type of pump)	(b) Description of headgate 12" concrete culvert drain at bottom of dam; 30"
	(a) If engler is to be summed give general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of pump)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

ısand feet.	feet; depth of we	ater	feet; grade	feet fall per o
	1	miles from h	eadgate: width on top (at w	ater line)
	feet; width on bo	ttom	feet; depth o	of water fe
ie	feet fall	ner one thoi	isand feet.	
		-	•	in saina at
			•	in.; size at
n intake	in.;	size at place	of use in.;	difference in elevation between
ke and place	of use,	ft. 1	Is grade uniform?	Estimated capac
· · · · · · · · · · · · · · · · · · ·	sec. ft.			
8. Locatio	n of area to be ir	rigated, or p	lace of use for recreat	ion
Township North or South	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
14S	8W	24	SW1/4 SW1/4	
	-	<del></del> _	,5.0.27.2.00.27.2	
· .			· · · · · · · · · · · · · · · · · · ·	
			,	,
· <del>- ·</del> · -	1		· · · · · · · · · · · · · · · · · · ·	ستعدود والمنافق والمنافذ والمن
	. 1			
<u> </u>				
·	<u> </u>	(If more enec	e required, attach separate sheet)	
(a) Ch	aracter of soil		- require, enem especie most,	· · · · · · · · · · · · · · · · · · ·
				•
	g Purposes—	<i></i>	<u> </u>	
	-	wer to be de	veloped	theoretical horsepo
			*	
		-	* power:	sec. jt.
(c) To	otal fall to be util	ized	(Head)	
(d) T	he nature of the u	vorks by med	ins of which the power is to	be developed
***************************************			***************************************	
(a) S				
•			<b>f</b>	of Sec
(No. N. or	, R(No. 1	, W.	М.	
(f) Is	water to be retu	rned to any s	stream?(Yes or No)	•
			1	
(g) If	so, name stream	and locate p	point of return	

(i) The nature of the mines to be served

	pply—		: · · · · · · · · · · · · · · · · · · ·	,			
10. (a) To supply th	he city of		*************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
	County, having a pres	ent population of	,				
(Name of)	on of i						
			1				
<b>.</b> •	stic use state number (	)f families to be supp	lied	#			
2 <b>X</b> -	(Answer questions 1	11, 42, 13, and 14 in all cases)		<b>(</b>			
11. Estimated cost o	f proposed works, \$	,		•			
12. Construction we	ork will begin on or befo	orealready_c	onstructed				
13. Construction work will be completed on or before							
	pe completely applied to						
	and the same of th	GYGI and ENGI	EL				
		By Fruce	L' WAX	L.			
Remarks:	This permit applic		0	Partner			
,				1 ***			
creek on prop	perty just purchased	by applicant	an eartnen dan	n.across.ine.be			
of said stream	has existed for a n	umber of years ar	nd the approxi	mately 5-acres			
lake or reserve	oir created thereby	is shown on the 1	956 U.S. Geo	logical Survey			
map of the are	a. However, no re	servoir permit or	appropriation	permit for the			
body of water	is on record. We a	re herewith apply	ing for the pe	rmit to appropr			
	•	`					
	id creek into the res						
reservoir after	drainage or low wa	ter periods, the	reek flow wil	l be allowed to			
pass through a	an outlet and an ove	rflow in the said	dam. The wa	iters in the res			
voir will be us	sed for fishing, boa	ting, swimming a	nd picnicking.	·····			
	The legal descript	ion of the propert	y upon which	the water will			
used is: That	part of the SW1/4						
			•				
or County Rou	te 15.	D4000000000000000000000000000000000000	•••••••••••••••••••••••••••••••••••••••	· · · · · · · · · · · · · · · · · · ·			
	·			Particular			
	1						
TATE OF OPEGON	1	÷					
	88.	· · · · · · · · · · · · · · · · · · ·					
County of Marion,	88.	a foregoing applicati	on together with	the accompanying			
County of Marion,  This is to certify t	\begin{aligned} \begin{aligned} \begin{aligned} \begin{aligned} that I have examined the e	,					
County of Marion,  This is to certify t	88.	,					
County of Marion,  This is to certify the state of the st	\begin{aligned} \begin{aligned} \begin{aligned} \begin{aligned} that I have examined the e	npletion					
County of Marion,  This is to certify the same and data, and returns	ss. that I have examined the rn the same for	npletion		•			
County of Marion,  This is to certify the same and data, and return the same same same same same same same sam	ss. that I have examined the rn the same forCon its priority, this applica	npletion		•			
County of Marion,  This is to certify the same and data, and return the same same same same same same same sam	ss. that I have examined the rn the same for	npletion		•			
This is to certify to naps and data, and returnment.  In order to retain ions on or before	that I have examined the rn the same forCon its priority, this application where 20th	npletion		ineer, with correc			

PECEIVED
JUN 11 1968
STATE ENGINEER
SALEM OREGON



STATE ENGINEER

STATE ENGINEER CALLY

1

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The use to which this wate	r is to be ap	plied is	recreati	on .	······	•	
		,					
If for irrigation, this approp	riation shal	2	d to				
d or its equivalent for each o	icre irrigate	d					
		1				•	
					•		
					·····	·····	
	•••••••••	•••••					······
•••••••••••••••••••••••••••••••••••••••					rome to be to the		:
	·····	<del>-</del>		··			·····
				•			
hall be subject to such reaso	nable rotati	on sustem	as mau be o	ordered bu	the <del>pr</del> oper	state off	icet.
The priority date of this pe							
Actual construction work s	hall begin o	on or befor	re	Sebremmer	24, 190	7	and si
			be comple				10

Application No. 44035

Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the

ce of the State Engineer, at Salem, Oregon, 52, at 8'Wo'clock a. M. the 6th day of Leptems

urned to applicant:

September 24, 1968

proved:

Recorded in book No. ...

mits on page .....

CHRIS L. WHEELER

inage Basin No.