	Note: This water right deeded by wonalder CERTIFICATE NO. 2164 to 7 airview Water * Permit No. 3328 Marin 28-1925 - APPLICATION FOR A PERMIT workspondence APPLICATION FOR A PERMIT
س رھ	To Appropriate the Public Waters of the State of Oregon
N	$\mathcal{N}_{i,n}$
#	I, (Name of Applicant)
~ £	•
υj	Tillamook , County of Tillamook
St	ate of, do hereby make application for a permit to appropriate the
fo	llowing described public waters of the State of Oregon, subject to existing rights:
	If the applicant is a corporation, give date and place of incorporation
	2), vvo approach a company of the co
	1. The source of the proposed appropriation is
	Donaldson Creek a, tributary of Wilson River
	2. The amount of water which the applicant intends to apply to beneficial use is
aı	nd one-half (12) cubic feet per second.
	3. The use to which the water is to be applied is
	Power and Irrigation (Irrigation, power, mining, manufacturing,
d	omestic supplies, etc.)
	4. The point of diversion is located S 55 57 E 3417.6 ft. from the section corner
	CHILL OF the NEW Country
be	ring within the SW ¹ / ₄ of the NE ¹ / ₄ of Sec. 26 , Tp. 1 South (No. N. or S.)
R	9 West , W. M., in the county of Tillamook (No. E. or W.)
	5. The main ditch is 700 feet long to be miles in
	Main ditch, canal or pipe line)
le	$ngth$, terminating in the SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Sec. $\frac{26}{7}$, $\frac{1}{7}$ South, R. $\frac{9}{1}$ West (No. N. or S.) (No. E. or W.)
W	M., the proposed location being shown throughout on the accompanying map.
	6. The name of the ditch, canal or other works is
	C E Donaldson Water Right
	DESCRIPTION OF WORKS
D	IVERSION WORKS—
	7. (a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction(Loose rock, concrete, The diverting dam is a pile of rocks placed in the creek to divert the water
	asonry, rock and brush, timber crib, etc., wasteway over or around dam)
m	into the open ditch line. No storage of water.

* A different form of application is provided where storage works are contemplated. These forms can be secured, without charge, together with instructions, by addressing the State Engineer, Salem, Oregon.

rom he	adgate. At headgate: Width on top (at water line) 24 inches feet; width on botto	om
inch	es feet; depth of water feet; grade feet fall per o	me
housan	d feet.	
	(b) Atmiles from headgate. Width on top (at water line)	· • • • •
	feet; width on bottom feet; depth of water fe	et;
rade	feet fall per one thousand feet.	\$ e
	in the first and the second of	
	and the second of the second o	
	FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS USED FOR:	
RRIGAT	The land to be irrigated has a total area ofacres, located in ed	
malles	legal subdivision, as follows: (Give area of land in each smallest legal subdivision which you intend to irrigat	e)
	In the SE_4^1 of the NW_4^1 of S 26	
	and the second of the second o	
	and he will be the second of t	
	ver engaler in the control of the co	
	(If more space is required, attach separate sheet)	
Power,	MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10.	(a) Total amount of power to be developed theoretical horsepour	er.
	(b) Total fall to be utilized feet. (Head)	
•	(c) The nature of the works by means of which the power is to be developed	
	8 inch pipe line to Pelton Wheel	
••••••	(d) Such works to be located in SE_4^1 of IW_4^1 of Sec. 26	
	(Legal subdivision)	
L 'P'•	South R. 9 West W. M. No. No. or S.) (No. E. or W.)	
y Meduliko a	(e) Is water to be returned to any stream? (Yes or No.) (Yes or No.)	
	(f) If so, name stream and locate point of return Donaldson Creek	
	, Sec. 26 , Tp. 1 South , R. 10 West , W. (No. E. or W.)	Μ.
	(9) The use to which power is to be applied is Run Saw Mill and General Farm	
	such as ensilage cutters Etc.	

	County having a magaint	nonvilation of	and an
(Nar	me of)	population of	, ana an
timated p	opulation ofin 191		
	(Answer questions 12, 1	3, 14, and 15 in all cases)	
12. Es	stimated cost of proposed works, \$	200	
13. Co	onstruction work will begin on or befor	e Is in position	
14. Co	onstruction work will be completed on	or before Finished	
		the proposed use on or before	
······			ha mulaa of tha
_	- ,	er works, prepared in accordance with the	ne ruies of the
tate Water	r Board, accompany this application.	C E Donaldson	
		(Name of applicant) Tillamook, Oreg.	
Ciamad	in the presence of us as witnesses:		
J	S Stephens	Tillamook, Or.	
7)	P Kan (Name)	Tillamook , Oreg of witness)	
		, , , , , , , , , , , , , , , , , , , ,	
	(Name)	(Address of witness)	
Remari	ks:	(Address of witness)	
	ks:		,
TATE OF	OREGON, County of Marion Ses.		
This is	COREGON, County of Marion to certify that I have examined the fe	oregoing application, together with the	accompanying
This is	COREGON, County of Marion to certify that I have examined the feddata, and return the same for correct		accompanying
This is	COREGON, County of Marion to certify that I have examined the feddata, and return the same for correct	oregoing application, together with the tion or completion, as follows:	accompanying
This is naps and	COREGON, County of Marion to certify that I have examined the fedata, and return the same for correct	oregoing application, together with the tion or completion, as follows:	accompanying
This is naps and	County of Marion to certify that I have examined the fedata, and return the same for corrected der to retain its priority, this appli	oregoing application, together with the tion or completion, as follows:	accompanying
This is naps and	COREGON, County of Marion to certify that I have examined the fedata, and return the same for corrected der to retain its priority, this applit, on or before	oregoing application, together with the tion or completion, as follows:	accompanying

Application	No	5 46 8
Permit No		

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No1 District No This instrument was first received in the office of the State Engineer at Salem, Oregon, on the	
in the office of the State Engineer at Salem, Oregon, on the 5 day of April 1917,	
in the office of the State Engineer at Salem, Oregon, on the 5 day of April 1917,	the state of the s
day of April , 1917,	
- ·	ing nation 181
$at = 8:30 \qquad o'clock = m.$	
Returned to applicant for correction	
Corrected application received	garang panggan ang panggan Panggan ang panggan ang pa
Corrected application received	
Approved: Apr 21 1917	
Recorded in Book No. 12 of	en a ser en al de la companya de la
Permits, on Page 3328	
John H Lewis	A TOTAL AND A STATE OF THE STAT
State Engineer. 1 map RS	in the second
\$8.75	
STATE OF OREGON	
County of Marion \\ss.	•
subject to such reasonable rotation system as may be ordered by the proper Star The use of the water under this permit shall be limited to water	4 - + + +
THE USE OF MIC ASCEL MINES DOTHER PROTECT SO TIME AND MORE	
purposes and for the development of 17 horsepower.	
purposes and for the development of 17 horsepower.	·
purposes and for the development of 17 horsepower.	
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which	can be applied to bene-
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or	can be applied to bene- its equivalent in case of
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. April 5	can be applied to bene- its equivalent in case of
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. April 5 Actual construction work shall begin on or before. April 2	can be applied to bene- its equivalent in case of , 1917 1, 1918
The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. Actual construction work shall begin on or before. April 2 and shall thereafter be prosecuted with reasonable diligence and be completed on the completed of the complete o	can be applied to beneits equivalent in case of , 1917 1, 1918 n or before
The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. Actual construction work shall begin on or before. April 2 and shall thereafter be prosecuted with reasonable diligence and be completed on the completed of the complete o	can be applied to beneits equivalent in case of , 1917 1, 1918 n or before
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. April 5 Actual construction work shall begin on or before. April 2	can be applied to bene- its equivalent in case of , 1917 1, 1918 n or before
The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. Actual construction work shall begin on or before. April 2 and shall thereafter be prosecuted with reasonable diligence and be completed of June 1,	can be applied to bene- its equivalent in case of , 1917 1, 1918 n or before
The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. April 5 Actual construction work shall begin on or before. April 2 and shall thereafter be prosecuted with reasonable diligence and be completed of June 1, Complete application of the water to the proposed use shall be made on of October	can be applied to bene- its equivalent in case of , 1917 1, 1918 n or before 1919 or before 1, 1920
purposes and for the development of 17 horsepower. The amount of water appropriated shall be limited to the amount which ficial use and not to exceed. 1.5 cubic feet per second, or rotation. The priority date of this permit is. April 5 Actual construction work shall begin on or before. April 2 and shall thereafter be prosecuted with reasonable diligence and be completed of June 1, Complete application of the water to the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the state of the proposed use shall be made on the proposed use shall be proposed use shall be made on the proposed use shall be proposed use shall be proposed use shall be proposed use shall	can be applied to bene- its equivalent in case of , 1917 1, 1918 n or before 1919 or before 1, 1920

Permits for power development are subject to the limitation of franchise as provided in Sec. 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Laws of 1915.