## \*APPLICATION FOR PERMIT

"CERTIFICATE NO. 56759

## To Appropriate the Public Waters of the State of Oregon

	•
I, David Nevilla (Name of applice	nt)
f Prospect Ore 97536	
State ofORSON, do hereby ma	ke application for a permit to appropriate the
following described public waters of the State of Oregon, S	UBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of	f incorporation
1. The source of the proposed appropriation is 3 sp	rings and unnamed Stream
<b>A</b>	(Name of stream)
trib.E.Fk. Evans Cr. trib. Evans, a tributary of	
r.#42. The amount of water which the applicant intends to	apply to beneficial use is 0.21
r.#42. The amount of water which the applicant intends to subject per second	ing #3 and 0.02 / supplementa
**3. The use to which the water is to be applied is 1.1	rigation.supplemental irrigation
**3. The use to which the water is to be applied is 1.1.	igation, power, mining, manufacturing, domestic supplies, etc.) Sor
at 7.600 t w	770.1
4. The point of diversion is located /ft.	and from the SE Co
Seation 27	
Corner of	livision)
sorner of Section 2 (Section or subspring #2 N 16° 25' W 758'	from SE Cor Sec.27
Spring #3 N 47° 35' W 1118'	same
Spring #4- N 89° 45' W 675'	same
Spring #4- N 89° 45' W 675' (If preferable, give distance and bearing	
(If preferable, give distance and bearing	to section corner)
(If there is more than one point of diversion, each must be described.)	to section corner) ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described.)	to section corner)
(If preferable, give distance and bearing (if there is more than one point of diversion, each must be described within the $SE_4^{\perp}$ $SE_4^{\perp}$ (Give smallest legal subdivision)	to section corner)  Thed. Use separate sheat if necessary)  of Sec
(If preferable, give distance and bearing  (If there is more than one point of diversion, each must be described within the SF1 SF1 SF2 (Give smallest legal subdivision)  (Give smallest legal subdivision)  2 W , W. M., in the county of Jackson (2. or w.)	to section corner)  ribed. Use separate sheat if necessary) of Sec
(If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (2. or W.)  5. The Pipe line (Main ditch, canal or pipe line)	to section corner)  ribed. Use separate sheat if necessary)  of Sec
(If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (2. or W.)  5. The Pipe line (Main ditch, canal or pipe line)	to section corner)  ribed. Use separate sheat if necessary)  of Sec
(If preferable, give distance and bearing  (If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson  (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (2. or W.)  5. The Pipe line (Main ditch, canal or pipe line)	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)  2. W., W. M., the proposed location being show (E. or W.)	to section corner)  ribed. Use separate sheat if necessary)  of Sec
(If preferable, give distance and bearing  (If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson  (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)	to section corner)  ribed. Use separate sheat if necessary)  of Sec
(If there is more than one point of diversion, each must be described within the SEL SEL (Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)  2. W., W. M., the proposed location being show (E. or W.)  DESCRIPTION OF W.	to section corner)  ribed. Use separate sheat if necessary)  of Sec. 27 , Tp. 33 S (N. or S.)  to be 4000 (Miles or feet)  of Sec. 27 , Tp. 33 S (N. or S.)  on throughout on the accompanying map.
(If there is more than one point of diversion, each must be described within the SEL SEL SEL (Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W , W. M., the proposed location being show (E. or W.)  DESCRIPTION OF V.  Diversion Works—  6. (a) Height of dam feet, length o	to section corner)  ribed. Use separate sheat if necessary)  of Sec. 27 , Tp. 33 S (N. or S.)  to be 14000 (Miles or feet)  of Sec. 27 , Tp. 33 S (N. or S.)  on throughout on the accompanying map.  WORKS  n top feet, length at bottom
(If there is more than one point of diversion, each must be described within the SEL SEL Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson (E. or W.)  5. The Plpa line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W , W. M., the proposed location being shou (E. or W.)  DESCRIPTION OF V.	to section corner)  ribed. Use separate sheat if necessary)  of Sec. 27 , Tp. 33 S (N. or S.)  to be 14000 (Miles or feet)  of Sec. 27 , Tp. 33 S (N. or S.)  on throughout on the accompanying map.  WORKS  n top feet, length at bottom
(If there is more than one point of diversion, each must be described within the SEL SEL SEL (Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  n length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W , W. M., the proposed location being show (E. or W.)  DESCRIPTION OF V.  Diversion Works—  6. (a) Height of dam feet, length o	to section corner)  ribed. Use separate sheat if necessary)  of Sec. 27 , Tp. 33 S (N. or S.)  to be 14000 (Miles or feet)  of Sec. 27 , Tp. 33 S (N. or S.)  on throughout on the accompanying map.  WORKS  n top feet, length at bottom
(If there is more than one point of diversion, each must be descring within the SELSEL SEL (Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson (E. or W.)  5. The Plps line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W , W. M., the proposed location being show (E. or W.)  DESCRIPTION OF V.  Diversion Works—  6. (a) Height of dam feet, length of the gent of the g	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described within the SEL SEL Give smallest legal subdivision)  2. W., W. M., in the county of Jackson (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  2. W., W. M., the proposed location being shout (E. or W.)  DESCRIPTION OF V.  Diversion Works—  6. (a) Height of dam feet, length of the proposed and character of county of diversion was presented by the second of the proposed and character of county of diversion was presented by the second of the proposed and character of county of the proposed and character of the proposed and the	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described within the SEL SEL Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson  (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W (E. or W.)  DESCRIPTION OF V  Diversion Works—  6. (a) Height of dam feet, length of the self; material to be used and character of cook and brush, timber crib, etc., wastaway over or around dam)  (b) Description of headgate (Timber, co	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be described within the SEL SEL Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson  (E. or W.)  5. The Pipe line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W (E. or W.)  DESCRIPTION OF V  Diversion Works—  6. (a) Height of dam feet, length of the self; material to be used and character of cook and brush, timber crib, etc., wastaway over or around dam)  (b) Description of headgate (Timber, co	to section corner)  ribed. Use separate sheat if necessary)
(If there is more than one point of diversion, each must be descring within the SELSEL SEL (Give smallest legal subdivision)  R. 2 W , W. M., in the county of Jackson (E. or W.)  5. The Plps line (Main ditch, canal or pipe line)  In length, terminating in the SEL SEL (Smallest legal subdivision)  R. 2 W , W. M., the proposed location being show (E. or W.)  DESCRIPTION OF V.  Diversion Works—  6. (a) Height of dam feet, length of the gent of the g	to section corner)  clibed. Use separate sheat if necessary)

(i) The nature of th

adgate. At hea	dgate: width on t	top (at water li	ne) <sup>-</sup>	feet; width on botto
ousand feet.		1	·	ater line)
••••••••••	feet; width on be	ottom	feet; depth o	f water fee
ade	feet fall	per one thousa	nd feet.	•
om intake	in.;	size at place of	use 2"(1" Dom) in.;	Doma,; size at
0.20 8. Locatio	sec. ft. n of area to be in	rrigated, or plac	ce of use	
· Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	2 °W	27	$SE_{4}^{1}$ $SE_{4}^{1}$	16 ac. + dom
		•	· · · · · · · · · · · · · · · · · · ·	
		,		
			·	
<u> </u>	-			
		. (		•
		<u> </u>	equired, attach separate sheet)	///
• •		•	2014 4 4 5 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7	***************************************
		d Pasture	<del>)</del>	•
ower or Minin	_	4- 3- 3	· ·	Al
•			1	theoretical horsepou
			węr	sec. ft.
(c) To	tal fall to be util	ized	feet.	
(d) T	he nature of the t	-	of which the power is to	be developed
(e) Si	ıch works to be l	ocated in	(Legal subdivision)	of Sec
p(No. N. or	R. (No. 1	, W. M.	· ·	
(f) Is	water to be retu	rned to any str	eam?(Yes or No)	
(a) 14	so, name stream	and locate poi	nt of return	*************************************
(9) 4)	,	E .		

10.	(a) To supply	the city of	***************************************			•••••••	·····		**********	·· • · · · · · · · · · · · · · · · · ·
		County	. havina a	present 1	opulation	of				/
	(Name of) stimated populat			-	-	•		·	,	
a an e		•					1	1		
, e*	(b) If for dom	estic use s	state numb	er of fa	milies to b	e suppl	ied <u>+</u>	**************************************		
W			(Answer ques	tions 11, 43, 1	and 14 in all	CREES)		<b>→</b> *****	,	
	Estimated cost	of proposed	d works, \$	500		••		, . F		•
12.	Construction w	ork will b	egin on or	before	One ye	ar fr	om dat	e of	prior	ity
	Construction w					,				
								Oa+ 1	1071	
1 <b>4</b> .	The water will	be complet	tely applie	d to the 1	proposed u	se on or	before		<u> </u>	
					6)	A	1 0		00	)
				-	Da	usch	Signature		Le.	·· <del>···</del> ·······························
, .		, V .		_		···				, 
R	emarks: App	licant	is awar	e of	the 196	6 lim	tati	on of	the W	ater
	rces Board								1	
				************		*************		7 705		***********
		***************************************						· · · · · · · · · · · · · · · · · · ·	••••••••	************
					•	**************			·	***********
•••••				***********					••••	
••••••••		***************************************		••••••	••••••			••••••	•••••••	
••••••				•••••	*******	•••••	·····	·····		
· • • • • • • • • • • • • • • • • • • •				************	***************************************	••••••	*************			***********
••••••				d	**********			· · · · · · · · · · · · · · · · · · ·		1 <del>0000</del>
			••••	•••••	• • • • • • • • • • • • • • • • • • • •					1 <del>-00-</del> -0000-
<b>:</b>	14 % ·	. : .		Maria D		*.		÷.	- Fee .	
······································		1. 1. 1. 1. 1.	;				;	***************************************		
			73	••••••	A Table 1				· · · · · · · · · · · · · · · · · · ·	
		***************************************		***************************************	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		· · · · ·	************		
		•••••		*************						
•			- 1	1	:		`;			
	OF OREGON,	ss.	0.00				,	• • • •		• 1
Cou	nty of Marion,					•	•		. '.	
	his is to certify			-		_		her with	the acc	mpany
aps at	nd data, and retu	irn the san	ne for	Comp	letion			•		
		·			. ,					
·····									•	
I	n order to retair	-		-		eturned	to the S	tate Eng	ineer, w	nth corr
	or hefore	May 20t	h	, 1	9	,	:			
ions or	. or bejore	•			. 1					
ions 01	or before	• • • • • • • • • • • • • • • • • • • •						•	· .	. ,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial us
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from an unnamed stream and
three springs
The use to which this water is to be applied is domestic use of one family, irrigation ar
supplemental irrigation being 0.01 cfs from spring No. 4 for domestic, 0.20 cfs from spring No. 4 for domestic N
unnamed stream for irrigation, 0.02 cfs from spring No. 2 and 0.005 cfs from spring No. 3 for supplemental irrigation
If for irrigation, this appropriation shall be limited to
second or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 42 acre feet per acre for each acre irrigated during the irrigation
season of each year provided further that the right allowed herein shall be limited
to any deficiency in the available supply of any prior right existing for the same
land and shall not exceed the limitation allowed herein
•
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is March 13, 1968
Actual construction work shall begin on or before December 4, 1969 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970
Extended to Oct. 1 197 Complete application of the water to the proposed use shall be made on or before October 1, 19.71.
WITNESS my hand this 4th day of December, 1968.
ali-Loselle
STATE ENGINEER

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

ffice of the State Engineer at Salem, Oregon,

n the 13th day of

1 o'clock A. M.

68, at

eturned to applicant:

pproved:

Application No. 44596

Permit No. 33376

State Printing 98137

page 420

ainage Basin No.

CHRIS L. WHEELER

Recorded in book No.

ermits on page .....