

*APPLICATION FOR PERMIT

CERTIFICATE NO. 41107

To appropriate the Public Waters of the State of Oregon

I, Herman P Meierjurgem (Name of applicant) of 250 NW, 216th Ave. Beaverton Oregon 97005 (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream), a tributary of North Fork of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0275 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is 0.01 CFS for Domestic use and 0.0175 for Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1200 ft. S and 925 ft. W from the NE corner of Sections 22 and 27 T4N-R9W in Clatsop County Ore. (Section or subdivision) NE 1/4 of NW 1/4 sect 27 (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NE 1/4 of NW 1/4 sect 27 of Sec. 27, Tp. 4 N, R. 9 W, W. M., in the county of Clatsop (Give smallest legal subdivision) (N. or S.)

5. The pipe (Main ditch, canal or pipe line) to be app. 900 feet (Miles or feet) in length, terminating in the NE 1/4 of NW 1/4 of Sec. 27, Tp. 4, R. 9, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Concrete, tile and metal screen (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gravity to Home with one Horse Electric Pump in Cistern Storage (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 750.00.....
- 12. Construction work will begin on or before July 1, 1968.....
- 13. Construction work will be completed on or before Sept. 1, 1969.....
- 14. The water will be completely applied to the proposed use on or before Sept. 1, 1969.....

Herman P. Muehler
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use of one family and irrigation being 0.01 cfs for domestic and 0.01 cfs for irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 1, 1968

Actual construction work shall begin on or before December 4, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1970.

Complete application of the water to the proposed use shall be made on or before October 1, 1971.

WITNESS my hand this 4th day of December, 1968

Chris L. Wheeler
STATE ENGINEER

Application No. 44852
Permit No. 33403

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of May, 1968, at 2:30 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 33403 of December 4, 1968

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 12F
Fees \$30.00

PC